


RANK: Average FEMA flood risk




RANK: Average risk of wildfire-urban interface



RANK: Average coverage of impervious surfaces




RANK: Average tree canopy coverage





Fresno County Climate Change Vulnerability

Final Vulnerability Scores




Final Vulnerability Scores






Climate Change Plus Cumulative Impacts






46% of African Americans and 36% of Latinos reside in the two highest risk categories compared to 30% of whites


Los Angeles County




CCPH CC Indicator CCPH, CC, BC 49% of African Americans and 45% of Latinos reside in the two highest risk categories compared to 26% of whites




Fresno County



Fresno County: Relative risk of Emergency Visits for heat illness by vulnerability score



Los Angeles County: Relative risk of Emergency Visits for heat illness by vulnerability score



Conclusions

- Screening tool is able to identify local communities at high risk for climate change impacts
- Climate change risks are not distributed equally across racial/ethnic groups
- Climate change poses additional risks to areas already affected by cumulative hazards
- Tool could be improved by incorporating data on future risks, not just current risks

Acknowledgements

Justin Scoggins, Lauren Joe, Jonah Lipsitt, Matthew Heberger, Alberto Ortega, Colleen Reid, Glen Sharp, Douglas Morales, Jerome Blake, Lindsay Monge, and Javier Minjares.