

SCAG POWER EQUIPMENT

EXECUTIVE ORDER U-L-052-0014-1 New Off-Road Large Spark-Ignition Equipment

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is

		ENGINE	DESCRIPTION								
	MANUFACTURER	ENGINE FAM	MILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)						
KAWA	SAKI HEAVY INDUSTRIES, LT		21A (U-L-036-0019) 21A (U-L-036-0020)	824	Gasoline						
	KOHLER COMPANY	KKHXB.747 JKHXB.747 JKHXB.824	2GB (U-L-021-0058) 2GB (U-L-021-0067) 2GF (U-L-021-0060) 2KG (U-L-021-0062) 2KG (U-L-021-0069)	747, 824	Gasoline						
S.A. = See Attachment; TBC = To Be Certified EQUIPMENT DESCRIPTION											
MODEL YEAR	EVAPORATIVE FAMILY	NOMINAL FUEL TANK SIZE (liters)	MINAL FUEL FOLIDMENT APPLICATION								
2019	COSCGKLSI	See Attachment	e Attachment Commercial Turf								
EMISS	ION CONTROL SYSTEMS (ECS)	ENGINE and/or EQUIPMENT MODEL									
(Canister/Co-extruded	See Attachment									
Code:- Met	E (Venting Control Type/Tank Barrier T al=M Treated HDPE or PE=P Co-extro ank Barrier Codes = M, P, C, L, N, A, (uded=C Selar=L Nylon=N /	Acetal=A Other=O B. EVAPO	RATIVE FAMILY	Other=O 2. Tank Barrier Type and 2-Letter CODE (Venting Control Codes be or code. Do not use abbreviations for						

The following are the evaporative emission standards (Title 13, California Code of Regulations, Section 2433(b)(4)(B), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

*=not applicable		DE	SIGN BASED				
	OSE PERMEATION ams ROG/m²/day)		ANK PERMEATION ams ROG/m²/day)	CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)			
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	OR EXECUTIVE ORDER		
15	See Attachment	1.5	See Attachment	1.4	See Attachment		

BE IT FURTHER RESOLVED: That for the listed engines for the aforementioned model-year, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2433(d) (certification and test procedures), 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-L-052-0014 dated June 28, 2018.

Executed at El Monte, California on this

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

V-L-052-0014-1

Attachment 1 of 1

Large Off-Road Evaporative Certification Database Form (Supplementary Information)

MODEL SUMMARY

S1.	S2.	ent all appropriate)		S4.	S5.	S6.		S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.	
Worst Case (Check One)	Engine or Equipment Model			all appropriate)		Engine Class System ≤ 1 L (Fl or CARB)		Fuel Tank Vol. (Liters)		Fuel Line Type	Nominal Fuel Line Length ⁽¹⁾	Fuel Line Inside Diameter (mm)	Exhaust Family	Fuel Tank Executive Order	Fuel Line Executive Order	Carbon Canister or Other Venting
		CA Only	49- State	1 1	or No)		Total	Nominal	Area (m²)		(mm)					Control Executive Order
	SZL61-26KT	Х			Yes	CARB	22.6	20.6	.58	Multi Layer	1273	6.35	JKHXB.7472GB KKHXB.7472GB JKHXB.7472GF	Q-08-027A	Q-14-008	Q-09-021
	STCII-61V-29CV-EFI	х .			Yes	FI	24.8 22.1	21.5 20.0	.73 .73	Multi Layer	2376 743	6.35 7.94	JKHXB.8242KG KKHXB.8242KG	Q-08-027A	Q-14-008 C-U-05-009	Q-09-021 Qty = 2
	SCZ61V-31CV-EFI	х			Yes	Fl	28.3 30.1	26.0 26.0	.89 .91	Multi Layer	2375 743	6.35 7.94	JKHXB.8242KG KKHXB.8242KG	Q-08-027A	Q-14-008 C-U-05-009	Q-09-023 Qty = 2
	STTII-61V-31DFI STTII-72V-31DFI	х			Yes	FI	48.5	45.4	1.20	Multi Layer	1207 1371 57	6.35 7.94 12.70	JKAXB.8242IA KKAXB.8242IA	Q-08-027A	G-05-018 Q-14-008 C-U-05-009 C-U-05-006	Q-13-012
	SVRII-61V-29CV-EFI	х			Yes	FI	32.4	30.1	.79	Multi Layer	1728 743	6.35 7.94	JKHXB 8242KG KKHXB 8242KG	Q-08-027A	Q-14-008 C-U-05-009	Q-09-023

⁽¹⁾ The nominal fuel line lengths can be grouped into increment of \pm 3 inches (76 mm)