

**NISSAN MOTOR CO., LTD.** 

EXECUTIVE ORDER U-L-001-0033 New Off-Road Large Spark-Ignition Engines At & Above 25 Horsepower

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following new large spark-ignition engines and emission control systems produced by the manufacturer are certified for use in off-road equipment as described below. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY NAME	ENGINE DISPLACEMENT (liters)	FUEL TYPE					
2006	6NSXB02.548C	2.5	Dual Fuel, Gasoline or LPG					
DURABIL HOUR		CIAL FEATURES & N CONTROL SYSTEMS	TYPICAL EQUIPMENT USAGE					
3500	Throttle Body	njection (Gas and Dual Fuel), Injection (LPG), Three-Way erter, Heated Oxygen Sensor	Forklift					
ENGIN MODEI (rated po in horsepo hp)	LS ower	See Attached Model Pages						

The following are the hydrocarbon plus oxides of nitrogen (HC+NOx) and carbon monoxide (CO) exhaust certification emission standards (Title 13, California Code of Regulations, (13 CCR) Section 2433(b)(1)) and certification emission levels for this engine family in grams per brake horsepower-hour (g/bhp-hr). Engines within this engine family shall have closed crankcases in conformance with 13 CCR Section 2433(b)(2).

(g/bhp-hr)	HC+NOx	СО
Standards	3.0	37.0
Certification Levels	0.8	12.2

BE IT FURTHER RESOLVED: That for the listed engines for the aforementioned model-year, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2433(c) (certification and test procedures), 13 CCR Section 2434 (emission control labels), and 13 CCR Sections 2435 and 2436 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this 30th day of August 2005.

Allen Lyons, Chief

Mobile Source Operations Division

## ATTACHMENT BY 1082

Model Year: 2006
Manufacturer Name: NISSAN MOTOR CO., LTD

Engine Family: 6NSXB02.548C

OFF-ROAD LSI ENGINE SUPPLEMENTAL INFORMATION

Page:

Issued: 07/14/2005 Revised:

E.O.#: U-L-001-0033

## S12, MODEL SUMMARY (Use an asterisk (\*) to identify worst-case engine model used for certification testing.)

S13. Engine Model	S14. Engine	S15. Sales Codes (Check ALL appropriate)		S16. Eng. Displ.	S17. Rated Power	S18.	S19.	S20. Peak	
	Code	Calif. Only	49- State	50- State	(Liters)	(HP)	Speed (RPM)	Torque (FT-LB)	Torque Speed (RPM)
K25 N-1				٧	2.488	60.2	2700	133.1	1620
K25 N-2				٧	2.488	56.9	2700	136.7	1620
K25 N-3	(Gasoline)			٧	2.488	60.2	2700	133.1	1620
N25 N-5	(LPG)			٧	2.488	55.4	2700	135.3	1620
K25 M-1				٧	2.488	60.2	2700	133.1	1620
K25 M-2				V	2.488	56.9	2700	136.7	1620
K25 M-3	(Gasoline)			٧	2.488	60.2	2700	133.1	1620
1/25 M-5	(LPG)			٧	2.488	55.4	2700	135.3	1620
* K25 K-1				V	2.488	60.4	2900	128.0	1740
K25 K-2				v	2.488	61.5	2900	131.6	1740
K25 K-3	(Gasoline)			V	2.488	60.4	2900	128.0	1740
12511-5	(LPG)			V	2.488	58.0	2900	129.1	1740
K25 T-1				V	2.488	56.0	2800	125.1	1680
K25 T-2				V	2.488	53.4	2800	130.9	1680
K25 T-3	(Gasoline)			V	2.488	56.0	2800	125.1	1680
1.20 1.0	(LPG)			V	2.488	53.4	2800	130.9	1680
K25 N-4				V	2.488	60.2	2700	133.1	1620
K25 N-5				V	2.488	56.9	2700	136.7	1620
K25 N-6	(Gasoline)			V	2.488	60.2	2700	133.1	1620
	(LPG)			V	2.488	55.4	2700	135.3	1620
K25 M-4				V	2.488	60.2	2700	133.1	1620
K25 M-5				V	2.488	56.9	2700	136.7	1620
K25 M-6	(Gasoline)			V	2.488	60.2	2700	133.1	1620
	(LPG)			V	2.488	55.4	2700	135.3	1620

## ATTACHEM Pg Zofz

Model Year: \_\_2006\_ Manufacturer Name: \_\_NISSAN MOTOR CO., LTD Engine Family: \_\_6NSXB02.548C\_ OFF-ROAD LSI ENGINE SUPPLEMENTAL INFORMATION

Page: \_\_ Issued: \_ 07/14/2005 Revised:

E.O.#: U-L-001-0033

C40	C14		C15		010	S17.	C10	S19.	\$20.
513.	S13. S14. S15. Sales Codes		S16.	517.	S18.	\$19.	520.		
					E	Datad	Dated		Book
Engine Model	Engine	(Check ALL			Eng.	Rated	Rated	Peak	Peak
	Code	appropriate)		ie)	Displ.	Power	Speed	Torque	Torque
	1				(Liters)	(HP)	(ЯРМ)	(FT-LB)	Speed
1		Calif.	49-	50-					(RPM)
		Only	State	State		ĺ			
	<del></del>	<del></del>						-	
* K25 K-4	1			V	2.488	60.4	2900	128.0	1740
160-16-									
K25 K-5		1		V	2.488	61.5	2900	131.6	1740
	(011)			· · ·	0.400	20.4	-	100.0	4740
K25 K-6	(Gasoline)			V	2.488	60.4	2900	128.0	1740
N25 N-0	/I DC)			v	2.488	58.0	2000	100.1	4740
	(LPG)				2,408	30.0	2900	129.1	1740
K25 T-4				V	2.488	56.0	2800	125.1	1680
N25 1-4					2,400	36.0	2800	125.1	1000
K25 T-5		1	T	V	2.488	53.4	2800	130.9	1680
125 1-5					2,400	95.4	2000	130.9	1080
	(Gasoline)	ļ		l v	2.488	56.0	2800	125.1	1680
K25 T-6	(ddooinie)			_	2.400	30.0	2000	120.1	1000
1	(LPG)	l	1	v	2.488	53.4	2800	130.9	1680
	(=: 0)				2	30.4	2000	100.5	1000
K25 K-7		1	1	v	2.488	58.9	2700	128.0	1620
100101					2.400	30.3	2700	120.0	1020
K25 K-8		1	ŀ	l v	2.488	60.0	2700	131.6	1620
142011-0					2.400	00.0	2.00	131.0	1020
	(Gasoline)			V	2.488	58.9	2700	128.0	1620
K25 K-9	(445511116)	<b>!</b>			2.700	30.3	2.00	120.0	1020
	(LPG)			V	2.488	56.5	2700	129.1	1620
	(=: 4)				2.700	00.0	2,00	123.1	1020
K25 T-7		1	,	l v	2.488	54.5	2800	122.2	1680
	<u> </u>	<del></del>	ļ	<u> </u>		1			
K25 T-8		1		V	2.488	51.9	2800	128.0	1680
	<u> </u>	<b>.</b>							1000
	(Gasoline)	Į.	1	V	2.488	54.5	2800	122.2	1680
K25 T-9		<b></b>	<del> </del>			-			
1	(LPG)	1		V	2.488	51.9	2800	128.0	1680
	ļ · · · · · · · · · · · · · · · · · · ·	+				ļ			
]	1	]	1	ŀ					
	<del> </del>	<del></del>	<del>                                     </del>	<del> </del>	<del> </del>				
			1				1		
· · · · · · · · · · · · · · · · · · ·	<u> </u>		+					<del> </del>	<del> </del>
	<del>                                     </del>	<del> </del>	-	1					
		1					1		
	<del>                                     </del>	† · · · ·	<del>                                     </del>	<del>                                     </del>		<del> </del>			
					,				
						<del>                                     </del>			-
				1					
	<del>                                     </del>	1		<del>†                                      </del>					
			1 -			l	<del> </del>		
			1						
					1	<u> </u>		I	