California Environmental Protection Agency Air Resources Board

ISUZU MOTORS LIMITED Executive Order: A-020-0266

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 5

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GROUP	INFOR	MATION					
MODE		TEST GR	OUP	VEHIC	CLE CLASS(ES)	FUEL CATEGORY			FUEL TYPE			
2014 ESZXD03.03FA					MDV5	MDV5 DEDICATED VEH			1	DIESEL		
	USEF	UL LIFE (n	niles)	VEI	HICLE EMISSION	CATE	GORY	INTERIM / INT	ERMEDIA	TE IN-USE STD		
EXH	I/ORV	R	EVAP	-	FTP	SF	TP	FTP		SFTP		
120000 * LEV2 t					72 ULEV	1		*		*		
SPE	CIAL	FEATURE		HAUST EMISSI TEMS	ON CONTROL		OBD ST	TATUS	ENGINE	DISPLACEMENT (L)		
OC, SCR-U, PTOX, HO2S, NOXS(2), DFI, EGR, EGRC, TC, CAC							FULL	*				
*	*						ARTIAL	*	3.0			
*	* *						RTIAL WITH ALL MODELS					
			EV	APORATIVE 8	REFUELING (EV	/AP/OR	VR) FAMILY	INFORMATION				
EVA	AP / OF	RVR FAMII	_Y	EVAPORATIV	E STD CATEGOR	RY	EVAP EMIS		SPECIA	L FEATURES		
		*			*	*				*		
					EMISSION CRED	IT INFO	RMATION					
		ALLOWA	NCE FO	R TEST GROU	JP		CREDIT FO	NMOG CR		OPTIONAL EXH		
BASI	ELINE	PZEV	AT	PZEV	TZEV		EVAP	DC	K	TRUCKS		
* *				*		N	. N		N			
				NMO	G AND FLEET AV	ERAGI	INFORMAT	TION				
NMOG	MOG RAF CH4 RAF FTP NMOG/NMHC RATIO		HCHO/NMHC	HCHO/NMHC RATIO		OX FLEET STD (0-3750 LVW) g/mi)	LDT (3	NOX FLEET STD 751 LVW-8500 + MDPV (g/mi)				
*		* ,		1.07	*			*		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

California Environmental Protection Agency

O Air Resources Board

ISUZU MOTORS LIMITED Executive Order: A-020-0266

New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 2 of 5

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's "NMOG or NMOG+NOX, as applicable, Fleet Average" (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2001 through 2014 Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2009 through 2016 Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The test group listed in this Executive Order is certified conditionally on the manufacturer providing data to demonstrate compliance with California's greenhouse gas fleet average emission standard (CA GHG Standard) specified in Title 13, California Code of Regulations, (13 CCR) Section 1961.1 and the incorporated California 2001 through 2014 Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2009 through 2016 Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, amended December 6, 2012 (CA Test Procedures). The manufacturer has elected, under 13 CCR Section 1961.1(a)(1)(A)(ii) and under Section E.2.5.1(ii) of the CA Test Procedures, to demonstrate compliance with the CA GHG Standard by demonstrating compliance with the National greenhouse gas program (National GHG Program). Therefore, the test group listed in this Executive Order is certified conditionally further on the manufacturer complying with the requirements specified in said provisions in 13 CCR, and Sections E.2.5.1(ii) and H.4.5(b) and H.4.5(c) of the CA Test Procedures (among other things, concerning data and information submission, timing, and format as specified by the Executive Officer). Failure to comply with the certification requirements to demonstrate compliance with CA GHG Standard by demonstrating compliance with the National GHG Program under said provisions in 13 CCR and CA Test Procedures may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement herein, a manufacturer that becomes, after MY2009, a large-volume manufacturer, as defined in 13 CCR Section 1900, is not required to comply with the CA GHG Standard until the beginning of the fourth model-year from becoming a large-volume manufacturer. Additionally, notwithstanding the requirement herein, a small-volume manufacturer, independent low-volume manufacturer, or intermediate volumemanufacturer, as defined in 13 CCR Section 1900, is not required to comply with CA GHG Standard during modelyears (MY) 2012 through 2015.

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed vehicle models has been determined to have four deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of \$75 per vehicle for the third and fourth deficiencies in the listed test group that is produced and delivered for sale in California. On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2014 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$5000 per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

California Environmental Protection Agency **⊘** Air Resources Board

ISUZU MOTORS LIMITED

Executive Order: A-020-0266 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 5

Emissions Compliance, Automotive Regulations and Science Division

ISUZU MOTORS

Executive Order: A-020-0266

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 5

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICA	CATION LEVELS
--	---------------

EXHAUST	EMISSION	STANDARDS A	ND CERTIFICA	ATION LEVELS	(FTP, HWFET, 50°F	, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

			IHC mi)		O mi)	N(HC (mg	HO /mi)	P (g/	M mi)
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	* '	*	*	*	*	*	*	*
FTP@UL	DIESEL-EPA	0.005	0.167	0.06	7,3	0.4	0.4	5.0	21	0.004	0.06
50°F @4K	*	*	*	*	*	*	*	*	*	A STATE OF THE PARTY OF THE PAR	

	FUEL TYPE	NOx	NOx (g/mi) CO (g/mi) STD CERT * *	g/mi)	
	FUEL TYPE	CERT	STD	CERT	STD
HWFET @ 50K	*	*	. *		
HWFET @ UL	DIESEL-EPA	0.02	0.8		
20°F @ 50K	*			*	*

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

			US06	/ UC (LA92))	SC03		COMPOS	SITE
	FUEL TYPE		NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMHC+NOx (g/mi)	CO (g/mi)	NMHC+NOx (g/mi)	CO (g/mi)
0.414	_	CERT	*	*		*	*		
@ 4K		STD	*	*	a tentral	*	*		THE PERSON NAMED IN
		CERT	*	*	*	*	*	*	*
@ UL	*	STD	*	*	*	*	*	*	*
		BIN	The Property of the second	THE SE	AT LANGE	高达多数等等		*	

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVADODATIVE			WHOLE	ATIVE TESTING OHS (g/test) @ UL STD FEL CERT STD					
EVAPORATIVE FAMILY	FUEL TYPE	3DHS (g/test) @ UL			2DI	HS (g/test) (KL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
*	*	*	*	*	*	*	*	*	*

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/g	gallon) @	UL	FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
*	*	*	*	*	*	*	*	*	*	*		

California Environmental Protection Agency

⊘ Air Resources Board

ISUZU MOTORS LIMITED Executive Order: A-020-0266

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 5 of 5

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR.0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW: LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW: LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; ECS; emission control system; CERT; certification; STD; standard; FEL; family emission limit; GVWR; gross, vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ÚLEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC; adsorbing TWC; HAC; HC adsorbing catalyst; WU; warm-up catalyst; NAC; NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for sparkignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOX sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE; secondary air injection (belt driven)/(electric driven); PAIR; pulsed AIR; SFI/MFI; sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix; series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85-CARB: 85% ethanol+15% CA Phase2 gasoline; E85-EPA: 85% ethanol+15% Tier2 unleaded gasoline; E10-CARB: 10% ethanol+90% CA Phase2 gasoline; E10-EPA: 10% ethanol+90% Tier2 unleaded gasoline; A: automatic transmission; M: manual transmission; SA: semi-automatic transmission; L: lock-up automatic transmission; CV: continuously variable transmission; AM: automated manual transmission; OT: other transmission

	2014 MODEL YEAR: VEHICLE MODELS INFORMATION											
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH	OBD	PZEV TYPE				
ISUZU	NPR ECOMAX (WITH OR WITHOUT AIR ROOF FAIRING)	MDV5	2.998	A	*	1	\$, *				
ISUZU	STRIPPED CHASSIS FOR WALK IN VAN	MDV5	2.998	A	*	1	\$	*				