State of California AIR RESOURCES BOARD

Pali

(Page 1 of 2)

EXECUTIVE ORDER U-W-4-7 Relating to Certification of New Spark-Ignition Marine Engines

TOHATSU CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, and 43104 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following new spark-ignition marine engine and exhaust emission control system produced by the manufacturer are certified as described below.

Model Year: 2002

<u>Fuel Type</u>: Gasoline <u>Engine Type</u>: 2-Stroke

Level of Cleanliness: Very Low Emission ("Two Stars")

Equipment Application: Outboard

Engine Family: 21TXM.12322B

Displacement: 123 cc

Exhaust Emission Control Systems and Special Features:

Engine Modification

Engine models are listed on the attachment. Production engines shall be in all material respects the same as those for which certification is granted.

BE IT FURTHER RESOLVED: That the manufacturer has opted to certify, and has certified the listed engines to the hydrocarbons plus oxides of nitrogen (HC+NOx) exhaust emission standard described below, expressed in grams per kilowatt-hour (g/kW-hr) under Section 2442(b) of Title 13, California Code of Regulations (13 CCR).

HC + NOx Standard	Certification
64.80	34,43

Compliance with the standard under 13 CCR Section 2442(b) shall be determined based on the sales-weighted average power of the engine family based on engines produced in this family for sale in California. This engine family shall not be used to determine compliance through corporate averaging.

BE IT FURTHER RESOLVED: That for the listed engines, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with the following California emission regulations and requirements. Engines certified under this Executive Order shall conform to all applicable California emission regulations and requirements:

- All applicable requirements in the "California Exhaust Emission Standards and Test Procedures for 2001 Model Year and Later Spark-Ignition Marine Engines"

- Emission Control Labeling and Consumer/Environmental Labeling (13 CCR Sections 2443.1, 2443.2 and 2443.3)

- Emission Control System Warranty (13 CCR Sections 2445.1 and 2445.2)

- Closed Crankcases (Part 1, Section 18.(h) of the "California Exhaust Emission Standards and Test Procedures for 2001 Model Year and Later Spark-Ignition Marine Engines")

- Quarterly reports of engines produced in this family for sale in California shall be submitted to the Executive Officer no later than 45 days after the end of each calendar quarter.

Executed at El Monte, California this 23 day of May 2001.

hield

R. B. Summerfield, Chief Mobile Source Operations Division

Engine Family: 21TXM 12322B	me: IOH	ATSU COF	Manufacturer Name: TOHATSU CORPORATION	7		Issued:		ł			
	1TXM.12	322B		•		Revised	E 0 #				
			S	I Mai	ine Engin	SI Marine Engine Model Summary	mmary	v Form			
			44.	Engine	Engine Family Sales-Weighted Power:	Veighted Power:		kΨ			
45.		46. Sales Codes		47. Dien	48. Rare/Strake	49. Rasio Ignition	50. Power	51. Deted	52. Deted	53.	54.
Model Designation	(Check a	Check all appropriate codes)	ate codes)	(cc)	(uu)	Timing (deg. @ idle)	(kW)	RPM)	Kated Torque (N-m)	l orque Speed (RPM)	ECS
	Calif. Only	49-State	50-State								
1B04201ZB, 1B04211ZB											
1F04201ZB, 1F04201ZL		•									
IF04201ZK, 7F04201LB											
7F04201LM, 7F04201LK			×	123	59/45	BTDC 25°	2.04	2000	7 35	3500	
IF04211ZB, IF04211ZM			e .	2			+	0000	<u>دد.</u> /	nnec	N/A
1F04211ZL, 1F04211ZK											
7F04211LK, 7F04211LB											
1F04216ZB, 7F04216LB											
1B05201ZB, 1B05211ZB											
IF05201ZB, IF05201ZL											
IF05201ZK, IF05201ZM											
7F05201LB, 7F05201LK			X	123	59/45	BTDC 25°	3.68	5000	7.45	3500	N/A
IF05211ZB, IF05211ZM											
IF05211ZL, IF05211ZK						,					
7F05211LK, 7F05211LB											
IB06201ZB, 1B06211ZB											
IF06201ZB, IF06201ZL											
IF06201ZK, IF06201ZM											
7F06201LB, 7F06201LK			x	123	59/45	BTDC 25°	4.41	5500	8.43	4250	N/A
1F06211ZB, 1F06211ZL											
IF06211ZK, 7F06211LK											

U-W-4-7