

Honda Motor Co., Ltd.

EXECUTIVE ORDER U-U-001-0897-1 New Off-Road Small Spark-Ignition Engines at or Below 19 Kilowatts

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following engine and emission control systems produced by the manufacturer are certified for use in small off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY		DISPLACEMENT (cc)	ENGINE CLASS		FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)			
2019	KHN	(S.3892BB	389	4-stroke, ≥ 225 cc		Gasoline			
DURABI HOUF		l	SPECIAL FEATURES	-	TYPICAL EQUIPMENT APPLICATION				
1000)		EM		Walk-Behind Lawnmower, Riding Mower, Compressor, Pump, Generator Set, Tiller				
CODES/Mo	ENGINE CODES/MODELS (rated power in kilowatt, kW)		See Attachment						
EGR=exhaus	ABBREVIATIONS: EM=engine modification TWC/OC=three-way/oxidizing catalyst WUTWC/WUOC=warm-up TWC/OC O2S=oxygen sensor HO2S=heated O2S EGR=exhaust gas recirculation AIR=secondary air injection PAIR=pulsed AIR MFI=multi port fuel injection SFI=sequential MFI TBI=throttle body fuel injection DFI=direct fuel injection TC/SC=turbo/super charger CAC=charge air cooler 2(prefix)=parallel (2)(suffix)=in series ECM=engine control module								

The following are the hydrocarbon plus oxides of nitrogen (HC+NOx), carbon monoxide (CO), and particulate matter (PM) emission standards (Title 13, California Code of Regulations, (13 CCR) Section 2403(b)), and certification emission levels for this engine family in grams per kilowatt-hour (g/kW-hr). Engines within this engine family shall have closed crankcases in conformance with Section 1054.115(a) of the "California Exhaust Emission Standards and Test Procedures for New 2013 and Later Small Off-Road Engines," adopted October 25, 2012.

*=not applicable	HC+NOx (g/kW-hr)	CO (g/kW-hr)	PM (g/kW-hr)	
STANDARD	8.0	549	*	
FAMILY EMISSION LEVEL	7.2	•	*	
CERTIFICATION LEVEL	6.6	425	*	

BE IT FURTHER RESOLVED: That the family emission level(s) (FELs), as applicable, is an emission limit declared by the manufacturer for use in the averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2403(e)(1) and 2407(a).

BE IT FURTHER RESOLVED: That for the listed engines, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2404 (emission control labels) and 13 CCR Sections 2405 and 2406 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Quarterly reports of engines produced in this engine family for sale in California shall be submitted to the Executive Officer no later than 45 days after the end of each calendar quarter.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-U-001-0897 dated October 30, 2018.

Executed at El Monte, California on this ______ day of February 2019.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Model Year: Manufacturer:

Engine Family:

2019

Honda Motor Co., Ltd. KHNXS.3892BB

Issued: Revised: 7/16/2018

3/19/2019

E.O. Number: U-U-001-0897-1

Page: 9 -1

18

19

ATACHMENT PLOES

<u>**Small Off-Road Engine Model Summary Form**</u>

Units for Table: kW

47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated ¹ Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
K2SJ01B2-B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.m	2500	EM
K2SJ02B2-B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.m	n 2500	EM
K2SJ03B2-B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.m	n 2500	EM
K2SJ04B2-C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.m	n 2500	EM
K2SJ05B2-B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.m	n 2500	EM
K2SJ06B2-C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.m	n 2500	EM
K2SJ07B2-C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.m	n 2500	EM
K2SJ08B2-C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.m	n 2500	EM
K2SJ09B2-B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.m	n 2500	EM
K2SJ0500R B	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.n	n 2500	EM
									•
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									
HILLIO DE LICENTE DE LA CONTRACTOR DE LA									
	Model Designation K2SJ01B2-B K2SJ02B2-B K2SJ03B2-B K2SJ04B2-C K2SJ05B2-B K2SJ06B2-C K2SJ07B2-C K2SJ08B2-C K2SJ08B2-C K2SJ09B2-B K2SJ0500R	Model Designation Code K2SJ01B2-B 50-State K2SJ02B2-B 50-State K2SJ03B2-B 50-State K2SJ04B2-C 50-State K2SJ05B2-B 50-State K2SJ06B2-C 50-State K2SJ07B2-C 50-State K2SJ07B2-C 50-State K2SJ09B2-B 50-State K2SJ09B2-B 50-State K2SJ0500R 50-State	Model Designation Sales Code Displ (cc) K2SJ01B2-B 50-State 389 K2SJ02B2-B 50-State 389 K2SJ03B2-B 50-State 389 K2SJ04B2-C 50-State 389 K2SJ05B2-B 50-State 389 K2SJ06B2-C 50-State 389 K2SJ07B2-C 50-State 389 K2SJ09B2-B 50-State 389 K2SJ09B2-B 50-State 389 K2SJ0500R 50-State 389	Model Designation Sales Code Displ (cc) Bore/Stroke K2SJ01B2-B 50-State 389 88.0/64.0 K2SJ02B2-B 50-State 389 88.0/64.0 K2SJ03B2-B 50-State 389 88.0/64.0 K2SJ04B2-C 50-State 389 88.0/64.0 K2SJ05B2-B 50-State 389 88.0/64.0 K2SJ06B2-C 50-State 389 88.0/64.0 K2SJ07B2-C 50-State 389 88.0/64.0 K2SJ09B2-B 50-State 389 88.0/64.0 K2SJ0500R 50-State 389 88.0/64.0 K2SJ0500R 50-State 389 88.0/64.0	Model Designation Sales Code Displ (cc) Bore/ Stroke Ignition Timing K2SJ01B2-B 50-State 389 88.0/64.0 10° BTDC K2SJ02B2-B 50-State 389 88.0/64.0 10° BTDC K2SJ03B2-B 50-State 389 88.0/64.0 10° BTDC K2SJ04B2-C 50-State 389 88.0/64.0 10° BTDC K2SJ05B2-B 50-State 389 88.0/64.0 10° BTDC K2SJ06B2-C 50-State 389 88.0/64.0 10° BTDC K2SJ07B2-C 50-State 389 88.0/64.0 10° BTDC K2SJ08B2-C 50-State 389 88.0/64.0 10° BTDC K2SJ0500R 50-State 389 88.0/64.0 10° BTDC K2SJ0500R 50-State 389 88.0/64.0 10° BTDC	Model Designation Sales Code Displemental (cc) Bore/Stroke Ignition Timing Max Power K2SJ01B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 K2SJ02B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 K2SJ03B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 K2SJ04B2-C 50-State 389 88.0/64.0 10° BTDC 8.7 K2SJ05B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 K2SJ06B2-C 50-State 389 88.0/64.0 10° BTDC 8.7 K2SJ08B2-C 50-State 389 88.0/64.0 10° BTDC 8.7 K2SJ09B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 K2SJ0500R 50-State 389 88.0/64.0 10° BTDC 8.7 K2SJ0500R 50-State 389 88.0/64.0 10° BTDC 8.7	Model Designation Sales Code Displemoniation Bore/Stroke Ignition Timing Max Power Rated Speed (RPM) K2SJ01B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 3600 K2SJ02B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 3600 K2SJ03B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 3600 K2SJ04B2-C 50-State 389 88.0/64.0 10° BTDC 8.7 3600 K2SJ05B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 3600 K2SJ07B2-C 50-State 389 88.0/64.0 10° BTDC 8.7 3600 K2SJ08B2-C 50-State 389 88.0/64.0 10° BTDC 8.7 3600 K2SJ09B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 3600 K2SJ0500R 50-State 389 88.0/64.0 10° BTDC 8.7 3600 K2SJ0500R 50-State 389 8	Model Designation Sales Code Displ (cc) Bore/ Stroke Ignition Timing Max Power Rated Speed (RPM) Rated Torque K2SJ01B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 3600 26.5 N.m K2SJ02B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 3600 26.5 N.m K2SJ03B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 3600 26.5 N.m K2SJ05B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 3600 26.5 N.m K2SJ05B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 3600 26.5 N.m K2SJ07B2-C 50-State 389 88.0/64.0 10° BTDC 8.7 3600 26.5 N.m K2SJ09B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 3600 26.5 N.m K2SJ0500R 50-State 389 88.0/64.0 10° BTDC 8.7 3600 26.5 N.m K2SJ0500R 50-S	Model Designation Sales Code Displ (cc) Bore/ Stroke Ignition Timing Max Power Rated Speed (RPM) Rated Torque (RPM) K2SJ01B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 3600 26.5 N.m 2500 K2SJ02B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 3600 26.5 N.m 2500 K2SJ03B2-B 50-State 389 88.0/64.0 10° BTDC 8.7 3600 26.5 N.m 2500 K2SJ04B2-C 50-State 389 88.0/64.0 10° BTDC 8.7 3600 26.5 N.m 2500 K2SJ06B2-C 50-State 389 88.0/64.0 10° BTDC 8.7 3600 26.5 N.m 2500 K2SJ07B2-C 50-State 389 88.0/64.0 10° BTDC 8.7 3600 26.5 N.m 2500 K2SJ08B2-C 50-State 389 88.0/64.0 10° BTDC 8.7 3600 26.5 N.m 2500 K2SJ0500R 50-State 389 88.0/64.0

RC-01

Model Year: Manufacturer:

2019

Honda Motor Co., Ltd.

Engine Family: KHNXS.3892BB

Issued: Revised: 7/16/2018 3/19/2019

E.O. Number: U-U-001-0897-1


Small Off-Road Engine Model Summary Form

Units for Table: kw

Worst Case?		48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Forque Speed (RPM)	56. Emiss Control Sys
	K2SH01B1-C	50-State	389	88.0/64.0	10° BTDC	8.0	3600	26.4 N.m	2500	EM
	K2SH02B1-B	50-State	389	88.0/64.0	10° BTDC	8.0	3600	26.4 N.m	2500	EM
	K2SH03B1-B	50-State	389	88.0/64.0	10° BTDC	8.0	3600	26.4 N.m	n 2500	EM
							un, muntum muntum da da manta			
			THE THE PARTY OF T							

Model Year: Manufacturer: Engine Family:

Issued: Revised: 2/19/2019



Small Off-Road Engine Model Summary Form

Units for Table:

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated T Torque	55. orque Speed (RPM)	56. Emiss Control Sys
	K2SJ03G2-C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.m	2500	EM
	K2SJ04G2-C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.m	2500	EM
	K2SJ01B4-C	50-State	389	88.0/64.0	10° BTDC	8.7	3600	26.5 N.m	2500	EM
	HILLITERIA HILLIANI CANADATANA									
	HATE HEAT HAT HE HATE									
	HIGHITHAN HARAN SAN SAN SAN SAN SAN SAN SAN SAN SAN S									
	THE PROPERTY OF THE PROPERTY O									
	DIMERUMINALIA I									
	HITTOTAL NATIONAL STATES		,							
					Y					
	THE REPORT OF THE PROPERTY OF									