

HONDA MOTOR CO., LTD.

EXECUTIVE ORDER U-U-001-0911 New Off-Road Small Spark-Ignition Engines at or Below 19 Kilowatts

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following engine and emission control systems produced by the manufacturer are certified for use in small off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGI	NE FAMILY	DISPLACEMENT (cc)	ENGINE CLASS		FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefi petroleum gas)		
2019	KHN	(S.1631AB	.1631AB 163 4-stroke, >8		0 cc - <225 cc	Gasoline		
DURABILITY HOURS		_	SPECIAL FEATURES & IISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION		
500			EM		Walk-Behind Lawnmower, Compressor, Pump, Pressure Washer, Generator Set, Tiller			
ENGINE CODES/MODELS (rated power in kilowatt, kW)		See Attachment						
EGR=exhaus	t gas recirc	ulation AIR=seco	ondary air injection PAIR=	pulsed AIR MFI=	multi port fuel injec	warm-up TWC/OC O2S=oxygen sensor HO2S=heated O2S tion SFI=sequential MFI TBI=throttle body fuel injection x)=in series ECM=engine control module		

The following are the hydrocarbon plus oxides of nitrogen (HC+NOx), carbon monoxide (CO), and particulate matter (PM) emission standards (Title 13, California Code of Regulations, (13 CCR) Section 2403(b)), and certification emission levels for this engine family in grams per kilowatt-hour (g/kW-hr). Engines within this engine family shall have closed crankcases in conformance with Section 1054.115(a) of the "California Exhaust Emission Standards and Test Procedures for New 2013 and Later Small Off-Road Engines," adopted October 25, 2012.

*=not applicable	HC+NOx (g/kW-hr)	CO (g/kW-hr)	PM (g/kW-hr)	
STANDARD	10.0	549	*	
FAMILY EMISSION LEVEL	9.9	*	*	
CERTIFICATION LEVEL	8.2	382	*	

BE IT FURTHER RESOLVED: That the family emission level(s) (FELs), as applicable, is an emission limit declared by the manufacturer for use in the averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2403(e)(1) and 2407(a).

BE IT FURTHER RESOLVED: That for the listed engines, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2404 (emission control labels) and 13 CCR Sections 2405 and 2406 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Quarterly reports of engines produced in this engine family for sale in California shall be submitted to the Executive Officer no later than 45 days after the end of each calendar guarter.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this _

__ day of January 2019

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Model Year:

2019

Engine Family: KHNXS.1631AB

Manufacturer:

Honda Motor Co.,Ltd.

19

Issued: Revised: 12/07/2018

E.O. Number: 11-17-201-09//

PIACHDENT

Small Off-Road Engine Model Summary Form

Units for Table: kW

Worst Case?	47. Model Designation	48. Sales Code	49. Displ	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
X	K1FJ01B2-C	50-State	163	68.0/45.0	18° BTDC	3.6	3600	10.3 N.n	n 2500	EM
	K1FJ02B2-C	50-State	163	68.0/45.0	18° BTDC	3.6	3600	10.3 N .n	n 2500	EM
	K1FJ0200RB	50-State	163	68.0/45.0	18° BTDC	3.6	3600	10.3 N.r	n 2500	EM
	K1FJ03B2-C	50-State	163	68.0/45.0	18° BTDC	3.6	3600	10.3 N.r	n 2500	EM
	K1FJ04B2-C	50-State	163	68.0/45.0	18° BTDC	3.6	3600	10.3 N.r	n 2500	EM
	K1FJ05B2-C	50-State	163	68.0/45.0	18° BTDC	3.6	3600	10.3 N.r	n 2500	EM
	K1FJ06B2-C	50-State	163	68.0/45.0	18° BTDC	3.6	3600	10.3 N.r	n 2500	EM
	K1FJ07B2-C	50-State	163	68.0/45.0	18° BTDC	3.6	3600	10.3 N.r	n 2500	EM
	K1FJ0800RB	50-State	163	68.0/45.0	18° BTDC	3.6	3600	10.3 N.r	n 2500	EM
	K1FJ09B2-C	50-State	163	68.0/45.0	18° BTDC	3.6	3600	10.3 N.r	n 2500	EM

Page: 9 -3

Model Year:

2019

Manufacturer: Honda Motor Co.,Ltd.

Engine Family:

KHNXS.1631AB

Issued:

12/07/2018

Revised: E.O. Number:

Small Off-Road Engine Model Summary Form

Units for Table: kw

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated To Torque	55. orque Speed (RPM)	56. I Emiss Control Sys	
	K1FJ10B2-C	50-State	163	68.0/45.0	18° BTDC	3.6	3600	10.3 N.m	2500	EM	
	K1FJ11B2-C	50-State	163	68.0/45.0	18° BTDC	3.6	3600	10.3 N.m	2500	EM	
	K1FJ12L1-C	50-State	163	68.0/45.0	18° BTDC	3.6	3600	10.3 N.m	2500	EM	
	K1FJ0100RB	50-State	163	68.0/45.0	18° BTDC	3.6	3600	10.3 N.m	2500	EM	
	K1FJ14B2-C	50-State	163	68.0/45.0	18° BTDC	3.6	3600	10.3 N .m	2500	EM	
	K1FJ15B2-C	50-State	163	68.0/45.0	18° BTDC	3.5	3600	9.9 N .m	2500	EM	
	K1FJ16B2-C	50-State	163	68.0/45.0	18° BTDC	3.5	3600	9.9 N.m	2500	EM	