
FACTS ABOUT

Ozone and Health

Overview of the harmful health effects of ground level ozone

What is ozone?

Ozone, an important component of smog, is a highly reactive and unstable gas capable of damaging living cells, such as those present in the linings of the human lungs. This pollutant forms in the atmosphere through complex reactions between chemicals directly emitted from vehicles, industrial plants, consumer products and many other sources. Ozone forms in greater quantities on hot, sunny, calm days. In metropolitan areas of California, ozone concentrations frequently exceed existing health-protective standards in the summertime.



What is the difference between ground-level ozone and stratospheric ozone?

The ozone that ARB regulates as an air pollutant is produced close to the ground level, where people live, exercise and breathe. A layer of ozone high up in the atmosphere is called stratospheric ozone. This layer, far away from where people live, reduces the amount of ultraviolet light entering the earth's atmosphere. Without the protection of the stratospheric ozone layer, plant and animal life would be seriously harmed.

Why is the Air Resources Board concerned about ozone?

The California Air Resources Board (ARB) is concerned about ozone pollution because of its effects on the health of Californians and the environment. Ozone can damage the tissues of the respiratory tract, causing inflammation and irritation, and result in symptoms such as coughing, chest tightness and worsening of asthma symptoms. In addition, ozone causes substantial damage to crops, forests and native plants. Ozone can also damage materials such as rubber and plastics.

What kinds of harmful effects can ozone cause?

Inhalation of ozone causes inflammation and irritation of the tissues lining human airways, causing and worsening a variety of symptoms. Exposure to ozone can reduce the volume of air that the lungs breathe in and cause shortness of breath. Ozone in sufficient doses increases the permeability of lung cells, rendering them more susceptible to toxins and microorganisms. The occurrence and severity of health effects from ozone exposure vary widely among individuals, even when the dose and the duration of exposure are the same.

Who is at the greatest risk from exposure to ozone?

Research shows adults and children who spend more time outdoors participating in vigorous physical activities are at greater risk from the harmful health effects of ozone exposure. While there are relatively few studies of ozone's effects on children, the available studies show that children are no more or less likely to suffer harmful effects than adults. However, there are a number of reasons why children may be more susceptible to ozone and other pollutants. Children and teens spend nearly twice as much time outdoors and engaged in vigorous activities as adults. Children breathe more rapidly than adults and inhale more pollution per pound of their body weight than adults. Also, children are less likely than adults to notice their own symptoms and avoid harmful exposures. Further research may be able to better distinguish between health effects in children and adults.

Children, adolescents and adults who exercise or work outdoors, where ozone concentrations are the highest, are at the greatest risk of harm from this pollutant.

How does ozone affect the environment?

Ozone's effect on plant life

Ozone exposure reduces the overall productivity of plants, damaging cells and causing destruction of leaf tissue. As a result, ozone exposure reduces the plants' ability to photosynthesize and produce their own food. Plants respond by growing more leaves thereby reducing the amounts of stored carbohydrates in roots and stems. This weakens plants, making them susceptible to disease, pests, cold and drought.

- Ozone reduces crop and timber yields, resulting in millions of dollars in economic losses.
- Ozone disturbs the stability of ecosystems, leading to sensitive species dying out.
- Ozone exposure reduces the production of roots, seeds, fruit and other plant constituents, reducing the amount of food available for wildlife.

Ozone's effect on materials

Ozone can cause substantial damage to a variety of materials such as rubber, plastics, fabrics, paint and metals. Exposure to ozone progressively damages both the functional and aesthetic qualities of materials and products, and shortens their life spans. Damage from ozone exposure can result in significant economic losses as a result of the increased costs of maintenance, upkeep and replacement of these materials.



Effects of exposure to ground-level ozone

- Cough, chest tightness, pain upon taking a deep breath
- Worsening of wheezing and other asthma symptoms
- Reduced lung function
- Increased hospitalizations for respiratory causes

Will ozone harm your health? It depends...

- How long were you exposed?
- How much ozone did you inhale?
- How fast were you breathing?

Is ozone a problem indoors?

Ozone reacts with surfaces as it penetrates the indoor environment, usually resulting in lower levels indoors than outdoors. However, levels of ozone indoors can approach outdoor levels when windows or doors are open. Moreover, equipment such as photocopiers, laser printers and certain air purifiers can emit ozone indoors as well. Air purifiers that purposely emit ozone, called ozone generators, should not be used in occupied spaces as they can emit unsafe levels of ozone. Once inside, ozone can cause harmful health effects and damage materials, depending on its concentration.

CAUTION REGARDING OZONE GENERATORS

The Air Resources Board and the California Department of Health Services advise the public not to use ozone generators in homes or offices. These devices are often marketed for the purposes of aiding allergy sufferers, but actually emit harmful ozone gas.

What are the ambient air quality standards for ozone?

In 2005, after an extensive review of the scientific literature, ARB approved an eight-hour standard for ozone of 0.070 ppm and retained the one-hour 0.09 ppm standard previously established in 1987. Evidence from the reviewed studies indicates that significant harmful health effects could occur among both adults and children if exposed to levels above these standards. On October 1, 2015, the U.S. EPA lowered the national eight-hour standard from 0.075 ppm to 0.070 ppm.

Ambient air quality standards

Averaging time	California ARB standard	National EPA standards
1-Hour Average	0.09 ppm*	
8-Hour Average	0.070 ppm*	0.070 ppm*

* A part per million (ppm) refers to one part of a substance dissolved into a million parts of another substance.

Ambient air quality standards define the maximum amount of pollutant that can be present in outdoor air without harming human health. While both the State of California and the U.S. EPA have established ambient air quality standards for ozone, the California standards are more protective of human health because of the method used to determine whether the standard is attained.

As ARB works to attain the national ozone standards in California, the statewide standards create a clean air goal for additional protection of human health. You also can help in the fight against air pollution – click here for further information: *www.arb.ca.gov/html/cando.htm*.

For more information

Please contact the ARB's Public Information Office at (800) 242-4450 or visit us at www.arb.ca.gov

To obtain this document in an alternative format or language please contact the ARB's Helpline at (800) 242-4450 or at *helpline@arb.ca.gov*. TTY/TDD/ Speech to Speech users may dial 711 for the California Relay Service.