

Public Workshop to Discuss If Updates are Needed to the Vapor Recovery Equipment Defect List (VRED List)

May 14, 2019 Sacramento, California

Housekeeping

- Emergency Exits, Building Evacuation, Restrooms
- Listen Only Conference Line:
 - Phone: 1 (800) 230-1074
- Conference Call Participants Email Comments and Questions During Presentation to: vapor@arb.ca.gov
- Presentation and Handouts Available on Vapor Recovery Webpage

Today's Objectives

- Provide Overview of VRED List
- Solicit Feedback to Determine if Updates are Necessary



Legal Requirements

- Health and Safety Code §41960.2(c)
 - Identify and list equipment defects that substantially impair effectiveness of vapor recovery system in controlling motor vehicle emissions
 - Conduct a public workshop once every three years to review VRED List and to update as necessary
 - Review VRED List when a written request is submitted

What Is a Defect?

- California Code of Regulations, Title 17, §94006 defines a defect as:
 - Did not exist when system certified
 - Having a verification procedure(s) to identify the defect



 Having the potential to degrade fueling point or system efficiency by at least five percent

Examples of Nozzle Defects



How is the VRED List Used?

 Air Districts Tag "Out of Order" Defective Components

All Tagged Components Must Be Repaired,

Replaced, or Adjusted

Protect Public Health



Are Updates Necessary?

- Current VRED List
 - Last amended September 2016
 - Effective January 1, 2017
- No Changes Proposed by CARB Staff



*See Handout - Current VRED List

Next Steps

- Send Comments to <u>vapor@arb.ca.gov</u> by May 31, 2019
- If Updates to VRED List is Necessary:
 - Conduct second workshop to discuss proposed updates
 - Prepare and release Staff Report
 - Schedule Public Hearing, if one requested
- If Updates Not Necessary, VRED List Remains Unchanged

Contact Information

Sam Vogt samuel.vogt@arb.ca.gov (916) 322-8922

Merrin Wright, Manager merrin.wright@arb.ca.gov (916) 324-6191

Questions?

