State of California AIR RESOURCES BOARD

EXECUTIVE ORDER RM-18-005B

Spark-Ignition Marine Watercraft Evaporative Emissions System Components

Attwood Corporation Carbon Canister for Nontrailerable Watercraft

WHEREAS, pursuant to California Health and Safety Code, sections 39600, 39601, and 43013, the California Air Resources Board (CARB) has established a certification process for evaporative emissions system components designed to control gasoline emissions from spark-ignition marine watercraft (SIMW), as described in California Code of Regulations, title 13, section 2856;

WHEREAS, pursuant to California Health and Safety Code, section 43013, CARB has established criteria and test procedures for determining the compliance of evaporative emissions system components with the design requirements in Cal. Code Regs., tit. 13, § 2855;

WHEREAS, pursuant to Cal. Code Regs., tit. 13, § 2856, CARB Executive Officer may issue an executive order (EO) if he or she determines that SIMW evaporative emissions system components conform to the applicable performance requirements set forth in Cal. Code Regs., tit. 13, § 2855; and

WHEREAS, pursuant to California Health and Safety Code, sections 39515 and 39516, CARB Executive Officer issued EO G-19-095 delegating to the Chief of CARB Emissions Certification and Compliance Division (ECCD) the authority to certify SIMW evaporative system components.

NOW, THEREFORE, I, Allen Lyons, Chief of ECCD, find that the Attwood Corporation model 99CC series carbon canisters, are hereby certified to conform with performance requirements set forth in Cal. Code Regs., tit. 13, § 2855, when tested pursuant to test procedure ATP-1503-01 using an approved test fuel of U.S. EPA Tier II EEE certification fuel.

IT IS ORDERED AND RESOLVED that the Attwood Corporation model 99CC series carbon canisters listed in Table 1 are conditionally certified for use in nontrailerable SIMW with engines greater than 30 kW introduced into commerce in California.

Table 1

Attwood Corporation Model 99CC Series Carbon Canister Specifications		
Model	Nominal Capacity (Liters)	Maximum fuel Tank Volume (Gal)
99CC035	0.5	44
*99CC045	0.5	110
99CC085	1.6	350

^{*}Manufacturer-designated representative for model 99CC series carbon canisters

IT IS FURTHER ORDERED that Attwood Corporation shall provide a warranty to watercraft manufacturers purchasing the Attwood Corporation model 99CC series carbon canisters. The warranty must conform to the requirements of Cal. Code Regs., tit. 13, § 2861.

IT IS FURTHER ORDERED that the certified Attwood Corporation carbon canister models listed in Table 1 shall be installed in accordance with the manufacturer's installation and use instructions for the Attwood Corporation carbon canister models. A copy of this EO and carbon canister installation and use instructions shall be provided to original watercraft manufacturers purchasing Attwood Corporation carbon canister models listed in Table 1 for installation on nontrailerable spark-ignition marine engines and watercraft introduced into commerce in California.

IT IS FURTHER ORDERED that the Attwood Corporation carbon canister models listed in Table 1 and introduced into commerce in California shall be clearly identified by a permanent identification that includes RM-18-005.

IT IS FURTHER ORDERED that any alteration to the Attwood Corporation carbon canister models listed in Table 1 and certified hereby is prohibited. Any alteration or modification of the designs approved by this EO will require the manufacturer to apply for a new EO.

IT IS FURTHER ORDERED that the Attwood Corporation carbon canister models as listed in Table 1 shall be compatible with fuels in common use in California at the time of certification, and any modifications to comply with future California fuel requirements shall be approved in writing by the Executive Officer or Executive Officer's delegate.

IT IS FURTHER ORDERED that the component certification of the Attwood Corporation carbon canister models listed in Table 1 can be referenced in certification applications for spark-ignition marine engines and nontrailerable watercraft that use spark-ignition marine engines unless the Executive Officer finds that the Attwood

Corporation carbon canister models listed in Table 1 no longer meet the performance requirements set forth in Cal. Code Regs., tit. 13, § 2855, when tested pursuant to Cal. Code Regs., tit. 13, § 2864.

Executed at El Monte, California, this Z day of October 2019.

Allen Lyons, Chief

Emissions Certification and Compliance Division

Note: EO RM-18-005B amends EO RM-18-005A to indicate that all component testing requirements have been satisfied.