

This SETTLEMENT AGREEMENT AND RELEASE (hereinafter "Agreement") is entered into between the STATE OF CALIFORNIA AIR RESOURCES BOARD (hereinafter "ARB") 1001 I Street, Sacramento, California 95814, and WINSOR CONSTRUCTION INC. (hereinafter "WINSOR CONSTRUCTION"), P.O. Box 556, Cambria, California 93428.

## I. RECITALS

- (1) California Health and Safety Code (HSC) section 44011.6 established the Heavy Duty Vehicle Inspection Program (HDVIP). It authorizes ARB to inspect on-road heavy-duty vehicles for excessive smoke emissions and engine tampering and to issue citations, accordingly. The program also requires the vehicle owner to repair its engines that exceed the prescribed ARB smoke opacity standards, perform a post-repair opacity test, and submit proof of repairs and any assessed penalties under the Regulations of the Heavy-Duty Smoke Inspection Program, chapter 3.5, sections 2180-2188, title 13 California Code of Regulations (CCR).
- (2) HSC section 43701 provides that ARB shall adopt regulations that require owners or operators of heavy-duty diesel motor vehicles to perform regular inspections of their vehicles for excessive smoke emissions.
- (3) Title 13 CCR, section 2190 *et seq.* was adopted under the authority of HSC section 43701 and, with limited exceptions, which are not applicable here, apply to all heavy-duty diesel powered vehicles with gross vehicle weight ratings greater than 6,000 pounds that operate on the streets or highways within the State of California.
- (4) Title 13 CCR, section 2190 *et seq.* authorize the Periodic Smoke Inspection Program (PSIP) which requires the owners and operators of California based vehicle fleets of two or more heavy duty diesel motor vehicles with gross vehicle weight ratings greater than 6,000 pounds that operate on the streets or highways within the State of California to conduct annual smoke opacity inspections of their vehicles that are four years older than the model year of the vehicle's engine.
- (5) Title 13 CCR, section 2192(a) requires inter alia that the owner of the vehicle "[t]est the vehicle for excessive smoke emissions periodically according to the inspection intervals specified in section 2193(a), (b), and (c)", "[m]easure the smoke emissions for each test...", "[r]ecord the smoke test opacity levels and other required test information as specified in section 2194..." and "[k]eep the records specified in section 2194 for two years after the date of inspection."
- (6) HSC section 43016 states, "Any person who violates any provision of this part, or any order, rule, or regulation of the state board adopted pursuant to this part, and for which there is not provided in this part any other

specific civil penalty or fine, shall be subject to a civil penalty of not to exceed five hundred dollars (\$500.00) per vehicle.”

- (7) The ARB considers testing, measuring, recording, and recordkeeping to be critical components in reducing excessive smoke emissions from these heavy-duty vehicles.
- (8) ARB contends WINSOR CONSTRUCTION failed to test, measure, record, and maintain records of smoke emissions from its fleet of heavy-duty diesel vehicles for years 2011 and 2012 in violation of title 13 CCR, sections 2190 *et seq.*
- (9) In order to resolve these alleged violations, WINSOR CONSTRUCTION has taken, or agreed to take, the actions enumerated below under "RELEASE". Further, the ARB accepts this Agreement in termination and settlement of this matter.
- (10) In consideration of the foregoing, and of the promises and facts set forth herein, the parties desire to settle and resolve all claims, disputes, and obligations relating to the above-listed violations, and voluntarily agree to resolve this matter by means of this Agreement. Specifically, the ARB and WINSOR CONSTRUCTION agree as follows:

## II. TERMS AND RELEASE

In consideration of the ARB not filing a legal action against WINSOR CONSTRUCTION for the alleged violations referred to above, and WINSOR CONSTRUCTION'S payment of the penalties set forth in Section 1 below, the ARB and WINSOR CONSTRUCTION agree as follows:

- (1) Upon execution of this Agreement, the sum of six thousand three hundred seventy five dollars (\$6,375.00) shall be paid on behalf of WINSOR CONSTRUCTION no later than September 30, 2013, as follows:
  - \$4,782.00 to the **California Air Pollution Control Fund**
  - \$1,593.00 to the **Peralta Colleges Foundation**

Please submit the signed settlement agreement and checks to:

Mr. Gerald Berumen, Air Pollution Specialist  
Air Resources Board, Enforcement Division  
P.O. Box 2815  
Sacramento, CA 95812

- (2) It is further agreed that the penalties described in "Terms and Release", paragraph 1 are punitive in nature, rather than compensatory.

Furthermore, the penalty is intended to deter and punish WINSOR CONSTRUCTION for violations of state environmental statutes, and these penalties are payable to and for the benefit of ARB, a governmental unit. Therefore, it is agreed that these penalties imposed on WINSOR CONSTRUCTION by ARB arising from the facts described in recital paragraphs (1) through (8) are non-dischargeable under 11 United States Code § 523 (a)(7), which provides an exception from discharge for any debt to the extent such debt is for a fine, penalty or forfeiture payable to and for benefit of governmental unit, and is not compensation for actual pecuniary loss, other than certain types of tax penalties.

- (3) WINSOR CONSTRUCTION shall not violate HSC sections 43701 *et seq.*, 44011.6 *et seq.*, and title 13 CCR, sections 2183, 2190 *et seq.*, and 2485 *et seq.*
- (4) WINSOR CONSTRUCTION shall comply with one or both of the following options to attend the California Council on Diesel Education and Technology (CCDET I) class, (SAE J1667 Snap Acceleration Smoke Test Procedure for Heavy-Duty Diesel Powered Vehicles) as described on the ARB webpage at <http://www.arb.ca.gov/enf/hdvp/ccdet/ccdet.htm>. This class is conducted by various California Community Colleges and instructs attendees on compliance with the PSIP, ECL and the HDVIP.
  - (a) WINSOR CONSTRUCTION shall have the fleet maintenance manager (or equivalent) and all staff performing opacity tests for compliance with PSIP and the HDVIP attend the CCDET I class. Proof of CCDET I completion shall be provided to ARB within six months of the date of this Agreement and be maintained in each applicable employee's file for the term of his or her employment.
  - (b) If WINSOR CONSTRUCTION uses a contractor to perform the annual smoke opacity testing required under the PSIP, in addition to having the fleet maintenance manager (or equivalent) attend the CCDET I course, WINSOR CONSTRUCTION shall obtain proof that the contractor's staff conducting the smoke opacity tests completed the CCDET I course within the past four years. This proof of CCDET I completion shall be provided to ARB with PSIP records as required by this Agreement and be maintained with the annual PSIP records.
- (5) WINSOR CONSTRUCTION shall comply with one or both of the following options to attend the CCDET II class (Diesel Exhaust After Treatment and Maintenance), described on the ARB's webpage <http://www.arb.ca.gov/enf/hdvp/ccdet/ccdet.htm>. This class is conducted by various California Community Colleges and instructs attendees on California's emission regulations and the proper care and maintenance of diesel exhaust after-treatment systems (DEATS).

- (a) WINSOR CONSTRUCTION shall have the fleet maintenance manager (or equivalent) and all staff responsible for maintenance of DEATS attend the CCDET II class. Proof of CCDET II completion shall be provided to ARB within six months of the date of this Agreement and also be maintained in each applicable employee's file for the term of his or her employment.
  - (b) In case WINSOR CONSTRUCTION uses a contractor for the maintenance of DEATS, in addition to having the fleet maintenance manager (or equivalent) attend the CCDET II course, WINSOR CONSTRUCTION shall obtain proof that the contractor's staff maintaining the DEATS device(s) completed the CCDET II course within the last four years. This proof of the CCDET II completion shall be provided by WINSOR CONSTRUCTION to the ARB within six months of the date of this settlement and be maintained with the DEATS installation and maintenance records.
- (6) WINSOR CONSTRUCTION shall submit copies of all PSIP compliance records for the two years (2013 and 2014) after the close of the audit to the ARB by January 31 of the following year. Copies shall be addressed to the attention of Mr. Gerald Berumen at the California Air Resources Board, Enforcement Division, P.O. Box 2815, Sacramento, CA 95812. The ARB reserves the right to visit any WINSOR CONSTRUCTION fleet location at any time to conduct compliance audits for the HDVIP and PSIP, or any other applicable ARB program.
- (7) Each 1974 or newer diesel powered heavy-duty vehicle in the WINSOR CONSTRUCTION fleet shall comply with the emission control label (ECL) requirements set forth in the title 13 CCR section 2183(c), within 45 days of this Agreement.
- (8) WINSOR CONSTRUCTION shall instruct all employees who operate diesel-fueled vehicles to comply with the idling regulations set forth in title 13 CCR section 2485, within 45 days of this Agreement.
- (9) WINSOR CONSTRUCTION shall comply with the ECL regulation as codified in title 13 CCR, section 2183. Within 45 days of the execution of this Agreement, WINSOR CONSTRUCTION shall submit the proof of compliance to Mr. Gerald Berumen at the California Air Resources Board, Enforcement Division, P.O. Box 2815, Sacramento, CA 95812.
- (10) This Agreement shall apply to and be binding upon WINSOR CONSTRUCTION, and its officers, directors, receivers, trustees, employees, successors and assignees, subsidiary and parent corporations and upon ARB and any successor agency that may have responsibility for and jurisdiction over the subject matter of this Agreement.

- (11) This Agreement constitutes the entire agreement and understanding between ARB and WINSOR CONSTRUCTION concerning the subject matter hereof, and supersedes and replaces all prior negotiations and agreements between ARB and WINSOR CONSTRUCTION concerning the subject matter hereof.
- (12) No agreement to modify, amend, extend, supersede, terminate, or discharge this Agreement, or any portion thereof, is valid or enforceable unless it is in writing and signed by all parties to this Agreement.
- (13) Severability. Each provision of this Agreement is severable, and in the event that any provision of this Agreement is held to be invalid or unenforceable, the remainder of this Agreement remains in full force and effect.
- (14) This Agreement shall be interpreted and enforced in accordance with the laws of the State of California, without regard to California's choice-of-law rules.
- (15) This Agreement is deemed to have been drafted equally by the Parties; it will not be interpreted for or against either party on the ground that said party drafted it.
- (16) Senate Bill 1402 (Dutton, Chapter 413, statutes of 2010) requires the ARB to provide information on the basis for the penalties it seeks (see Health and Safety Code section 39619.7). This information, which is provided throughout this settlement agreement, is summarized here:

**The manner in which the penalty amount was determined, including a per unit or per vehicle penalty.**

Penalties must be set at levels sufficient to discourage violations. The penalties in this matter were determined in consideration of all relevant circumstances, including the eight factors specified in HSC sections 42403 and 43024.

PSIP Violations

The per vehicle penalty for the PSIP violations involved in this case is a maximum of \$500 per vehicle, per violation, per year. The penalty obtained for the PSIP violations involved in this case is \$6,375 for 17 violations involving 14 vehicles, or \$375 per vehicle, per violation.

The penalty was discounted based on the fact that this was a first time violation and the violator made diligent efforts to comply and to cooperate with the investigation.

**The provision of law the penalty is being assessed under and why that provision is most appropriate for that violation.**

PSIP Violations

The penalty provision being applied to the PSIP violations is HSC section 43016 because WINSOR CONSTRUCTION failed to test, measure, record, and maintain records of smoke emissions from its fleet of heavy duty diesel vehicles for the years 2011 and 2012 in violation of the PSIP regulation in title 13 CCR sections 2190 *et seq*, for 14 vehicles. Since the PSIP regulation was adopted pursuant to authority granted in Part 5 of Division 26 of the HSC and since there is no specific penalty or fine provided for PSIP violations in Part 5, HSC section 43016 is the applicable penalty provision.

**Is the penalty being assessed under a provision of law that prohibits the emission of pollution at a specified level, and, if so a quantification of excess emissions, if it is practicable to do so.**

PSIP Violations


The PSIP provisions cited above do prohibit emissions above a specified opacity or level of g/hp-hr. However, since the hours of operation of the non-compliant units involved and their individual emission rate are not known, it is not practicable to quantify the excess emissions.

- (17) WINSOR CONSTRUCTION acknowledges that ARB has complied with Senate Bill 1402 in prosecuting or settling this case. Specifically, ARB has considered all relevant facts, including those listed at HSC section 43024, has explained the manner in which the penalty amount was calculated, has identified the provision of law under which the penalty is being assessed and has considered and determined that this penalty is being assessed under a provision of law that prohibits the emission of pollutants at a specified level.
- (18) Penalties were determined based on the unique circumstances of this matter, considered together with the need to remove any economic benefit from noncompliance, the goal of deterring future violations and obtaining swift compliance, the consideration of past penalties in similar cases, and the potential costs and risk associated with litigating these particular violations. Penalties in future cases might be smaller or larger on a per unit basis.
- (19) The penalty was based on confidential settlement communications between ARB and WINSOR CONSTRUCTION that ARB does not retain in the ordinary course of business. The penalty is the product of an arms


length negotiation between ARB and WINSOR CONSTRUCTION and reflects ARB's assessment of the relative strength of its case against WINSOR CONSTRUCTION, the desire to avoid the uncertainty, burden and expense of litigation, obtain swift compliance with the law and remove any unfair advantage that WINSOR CONSTRUCTION may have secured from its actions.

- (20) Now therefore, in consideration of the payment on behalf of WINSOR CONSTRUCTION to the California Air Pollution Control Fund and the Peralta Colleges Foundation, the ARB hereby releases WINSOR CONSTRUCTION and their principals, officers, agents, predecessors and successors from any and all claims, the ARB may have or have in the future based on the circumstances described in paragraph (1) through (16) of the Recitals. The undersigned represent that they have the authority to enter into this Agreement

**California Air Resources Board**

Signature:   
Print Name: James Ryden  
Title: Chief, Enforcement Division  
Date: 9/17/13

**WINSOR CONSTRUCTION**

Signature:   
Print Name: Tim Winsor  
Title: Pres.  
Date: 9/4/13