

June 25, 2024

Russell Brady  
Project Planner  
Riverside County Planning Department  
County of Riverside  
4080 Lemon Street, 12<sup>th</sup> floor  
Riverside, California 92501  
[rbrady@rivco.org](mailto:rbrady@rivco.org)

Dear Russell Brady:

Thank you for providing the California Air Resources Board (CARB) with the opportunity to comment on the Notice of Preparation (NOP) for the Serrano Commerce Center (Project) Draft Environmental Impact Report (DEIR), State Clearinghouse No. 2006081015. The Project proposes the development of up to 6,472,000 square feet of light industrial uses on approximately 489 acres of land. The Project site is located within the County of Riverside (County), California, which is the lead agency for California Environmental Quality Act (CEQA) purposes.

Industrial developments, such as the Project, can result in high daily volumes of heavy-duty diesel truck traffic and operation of on-site equipment (e.g., forklifts and yard tractors) that emit toxic diesel particulate matter, and contribute to regional air pollution and global climate change.<sup>1</sup> The Project will expose nearby communities to elevated levels of air pollution. Existing residences are located east and west of the Project with the closest residence located within 300 feet from the Project's western boundary. In addition to residences, the Temescal Valley Elementary School is located within one mile of the Project. Due to the Project's proximity to existing residences, CARB is concerned with the potential health impacts associated with the construction and operation of the Project.

## **The DEIR Should Quantify and Discuss the Potential Cancer Risks from Project Operation**

Since the Project could generate diesel powered truck traffic along roadways adjacent to residential communities, CARB urges the County to prepare a health risk assessment (HRA) for the Project. The HRA should account for all potential operational health risks from Project-related diesel particulate matter (diesel PM) emission sources, including, but not

---

<sup>1</sup> With regard to greenhouse gas emissions from this project, CARB has been clear that local governments and project proponents have a responsibility to properly mitigate these impacts. CARB's guidance, set out in detail in the Scoping Plan, explains that in CARB's expert view, local mitigation is critical to achieving climate goals and reducing greenhouse gases below levels of significance.

limited to, back-up generators, on-site diesel-powered equipment, and heavy-duty trucks. The HRA should also determine if the operation of the Project in conjunction with past, present, and reasonably foreseeable future projects or activities would result in a cumulative cancer risk impact on nearby residences. To reduce diesel PM exposure and associated cancer risks, CARB urges the County to include all the air pollution reduction measures listed in Attachment A.

Since the Project description provided in the NOP does not explicitly state that the proposed light industrial land uses would not include cold storage, there is a possibility that trucks and trailers visiting the Project site would be equipped with Transport Refrigeration units (TRU).<sup>2</sup> TRUs on trucks and trailers can emit large quantities of diesel exhaust while operating within the Project site. Residences and other sensitive receptors (e.g., daycare facilities, senior care facilities, and schools) located near where these TRUs could be operating, would be exposed to diesel exhaust emissions that would result in a significant cancer risk impact. If the Project would be used for cold storage, CARB urges the County to model air pollutant emissions from on- and -off site TRUs in the DEIR, and to include potential cancer risks from on- and off-site TRUs in the Project's HRA. If the Project will not be used for cold storage, CARB urges the County to include one of the following design measures in the DEIR:

- A Project design measure requiring contractual language in tenant lease agreements that prohibits tenants from operating diesel-powered TRUs within the Project site; or
- A condition requiring a restrictive covenant over the parcel that prohibits the applicant's use of diesel-powered TRUs on the property unless the applicant seeks and receives an amendment to its conditional use permit allowing such use.

The HRA prepared in support of the Project should be based on the latest Office of Environmental Health Hazard Assessment's (OEHHA) guidance (2015 Air Toxics Hot Spots Program Guidance Manual for Preparation of Health Risk Assessments).<sup>3</sup> The mobile diesel PM emissions used to estimate the Project's cancer risk impacts should be based on CARB's latest 2021 Emission Factors model (EMFAC2021). Mobile emission factors can be obtained by running the EMFAC2021 Web Database: <https://arb.ca.gov/emfac/>.

---

<sup>2</sup> TRUs are refrigeration systems, these systems may be powered by integral diesel engines; TRUs protect perishable goods during transport in an insulated truck and trailer vans, rail cars, and domestic shipping containers.

<sup>3</sup> Office of Environmental Health Hazard Assessment (OEHHA). Air Toxics Hot Spots Program Guidance Manual for Preparation of Health Risk Assessments. February 2015. Accessed at: <https://oehha.ca.gov/media/downloads/cnr/2015guidancemanual.pdf>.

## **The DEIR Should Quantify and Discuss the Potential Cancer Risks from Project Construction**

In addition to the health risks associated with operational diesel PM emissions, health risks associated with construction diesel PM emissions should be included in the air quality section of the DEIR and the Project's HRA. Construction of the Project would result in short-term diesel PM emissions from the use of both on-road and off-road diesel equipment. The OEHHA guidance recommends assessing cancer risks for construction projects lasting longer than two months. Since construction would very likely occur over a period lasting longer than two months, the HRA prepared for the Project should include health risks for existing residences near the Project site during construction.

The HRA should account for all diesel PM emission sources related to Project construction, including, but not limited to, off-road mobile equipment, diesel generators, and on-road heavy-duty trucks. The cancer risks evaluated in the construction HRA should be based on the latest OEHHA guidance. The cancer risks reported in the HRA should be calculated using emission factors obtained from CARB's latest EMFAC (currently EMFAC 2021) and off-road models.

## **Conclusion**

To reduce the exposure of toxic diesel PM emissions in disadvantaged communities already impacted by air pollution, the final design of the Project should include all existing and emerging zero-emission technologies to minimize diesel PM and NOx emissions, as well as the greenhouse gases that contribute to climate change. CARB encourages the County and the applicant to implement the applicable measures listed in Attachment A of this letter.

Given the breadth and scope of projects subject to CEQA review throughout California that have air quality and greenhouse gas impacts, coupled with CARB's limited staff resources to substantively respond to all issues associated with a project, CARB must prioritize its substantive comments here based on staff time, resources, and its assessment of impacts. CARB's deliberate decision to substantively comment on some issues does not constitute an admission or concession that it substantively agrees with the lead agency's findings and conclusions on any issues on which CARB does not substantively submit comments.

CARB appreciates the opportunity to comment on the NOP for the Project and can provide assistance on zero-emission technologies and emission reduction strategies, as needed. Please include CARB on your State Clearinghouse list of selected State agencies that will receive the DEIR as part of the comment period. If you have questions, please contact Stanley Armstrong, Air Pollution Specialist via email at [stanley.armstrong@arb.ca.gov](mailto:stanley.armstrong@arb.ca.gov).

Sincerely,



Matthew O'Donnell, Branch Chief, Risk Reduction Branch

Attachment

cc: State Clearinghouse  
[state.clearinghouse@opr.ca.gov](mailto:state.clearinghouse@opr.ca.gov)

Yassi Kavezade, Organizer, Sierra Club  
[yassi.kavezade@sierraclub.org](mailto:yassi.kavezade@sierraclub.org)

Sam Wang, Program Supervisor, CEQA Intergovernmental Review, South Coast Air Quality Management District  
[swang1@aqmd.gov](mailto:swang1@aqmd.gov)

Morgan Capilla, NEPA Reviewer, U.S. Environmental Protection Agency, Air Division, Region 9  
[capilla.morgan@epa.gov](mailto:capilla.morgan@epa.gov)

Taylor Thomas, Research and Policy Analyst, East Yard Communities for Environmental Justice  
[tbthomas@eycej.org](mailto:tbthomas@eycej.org)

Stanley Armstrong, Air Pollution Specialist, Risk Reduction Branch

## **Attachment A**

### **Recommended Air Pollution Emission Reduction Measures for Warehouses and Distribution Centers**

The California Air Resources Board (CARB) recommends developers and government planners use all existing and emerging zero to near-zero emission technologies during project construction and operation to minimize public exposure to air pollution. Below are some measures, currently recommended by CARB, specific to warehouse and distribution center projects. These recommendations are subject to change as new zero-emission technologies become available.

#### **Recommended Construction Measures**

1. Ensure the cleanest possible construction practices and equipment are used. This includes eliminating the idling of diesel-powered equipment and providing the necessary infrastructure (e.g., electrical hookups) to support zero and near-zero equipment and tools.
2. Implement, and plan accordingly for, the necessary infrastructure to support the zero and near-zero emission technology vehicles and equipment that will be operating on site. Necessary infrastructure may include the physical (e.g., needed footprint), energy, and fueling infrastructure for construction equipment, on-site vehicles and equipment, and medium-heavy and heavy-heavy duty trucks.
3. In construction contracts, include language that requires all off-road diesel-powered equipment used during construction to be equipped with Tier 4 or cleaner engines, except for specialized construction equipment in which Tier 4 engines are not available. In place of Tier 4 engines, off-road equipment can incorporate retrofits, such that, emission reductions achieved are equal to or exceed that of a Tier 4 engine.
4. In construction contracts, include language that requires all off-road equipment with a power rating below 19 kilowatts (e.g., plate compactors, pressure washers) used during project construction be battery powered.
5. In construction contracts, include language that requires all heavy-duty trucks entering the construction site during the grading and building construction phases be model year 2014 or later. All heavy-duty haul trucks should also meet CARB's

lowest optional low-oxides of nitrogen (NO<sub>x</sub>) standard starting in the year 2022.<sup>4</sup>

6. In construction contracts, include language that requires all construction equipment and fleets to be in compliance with all current air quality regulations. CARB is available to assist in implementing this recommendation.

## Recommended Operation Measures

1. Include contractual language in tenant lease agreements that requires tenants to use the cleanest technologies available, and to provide the necessary infrastructure to support zero-emission vehicles and equipment that will be operating on site.
2. Include contractual language in tenant lease agreements that requires all loading/unloading docks and trailer spaces be equipped with electrical hookups for trucks with transport refrigeration units (TRUs) or auxiliary power units. This requirement will substantially decrease the amount of time that a TRU powered by a fossil-fueled internal combustion engine can operate at the project site. Use of zero-emission all-electric plug-in TRUs, hydrogen fuel cell transport refrigeration, and cryogenic transport refrigeration are encouraged and can also be included in lease agreements.<sup>5</sup>
3. Include contractual language in tenant lease agreements that requires all TRUs entering the project-site be plug-in capable.
4. Include contractual language in tenant lease agreements that requires future tenants to exclusively use zero-emission light and medium-duty delivery trucks and vans.
5. Include contractual language in tenant lease agreements that requires all service equipment (e.g., yard hostlers, yard equipment, forklifts, and pallet jacks) used within the project site to be zero-emission. This equipment is widely available and can be purchased using incentive funding from CARB's Clean Off-Road Equipment Voucher Incentive Project (CORE).<sup>6</sup>
6. Include contractual language in tenant lease agreements that requires all heavy-duty trucks entering or on the project site to be zero-emission vehicles, and be fully zero-emission. A list of commercially available zero-emission trucks can be obtained

---

<sup>4</sup> In 2013, CARB adopted optional low-NO<sub>x</sub> emission standards for on-road heavy-duty engines. CARB encourages engine manufacturers to introduce new technologies to reduce NO<sub>x</sub> emissions below the current mandatory on-road heavy-duty diesel engine emission standards for model-year 2010 and later. CARB's optional low-NO<sub>x</sub> emission standard is available at: <https://ww2.arb.ca.gov/our-work/programs/optional-reduced-nox-standards>

<sup>5</sup> CARB's technology assessment for transport refrigerators provides information on the current and projected development of TRUs, including current and anticipated costs. The assessment is available at: [https://www.arb.ca.gov/msprog/tech/techreport/tru\\_07292015.pdf](https://www.arb.ca.gov/msprog/tech/techreport/tru_07292015.pdf)

<sup>6</sup> Clean Off-Road Equipment Voucher Incentive Project. Accessible at: <https://californiacore.org/how-to-participate/>

from the Hybrid and Zero-emission Truck and Bus Voucher Incentive Project (HVIP).<sup>7</sup> Additional incentive funds can be obtained from the Carl Moyer Program and Voucher Incentive Program.<sup>8</sup>

7. Include contractual language in tenant lease agreements that requires the tenant to be in, and monitor compliance with, all current air quality regulations for on-road trucks including CARB's Heavy-Duty (Tractor-Trailer) Greenhouse Gas Regulation,<sup>9</sup> Advanced Clean Trucks Regulation,<sup>10</sup> Periodic Smoke Inspection Program (PSIP),<sup>11</sup> and the Statewide Truck and Bus Regulation.<sup>12</sup>
8. Include contractual language in tenant lease agreements restricting trucks and support equipment from idling longer than two minutes while on site.
9. Include rooftop solar panels for each proposed warehouse to the extent feasible, with a capacity that matches the maximum allowed for distributed solar connections to the grid.
10. Include contractual language in tenant lease agreements, requiring the installing of vegetative walls<sup>13</sup> or other effective barriers that separate loading docks and people living or working nearby.

---

<sup>7</sup> Zero-Emission Truck and Bus Voucher Incentive Project. Accessible at: <https://californiahvip.org/>

<sup>8</sup> Carl Moyer Program and Voucher Incentive Program. <https://ww2.arb.ca.gov/carl-moyer-program-apply>

<sup>9</sup> In December 2008, CARB adopted a regulation to reduce greenhouse gas emissions by improving the fuel efficiency of heavy-duty tractors that pull 53-foot or longer box-type trailers. The regulation applies primarily to owners of 53-foot or longer box-type trailers, including both dry-van and refrigerated-van trailers, and owners of the heavy-duty tractors that pull them on California highways. CARB's Heavy-Duty (Tractor-Trailer) Greenhouse Gas Regulation is available at: <https://ww2.arb.ca.gov/our-work/programs/ttghg>

<sup>10</sup> On June 25, 2020, CARB approved the Advanced Clean Trucks Regulation. The regulation requires manufacturers to start the transition from diesel trucks and vans to zero-emission trucks beginning in 2024. The rule is expected to result in about 100,000 electric trucks in California by the end of 2030 and about 300,000 by 2035. CARB is expected to consider a fleet regulation in 2021 that would be compatible with the Advanced Clean Trucks regulation, requiring fleets to purchase a certain percentage of zero-emission trucks and vans for their fleet operations. <https://ww2.arb.ca.gov/our-work/programs/advanced-clean-trucks>

<sup>11</sup> The PSIP program requires that diesel and bus fleet owners conduct annual smoke opacity inspections of their vehicles and repair those with excessive smoke emissions to ensure compliance. CARB's PSIP program is available at: <https://www.arb.ca.gov/enf/hdvp/hdvp.htm>

<sup>12</sup> The regulation requires that newer heavier trucks and buses must meet particulate matter filter requirements beginning January 1, 2012. Lighter and older heavier trucks must be replaced starting January 1, 2015. By January 1, 2023, nearly all trucks and buses will need to have 2010 model-year engines or equivalent. CARB's Statewide Truck and Bus Regulation is available at: <https://www.arb.ca.gov/msprog/onrdiesel/onrdiesel.htm>

<sup>13</sup> Effectiveness of Sound Wall-Vegetation Combination Barriers as Near-Roadway Pollutant Mitigation Strategies (2017) is available at: <https://ww2.arb.ca.gov/sites/default/files/classic/research/apr/past/13-306.pdf>