California Greenhouse Gas Emissions from 2000 to 2024: Trends of Emissions and Other Indicators

Date of Release: September 21, 2026

California Air Resources Board
1001 I Street
Sacramento, California 95814

Contents

Executive Summary 4
Introduction 6
Statewide Trends of Emissions and Indicators 7
Overview of Emissions Trends by Sector 9
Transportation 12
Electricity 19
Industrial 25
Commercial and Residential 26
Agriculture 29
High Global Warming Potential Gases 31
Recycling and Waste 33
Additional Information 36
- International GHG Inventory Practice of Recalculating Emissions for Previous Years 36
- Global Warming Potential Values 36
- Data Sources Used in California's AB 32 GHG Inventory 36
- Other Ways of Categorizing Emissions in the AB 32 GHG Inventory 37
- Uncertainties in the AB 32 GHG Inventory 39
- Natural and Working Lands Inventory and Wildfire Emissions 39
- Pesticides 40

Figure References 41
References 42

List of Figures

Figure 1. Annual Statewide GHG Emissions and GHG Limits. 5
Figure 2. Change in California GSP and GHG Emissions Since 2000. 8
Figure 3. Carbon Intensity of California's Economy. 9
Figure 4. Trends in California GHG Emissions. 11
Figure 5. 2024 GHG Emissions by Scoping Plan Sector and Sub-Sector. 12
Figure 6. Transportation Sector Emissions by Sub-Sector. 14
Figure 7. Light-Duty Fleet Transformation. 15
Figure 8. Trends in Passenger Vehicle Gasoline Emissions. 17
Figure 9. Trends in Heavy-Duty Diesel Vehicle Emissions 18
Figure 10. GHG Emissions from the Electricity Sector. 20
Figure 11. GHG Intensity of Electricity Generation. 21
Figure 12. In-State Hydro, Solar, and Wind Electricity Generation. 23
Figure 13. Total Electricity Generation (In-State and Imports) by Source. 24
Figure 14. Industrial Sector Emissions by Sub-Sector. 26
Figure 15. Commercial and Residential Sector Emissions by Sub-Sector. 27
Figure 16. Commercial Sub-Sector Fuel Use Emissions per Unit Floor Space. 28
Figure 17. Residential Sub-Sector Fuel Use Emissions per Residential Housing Unit. 29
Figure 18. Agriculture Sector Emissions by Sub-Sector. 30
Figure 19. Trends in ODS and ODS Substitutes Emissions. 32
Figure 20. ODS Substitutes Emissions by Category. 33
Figure 21. Landfill Waste 34
Figure 22. Landfill Methane Emissions. 35
Figure 23. 2024 GHG Emissions by Economic Sector. 38
Figure 24. 2024 GHG Emissions by Scoping Plan Sector. 39

Executive Summary

Each year the California Air Resources Board (CARB) produces the Assembly Bill (AB) 32 Greenhouse Gas Emissions Inventory (Inventory) which estimates anthropogenic emissions within California, as well as emissions associated with imported electricity. The Inventory is one tool to track progress of California's climate programs toward achieving statewide greenhouse gas (GHG) targets. This document summarizes the trends in emissions and indicators in the Inventory. The emissions included in the Inventory represent actual emissions released into the atmosphere from the AB 32 sectors.[1] The 2026 edition of the Inventory includes GHG emissions released during the 2000–2024 calendar years. Inventory methods are described in the technical documentation.

In 2024, emissions from GHG emitting activities statewide[2] were 346.0 million metric tons of carbon dioxide equivalent ($MMTCO_2e$). This is 14.0 $MMTCO_2e$ (3.9%) lower than in 2023 (360.1 $MMTCO_2e$). Emissions in 2024 were the lowest of any point during the Inventory time series (2000-2024). The 2024 emissions data show that the State of California is continuing its established long-term trend of GHG emissions declines. The most notable highlights in the 2026 edition of the Inventory include:

- The transportation sector showed the largest decrease in emissions of 5.5 $MMTCO_2e$ (4.1%) compared to 2023. On-road transportation emissions decreased 5.6 $MMTCO_2e$ (4.5%). The decrease in on-road transportation was due in large part to a 31.1% reduction in the use of fossil diesel because of continued growth in renewable diesel.
- Commercial and residential sector emissions decreased by 3.4 $MMTCO_2e$ (7.8%) compared to 2023. Much of the decrease is due to reduced fossil gas (also known as natural gas) consumption in the residential sector (11.7%) which was likely due in part to the 10.8% decrease in heating degree days (a proxy for the amount of energy needed for space heating).
- Electricity sector emissions decreased by 2.4 $MMTCO_2e$ (4.1%) compared to 2023. Emissions declined despite a 6.7 TWh (2.1%) increase in total electricity generation because the carbon intensity of generation decreased by 6.1%. Solar power generation increased by 12.6 TWh (17.9%), incentivized by California's clean energy policies and facilitated by a 53.1% increase in battery storage capacity [1][2]. As a result, fossil fuel-powered electricity generation decreased by 5.2 TWh (4.2%).

---

[1] To categorize emissions to assist in policy development, CARB's "2022 Scoping Plan for Achieving Carbon Neutrality" (https://ww2.arb.ca.gov/sites/default/files/2023-04/2022-sp.pdf) presents statewide emissions in seven sectors: transportation, electric power, industrial, commercial & residential, agriculture, high GWP, and recycling & waste.

[2] Pursuant to Assembly Bill (AB) 32 (Nuñez and Pavley, Chapter 488, Statutes of 2006), the Inventory includes emissions from in-state sources and imported electricity, emissions of which were released from electricity generation facilities located outside of California.

- Industrial sector emissions decreased by 2.2 $MMTCO_2e$ (3.3%) compared to 2023. The decrease is driven by lower emissions in the liquid fuels refining and hydrogen production sector and the oil and gas production and processing sector.

Figure 1. Annual Statewide GHG Emissions and GHG Limits.



Figure 1 shows California's annual GHG emissions from 2000 to 2024 in relation to the 2020 GHG Limit established by AB 32 and the 2030 GHG Limit established by SB 32. California's GHG emissions dropped below the 2020 GHG Limit of 431 $MMTCO_2e$ – to 428.3 $MMTCO_2e$ – in 2014 and have remained below the limit since that time.

Introduction

The AB 32 GHG Inventory is one tool to track California's progress toward achieving the statewide GHG targets established by AB 32 (Nuñez and Pavley, Chapter 488, Statutes of 2006) [3] to reduce emissions to 1990 levels by 2020; Senate Bill 32 (Pavley, Chapter 249, Statutes of 2016) [4] to reduce emissions to at least 40% below 1990 levels by 2030; and AB 1279 (Muratsuchi, Chapter 337, Statutes of 2022) [5] to reduce anthropogenic emissions at least 85% below 1990 levels no later than 2045. The Inventory includes emissions from the following types of sources: fossil fuel combustion (including combustion for imported electricity consumed in state), byproducts of chemical reactions in industrial processes, use of GHG-containing consumer products and human-made chemicals, agricultural operations, and recycling and waste sector operations. The exchange of ecosystem carbon between the atmosphere and plants and soils (including through wildfires) is separately quantified in the Natural and Working Lands Ecosystem Carbon Inventory [6]. The methods used to quantify emissions included in the AB 32 GHG Inventory are consistent with international and national practices [7] and meet the requirements of AB 32.

The 2026 edition of the AB 32 GHG Inventory includes the emissions of the seven GHGs identified in AB 32 for the years 2000 to 2024. There are additional climate pollutants that are not included in AB 32 that are tracked separately from the Inventory. These include black carbon and sulfuryl fluoride (SO_2F_2), which are discussed in the Short-Lived Climate Pollutant (SLCP) Strategy [8], and ozone depleting substances (ODS), which are being phased out under the 1987 Montreal Protocol[3] [9].

In this report, emissions trends and indicators are presented in the categories outlined in the Initial AB 32 Climate Change Scoping Plan [10]. There are alternative ways of organizing emissions sources into categories, and the resulting percentages will differ depending on the categorization used.[4] All emissions in this report are expressed in units of carbon dioxide equivalent (CO_2e) calculated using 100-year Global Warming Potential (GWP) values from the Intergovernmental Panel on Climate Change (IPCC) 4th Assessment Report (AR4) [11].

[3] Many ODS substitutes are GHGs whose emissions are included in the Inventory, consistent with IPCC Guidelines.

[4] The *Additional Information* section of this report provides further information on alternative categorization schemes.

Statewide Trends of Emissions and Indicators

In 2024, emissions from statewide emitting activities were 346.0 $MMTCO_2e$, 14.0 $MMTCO_2e$ (3.9%) lower than 2023 levels. Since the peak level in 2004, California's GHG emissions have generally followed a decreasing trend. In 2014, statewide GHG emissions dropped below the 2020 GHG Limit and have remained below the limit since that time.

Overall trends in the Inventory continue to demonstrate the carbon intensity of California's economy (the amount of carbon pollution per million dollars of gross state product (GSP)) is declining. From 2000 to 2024, the carbon intensity of California's economy decreased by 59.3% while the GSP increased by 85.3%. California's GSP increased 3.2% from 2023 to 2024 [12]. Emissions per GSP declined by 6.9% from 2023 to 2024 [12][13]. Figures 2-3 show these economic indicators alongside GHG emissions.

Figure 2. Change in California GSP and GHG Emissions Since 2000.



Metric	Associated 2024 Value
GSP	3.3 Trillion (2017 $)
GHG Emissions	346.0 $MMTCO_2e$
GHG Emissions per GSP	104.6 Metric Tons CO_2e per Million $

Figure 3. Carbon Intensity of California's Economy.



Overview of Emissions Trends by Sector

The transportation sector remains the largest source of GHG emissions in the state. Direct emissions from vehicle tailpipes, intrastate aviation, and other transportation sources account for 37.0%[5] of statewide emissions in 2024. Emissions from this sector decreased by 5.5 $MMTCO_2e$ (4.1%) compared to 2023, primarily due to a greater share of diesel used for on-road transportation being produced from non-fossil resources. When upstream emissions from oil extraction, petroleum refining, and oil pipelines in California are included, transportation is responsible for 46.3% of statewide emissions in 2024.

Emissions from the electricity sector account for 15.9% of the Inventory in 2024. Emissions from this sector decreased by 2.4 $MMTCO_2e$ (4.1%) compared to 2023, despite a 6.7 TWh (2.1%) increase in total electricity generation. This was enabled by a 6.1% decrease in

[5] The transportation sector represents direct emissions from in-state fuel combustion by on-road vehicles, intrastate flights, trains, water-borne vessels, and a few other smaller sources. It does not include upstream well-to-tank emissions from oil extraction, petroleum refining, and oil pipelines. These upstream emissions are included in the industrial sector category.

carbon intensity as zero-GHG resources (particularly in-state solar generation) displaced fossil fuel resources. The increase in solar generation was partially made possible by a 53.1% increase in battery storage capacity [1][2]. Conversely, fossil fuel-powered generation decreased by 5.2 TWh (4.2%).

The industrial sector accounted for 18.7% of California's 2024 GHG emissions. This sector saw a decrease of 2.2 $MMTCO_2e$ (3.3%) from 2023 to 2024 due to GHG reductions in the liquid fuels refining and hydrogen production sector and the oil and gas production and processing sector.

Commercial and residential emissions, which accounted for 11.5% of the state's total, saw a decrease of 3.4 $MMTCO_2e$ (7.8%) from 2023 to 2024. Much of the decrease is due to reduced fossil gas consumption in the residential sector (11.7%) which was likely due in part to the 10.8% decrease in heating degree days (a proxy for the amount of energy needed for space heating).

The high-GWP gases sector accounted for 6.2% of California's 2024 GHG emissions. High-GWP gases continue to replace ODS that are being phased out under the 1987 Montreal Protocol [9]. However, the rate at which emissions from this sector have grown has been slowing from 2015-2024 as shown in Figure 4.

Agriculture sector emissions accounted for 8.2% of the state's total in 2024 and decreased by 0.7 $MMTCO_2e$ (2.5%) from 2023. This was mostly due to a greater share of the sector's diesel fuel use being produced from non-fossil resources and reductions in livestock methane emissions.

Emissions from the recycling and waste sector account for the remaining 2.4% of statewide emissions and changed very little from 2023 to 2024.

Figure 4 shows emissions trends by Scoping Plan sector for 2000 to 2024. Figure 5 shows 2024 emissions by Scoping Plan sector and sub-sector.

Figure 4. Trends in California GHG Emissions.



Figure 4 shows changes in emissions by Scoping Plan sector between 2000 and 2024.

Figure 5. 2024 GHG Emissions by Scoping Plan Sector and Sub-Sector.



Figure 5 shows 2024 GHG emissions by Scoping Plan category. The inner ring shows the Scoping Plan sectors, while the outer shows the sub-sectors. Values do not sum to 100% due to independent rounding.

Transportation

The transportation sector remains the largest source of GHG emissions in 2024 at 37.0% of total emissions. The transportation sector includes emissions from in-state fuel combustion by on-road vehicles, intrastate flights, trains, water-borne vessels, and a few other smaller

sources.[6, 7, 8] Overall, transportation sector emissions decreased 5.5 $MMTCO_2e$ (4.1%) from 2023 levels primarily due to reductions of 5.6 $MMTCO_2e$ (4.5%) from on-road transportation. Emissions from ships increased by 0.3 $MMTCO_2e$ (9.1%), emissions from intrastate aviation increased by 0.1 $MMTCO_2e$ (1.8%), and emissions from rail decreased by 0.2 $MMTCO_2e$ (36.8%).

As shown above in Figure 4, emissions from the transportation sector have generally decreased since their peak in 2002 but have experienced periods of both emissions growth and decline. Several factors can influence transportation sector emissions. These include vehicle miles traveled (VMT), vehicle GHG emissions rates, the number of zero-emission vehicles on the road, and the amount of fuel derived from non-fossil resources. Year-to-year changes in economic conditions can also impact the amount of transportation fuel used across the state.

The decrease in 2024, which is primarily due to reductions from on-road sources, brings emissions to their lowest level of the inventory time series. One factor that contributed to emission reductions from on-road sources in 2024 was a decrease in the amount of fuel used. This decrease occurred despite increased VMT [14] and was observed both for heavy- and light-duty vehicles. The amount of gasoline blend[9] used on-road decreased by 1.1% while the amount of diesel blend[10] used decreased by 0.5%. Meanwhile, the percentage of on-road diesel blend produced from non-fossil resources increased from 56% to 69%.

The increased percentage of diesel produced from non-fossil resources also led to emission reductions from rail. Emissions from both ships and intrastate aviation increased due to increased fuel use. Figure 6 shows an overview of GHG emissions from the transportation sector by sub-sector.

---

[6] Emissions from the following sources are not included in the Inventory for the purpose of comparing to statewide GHG reduction goals. These emissions are, however, tracked separately as informational items and are published as excluded emissions within the Inventory data: interstate and international aviation, diesel and jet fuel use at military bases, and a portion of bunker fuel purchased in California that is combusted by ships beyond 24 nautical miles from California's shores.

[7] The following emissions are not included or tracked in the Inventory: emissions from the combustion of fuels purchased outside of California that are used in-state by passenger vehicles and trains crossing into California, and out-of-state upstream emissions accounted for in the Low Carbon Fuel Standard program.

[8] Emissions from refrigerants and air conditioners used in vehicles, airplanes, trains, and water-borne vessels are shown in the high-GWP gases section of this report.

[9] "Gasoline blend" refers to E85 and typical gasoline-ethanol fuel.

[10] "Diesel blend" refers to the aggregation of R99, B5, pure fossil diesel, and other diesel fuels.

Figure 6. Transportation Sector Emissions by Sub-Sector.



Figure 6 shows emissions by transportation sub-sector. "Passenger Vehicles" include passenger cars, light-duty trucks, medium-duty trucks, motorcycles, and fossil gas-powered vehicles. "Heavy-Duty Vehicles" include heavy-duty trucks, buses, and motor homes.[11] Within "Intrastate Aviation, Ships, Rail & Other," aviation accounts for 45%, ships account for 41%, and rail accounts for 4% of 2024 emissions, and the remainder consists of lubricant consumption, liquified petroleum gas combustion, and diesel combustion by unspecified sources. Fuel combustion emissions from specified off-road sources within the agriculture, commercial and residential, and industrial sectors are assigned to the respective sectors.

The emissions rate (gCO_2e/mile) of California's gasoline light-duty vehicles[12] improved from 486.9 gCO_2e/mile in 2009 to 393.8 gCO_2e/mile in 2024. New model year gasoline light-

[11] Additional details about some of these vehicle classes can be found in https://ww2.arb.ca.gov/sites/default/files/2023-08/user_guide_emfac2007.pdf.

[12] Light-duty vehicles include passenger cars, light-duty trucks, and medium-duty trucks.

duty vehicles in 2024 emit 16.0% less GHGs per mile than in 2011 [15]. In addition, there were nearly 1.3 million light-duty battery electric vehicles (BEV) in the state in 2024, nearly double the amount present in 2022 [16]. Figure 7 shows the progression of clean technologies in California's light-duty fleet, with significant strides being made in emissions rate and zero-emission vehicle adoption.

Figure 7. Light-Duty Fleet Transformation.



Figure 7 shows the emissions rate of California's gasoline-powered light-duty vehicles and the growth in BEVs. "Emissions Rate: All Gasoline Cars" is the average GHG emitted (in gCO_2e) per mile traveled for all gasoline-powered light-duty vehicles in California in the specified year. "Emissions Rate: New Gasoline Cars by Model Year" is the average GHG emitted (in gCO_2e) per mile traveled for vehicles in the specified model year achieved in the specified year. "BEV Population" includes vehicles that run on electricity stored in batteries and have an electric motor rather than an internal combustion engine.

Biofuels, such as ethanol, biodiesel, renewable diesel, and biomethane displace fossil fuels and reduce the amount of fossil-based CO_2 emissions released into the atmosphere. The percentages of biodiesel and renewable diesel in the total diesel blend have shown significant growth in recent years, growing from 0.4% in 2011 to 69.5% in 2024, due mostly to the implementation of the Low Carbon Fuel Standard. The same is true of the percentage of biomethane in the total natural gas blend[13] used for transportation, which has increased from 1.1% in 2019 to 24.6% in 2024. The percentage of ethanol in the gasoline blend has been around 10% since 2010. Without biofuels, California tailpipe fossil CO_2 would be 29.1 MMT higher in 2024.

Figure 8 and Figure 9 show the trends in emissions and fuel used in gasoline-powered passenger vehicles and diesel-powered heavy-duty vehicles, respectively. Total fuel combustion emissions, inclusive of both the fossil component (dark blue line) and biocomponent (blue shaded region) of the fuel blend,[14] track trends in fuel sales. Consistent with the IPCC Guidelines for National GHG Inventories (IPCC Guidelines) [7], CO_2 emissions from biofuels (the biofuel components of fuel blends) are classified as "biogenic CO_2." They are tracked separately from the rest of the emissions in the Inventory and are not included in the total emissions when comparing to California's GHG reduction goals. Biogenic CO_2 emissions data are available on CARB's AB 32 GHG Emissions Inventory webpage [13]. Emissions of methane (CH_4) and nitrous oxide (N_2O) from biofuel combustion are included in the Inventory along with CO_2, CH_4, and N_2O from fossil fuel combustion, consistent with IPCC guidance.

[13] "Natural gas blend" refers to the aggregation of fossil gas and biomethane.

[14] For the purpose of this report, the term "fuel blend" refers to combined, aggregated volume of fossil fuels and biofuels that have been distributed across the state, some may be distributed as a blend of fossil fuel and biofuel while some may be sold as biofuel.

Figure 8. Trends in Passenger Vehicle Gasoline Emissions.



Figure 8: The blue shaded region represents CO_2 emissions from the ethanol component of the gasoline fuel blend. The dark blue line includes all GHG emissions from the fossil gasoline component of the fuel blend, as well as the CH_4 and N_2O emissions from the ethanol component. "Total Sales of Gasoline Blend" includes gasoline used in any type of vehicle, 93% of which is used in passenger vehicles. The color of a trend line matches the color of its corresponding vertical axis label.

Figure 9. Trends in Heavy-Duty Diesel Vehicle Emissions.



Figure 9: In the top panel, the blue shaded region represents CO_2 emissions from the biogenic component (biodiesel and renewable diesel) of the diesel fuel blend. The dark blue line includes all GHG emissions from the fossil diesel component of the fuel blend, as well as the CH_4 and N_2O emissions from the biogenic component. "Total Sales of On-Road Diesel" includes diesel blends used in any type of vehicle, 98% of which are used in heavy-duty vehicles. The color of a trend line matches the color of its corresponding vertical axis label. The bottom panel shows the percent of diesel blend that is biodiesel or renewable diesel.

Electricity

Emissions from the electricity sector comprise 15.9% of 2024 statewide GHG emissions. The Inventory divides electricity sector emissions into two broad categories: in-state generation (including the portion of industrial and commercial cogeneration emissions attributed to electricity generation) and imported electricity. Electricity sector emissions are primarily driven by fossil gas combustion such that years with low hydropower availability typically lead to increased emissions, as more fossil gas is required to fulfill the remaining demand. Increased production of zero-GHG resources such as solar and wind in California and imports from other western states also reduces demands for in-state fossil gas generation over time.

Since the early 2000's, the deployment of renewable and less carbon-intensive resources have facilitated the continuing decline in fossil fuel electricity generation. The Renewable Portfolio Standard Program and the Cap-and-Invest Program continue to incentivize the dispatch of renewables over fossil fuel generation to serve California's load. The state continues to see growth in battery storage that takes advantage of excess renewable power that can be dispatched to the grid when needed. Battery storage increased from 2023 to 2024 by 5.2 GW (53.1%), reaching a total of 15.0 GW [2]. Higher energy efficiency standards also counter the growth in electricity consumption that is driven by a growing economy. While year-to-year fluctuations in hydropower availability result in small changes to GHG intensity, the overall downward trend prevails for GHG intensity from electricity generation.

Figure 10 shows California's electricity sector emissions broken out between in-state and imported sources. Figure 11 shows the overall GHG intensity of electricity generation for California and for in-state and imported sources separately.

Figure 10. GHG Emissions from the Electricity Sector.



Figure 10 shows trends in emissions of in-state electricity generation, emissions associated with electricity imported from outside of California, and the total electricity sector emissions, which is the sum of in-state generation and imports.

Figure 11. GHG Intensity of Electricity Generation.



Figure 11 shows trends in GHG intensities of in-state electricity generation, electricity imported from outside of California, and the overall GHG intensity aggregating both in-state generation and electricity imports.[15]

Total electricity sector emissions decreased from 2023 to 2024 due to an increase in solar power generated in-state and a decrease in fossil gas power generated in-state. California continued the trend of increasing in-state renewable generation. In 2024, 55.7% of total electricity generation (in-state generation plus imported electricity) came from solar, wind, hydropower, and nuclear power; another 1.2% came from asset controlling suppliers

[15] All three GHG intensities account for renewables and exclude biogenic CO_2 emissions. For calculating in-state and overall intensities, in-state electricity emissions and generation (MWh) include on-site generation for on-site use, cogeneration emissions attributed to electricity generation, in-state generated electricity exported out-of-state, and small-scale solar generation (including rooftop). The denominator of the "Overall" intensity is the total electricity generated in California plus total imported electricity.

(ACS),[16] which imported low GHG intensity electricity consisting primarily of hydropower. As shown in Figure 11 above, the emissions intensity of imported electricity increased in 2023 and 2024. This was due primarily to decreased imports of hydropower. A drought in British Columbia created demand for Pacific Northwest hydropower that otherwise might have been imported by California [1].

In-state solar generation grew 18.4% in 2024 compared to 2023, reflecting a continuation of the substantial growth seen in small-scale photovoltaic solar generation (including rooftop solar)[17] and commercial-scale generation since 2011 [17][18]. In-state wind energy generation ramped up through 2013 and has remained relatively constant from 2013 through 2024 [18]. Figure 12 shows trends in in-state hydro, solar, and wind electricity generation.

[16] The term "asset controlling suppliers" refers to an electric power entity that owns or operates inter-connected electricity generating facilities or serves as an exclusive marketer for these facilities even though it does not own them (as defined by the Mandatory GHG Reporting Regulation (MRR)). Imports from ACS are primarily hydropower; however, they include some non-zero GHG power sources such as fossil gas.

[17] Small-scale photovoltaic solar generation consists of facilities with a generating capacity of less than 1 MW.

Figure 12. In-State Hydro, Solar, and Wind Electricity Generation.



Figure 12 shows the amounts of electricity generated by California's in-state wind power projects, large commercial-scale solar power projects, small-scale solar power projects with less than 1 MW of generation capacity (including rooftop solar panels), and hydropower generation stations in TWh (1 TWh = 10^9 kWh).

Trends in total in-state generation plus imported generation by source are presented in Figure 13. Historically, fossil-fueled electricity generation has varied annually in part based on year-to-year fluctuations in hydropower generation. More recently, growth in solar and wind power has helped to meet growth in overall demand even during low hydropower years.

Figure 13. Total Electricity Generation (In-State and Imports) by Source.



Figure 13 shows the total amount of electricity generated (in-state plus imported) as well as the amount generated from fossil fuels, from hydropower, from solar and wind (combined), and from nuclear power. "Fossil Fuels" consists primarily of fossil gas but also includes coal, oil, petroleum coke, fossil diesel, and imports from unspecified sources. "Hydropower" includes imports from asset-controlling suppliers which imported low GHG intensity electricity consisting primarily of hydropower. Electricity generated from biomass, geothermal, and waste heat recovery – totaling 17.9 TWh in 2024 – are not shown separately in the figure but are reflected in "Total Electricity Generated."

Industrial

Emissions from the industrial sector contributed 18.7% of California's total GHG emissions in 2024. Emissions in this sector are primarily driven by fuel combustion from sources that include refineries, oil and gas production, cement plants, and the portion of cogeneration emissions attributed to thermal energy output.[18] Process emissions, such as from clinker production in cement plants and hydrogen production for refinery use, also contribute significantly to the total emissions for this sector. The liquid fuels refining and hydrogen production sub-sector represents the largest individual source in the industrial sector, contributing 37.7% of the sector's total emissions in 2024.

As shown in Figure 4, industrial sector emissions decreased 2.2 $MMTCO_2e$ (3.3%) from 2023 to 2024. Figure 14 shows trends by sub-sector within the industrial sector over time. Emissions from the liquid fuels refining and hydrogen production sub-sector decreased by 0.8 $MMTCO_2e$ (3.1%) from 2023 to 2024. Additionally, oil and gas production emissions decreased by 0.6 $MMTCO_2e$ (6.9%), reflecting a continued downward trend in emissions from oil production.

[18] The portion of cogeneration emissions attributed to electricity generation is included in the electricity sector.

Figure 14. Industrial Sector Emissions by Sub-Sector.



Figure 14 shows emissions by industrial sub-sector. The "Other Fuel Use" category includes emissions from combustion of fuels used by sub-sectors not specificied elsewhere in this figure. The "Other" category includes fugitive and process emissions from sub-sectors not already shown in the figure. The "Cogen (thermal)" category includes only the portion of cogeneration emissions attributed to thermal output. The portion of cogeneration emissions attributed to electricity generation is assigned to the electricity sector.

Commercial and Residential

Greenhouse gas emissions from the commercial and residential sector come predominantly from the combustion of fossil gas and other fuels for uses such as space heating, cooking, water heating, and steam generation. Emissions from this sector also include commercial

and residential fertilizer application and behind-the-meter gas leaks.[19] Emissions from electricity used in this sector are accounted for in the electricity sector, and emissions of high-GWP gases used for purposes including refrigeration and air conditioning are included in the high-GWP gases sector. Changes in annual fuel combustion emissions are primarily driven by variability in weather conditions which impacts demand for fuels used to heat buildings, as well as growth in commercial floor space, economic conditions, and the number of residential housing units.

In 2024, emissions from the commercial and residential sector decreased by 3.4 $MMTCO_2e$ (7.8%) compared to 2023. Within the residential sub-sector, emissions decreased by 3.3 $MMTCO_2e$ (11.4%) during this time which was likely due in part to the 10.8% decrease in heating degree days (a proxy for the amount of energy needed for space heating) [18]. Commercial sub-sector emissions decreased by 0.1 $MMTCO_2e$ (0.8%) from 2023 to 2024. Figure 4 presents the sector-wide emissions trend while Figure 15 presents emissions trends from the commercial and residential sub-sectors along with heating degree days.

Figure 15. Commercial and Residential Sector Emissions by Sub-Sector.



Figure 15 shows emissions from the commercial and residential sub-sectors and heating degree days, a proxy for the amount of energy needed for space heating.

[19] "Behind-the-meter" emissions include fossil gas leaks after the gas passes through building-level gas meters. Potential leak points include valves and joints of gas pipes and gas appliances. Leaks from fossil gas transmission and distribution infrastructure are accounted for in the industrial sector.

Commercial floor space has grown by 28.1% since 2000 [20], yet emissions from fuel use, much of which is used to heat this space, have seen relatively small changes. Figure 16 shows commercial floor space and emissions from fuel use per unit area. As shown in Figure 17, the number of occupied residential housing units has grown steadily from 11.9 million units in 2000 to 13.9 million units in 2024 [21]. Emissions per housing unit have generally decreased since 2000 but do fluctuate with the need for heating as illustrated by the heating degree days index in Figure 15.

Figure 16. Commercial Sub-Sector Fuel Use Emissions per Unit Floor Space.



Figure 16 shows total square feet of commercial floor space and the emissions per square foot. Only commercial sub-sector emissions from fuel use are included in the figure.

Figure 17. Residential Sub-Sector Fuel Use Emissions per Residential Housing Unit.



Figure 17 shows the number of occupied residential housing units and emissions per housing unit. Only residential sub-sector emissions from fuel use are included in the figure.

Agriculture

California's agricultural sector contributed 8.2% of statewide GHG emissions in 2024, mainly from CH_4 and N_2O sources. Major emissions sources in the agricultural sector include enteric fermentation and manure management from livestock, crop production (fertilizer use, soil preparation and disturbance, and crop residue burning), and fuel combustion (pumping water, heating buildings, processing commodities, and fueling tractors).

Livestock accounts for 71.9% of agricultural sector GHG emissions. Livestock emissions peaked in 2012 at 23.6 $MMTCO_2e$ and decreased by 3.3 $MMTCO_2e$ (13.9%) to 20.3 $MMTCO_2e$ as of 2024. Livestock emissions are almost entirely CH_4 generated from enteric fermentation and manure management, and most of the livestock emissions are from dairy operations. The dairy population followed a generally increasing trend between 2000 and 2012, and GHG emissions from dairy manure management and enteric fermentation followed a similar trend as dairy herd sizes grew over this time. After 2012, methane

emissions from dairy operations in California began to decline, driven by factors including population decreases and increased implementation of anaerobic digesters at California dairy operations, in response to increased State incentives that began in 2015. Anaerobic digesters process manure in a closed environment, capturing CH_4 that would otherwise be emitted to the atmosphere from manure treatment and storage in open lagoons. As of 2024, 112 anaerobic digesters were operational and managed 18.8% of statewide dairy cow manure.

Crop production accounted for 24.0% of agriculture sector emissions in 2024. Emissions from the growing and harvesting of crops have generally declined since 2000. The long-term trend of emissions reduction from 2000 to 2024 corresponds to a reduction in crop acreage [22] (which leads to an associated decrease in synthetic fertilizer use) and a shift away from flood irrigation to sprinkler and drip irrigation. Figure 18 presents emissions from the agriculture sector, broken out by sub-sector. The trend in total agriculture sector emissions is displayed in Figure 4.

Figure 18. Agriculture Sector Emissions by Sub-Sector.



Figure 18 presents the trends in emissions from livestock manure management, livestock enteric fermentation, crop growing and harvesting (fertilizer use, soil preparation and disturbance, and crop residue burning), and fuel combustion (water pumping, heating buildings, processing commodities, and tractors).

High Global Warming Potential Gases

In 2024, high-GWP gases comprised 6.2% of California's emissions. This sector includes releases of ozone-depleting substances (ODS)[20] substitutes, sulfur hexafluoride emissions from the electricity transmission and distribution system, and emissions from semiconductor manufacturing. Emissions of ODS substitutes account for 98.4% of emissions from this sector and consist primarily of hydrofluorocarbons (HFC). ODS substitutes are used in refrigeration and air conditioning equipment, solvent cleaning, foam production, fire retardants, and aerosols. In 2024, refrigeration and air conditioning equipment contributed 91.5% of ODS substitutes emissions.

As shown in Figure 19, emissions of ODS substitutes grew from 2000–2020. The steady growth occurred as these gases replaced ODS being phased out under the 1987 Montreal Protocol [9]. Emissions of ODS have decreased significantly since they began to be phased out in the 1990s. The combined emissions of ODS and ODS substitutes have been steadily decreasing over time as ODS are phased out, even as emissions from ODS substitutes increased from 2000–2020.

Emissions of ODS substitutes grew steadily from 2000-2020 but have changed very little since then. There are four main sub-sectors within the ODS substitutes category: transportation, commercial, industrial, and residential. ODS substitutes emissions in the industrial and commercial sub-sectors have leveled off in recent years while emissions in the residential sub-sector have continued to increase.

From 2023 to 2024, ODS substitutes emissions from the transportation sub-sector declined, continuing a long-term trend that exists for two main reasons. First, the transportation refrigeration units (TRU) Airborne Toxic Control Measure (ATCM), adopted in 2004 and implemented in January 2010, reduces emissions by limiting the charge size of TRUs, thus reducing leakage rates [23]. Second, the Low-Emission Vehicle (LEV) III regulations (as part of the Advanced Clean Cars rulemaking package) were adopted in 2012 and include increasingly stringent emissions standards for new passenger vehicles through the 2025 model year. LEV III prescribes measures that lower refrigerant emissions, including reducing end-of-life losses for passenger vehicle air conditioning systems.

Figure 19 shows emissions from ODS and ODS substitutes from 2000–2024 while total emissions from the high-GWP sector are shown in Figure 4. Figure 20 shows emissions of ODS substitutes by sub-category for 2024.

[20] ODS are also high-GWP gases, however they are outside the scope of the IPCC accounting framework and AB 32.

Figure 19. Trends in ODS and ODS Substitutes Emissions.



Figure 19 presents the trends in emissions from ODS substitutes, ODS, and their sum ("Total Emissions"). ODS are GHGs; however, they are not included in the Inventory.

Figure 20. ODS Substitutes Emissions by Category.



Figure 20 presents the breakdown of ODS substitutes emissions in 2024 by product type and sector in which they are used. Refrigerant use accounts for the majority of ODS substitutes emissions.

Recycling and Waste

Emissions from the recycling and waste sector include CH_4 and N_2O emissions from landfills and commercial-scale composting. Emissions from this sector have grown by 19.5% since 2000 and comprised 2.4% of California's GHG emissions in 2024. Landfill emissions, which are primarily CH_4, accounted for 96.3% of the emissions from this sector in 2024. Compost production facilities produce the remaining emissions.

Landfill emissions are the difference between the methane generated from waste decomposition and the methane captured by landfill gas collection and control systems. As shown in Figure 21, the annual amount of solid waste deposited in California's landfills grew from 37 million short tons in 2000 to a peak of 42 million short tons in 2004, then declined until 2012. After 2012, deposited waste amounts increased to a peak of 43 million short tons in 2019, then declined to 40 million short tons in 2024 [24]. Landfill methane generation is driven by the total amount of degradable carbon remaining in California landfills rather than year-to-year fluctuations in deposition of solid waste [25]. Figure 22 shows the trends in

landfill emissions and remaining degradable carbon. Figure 4 shows the trend in total emissions from the recycling and waste sector.

Figure 21. Landfill Waste



Figure 21 presents the annual amount of solid waste deposited into California landfills and the amount of degradable carbon contained in the solid waste. The vertical axes are color coded to match each trend line.

Figure 22. Landfill Methane Emissions.



Figure 22 presents trends in landfill emissions and the amount of degradable carbon remaining in California landfills. The latter drives the emissions generated by landfills. The color of a trend line matches the color of its corresponding vertical axis label.

Additional Information

International GHG Inventory Practice of Recalculating Emissions for Previous Years

Consistent with the IPCC Guidelines, recalculations are made to incorporate new methods or reflect updated data for all years from 2000 to 2023 to maintain a consistent inventory time series. Therefore, emissions estimates for a given calendar year may be different between editions as methods and supplemental data are updated. For example, in the 2025 edition, total 2023 emissions were estimated to be 360.4 $MMTCO_2e$. In the 2026 edition, recalculation revised the 2023 emissions to 360.1 $MMTCO_2e$, reflecting refinements and updates to methods and information gained since 2025. Analyses of emissions trends, including the emissions decrease of 14.0 $MMTCO_2e$ between 2023 and 2024, are based on the recalculated numbers in the 2026 edition of the Inventory. A description of Inventory methods is available in the technical documentation.

Global Warming Potential Values

California's AB 32 GHG Inventory uses the 100-year GWPs from the IPCC 4th Assessment Report. However, other CARB programs may use different GWP values.

Data Sources Used in California's AB 32 GHG Inventory

Statewide GHG emissions are calculated using several data sources. The primary data source is from reports submitted to CARB through the Regulation for the Mandatory Reporting of GHG Emissions (MRR). MRR requires facilities and entities with more than 10,000 metric tons CO_2e per year of combustion and process emissions, all facilities belonging to certain industries, and all electricity importers to submit an annual GHG emissions data report directly to CARB. Reports from facilities and entities that emit more than 25,000 metric tons of CO_2e per year are verified by a CARB-accredited third-party verification body. For additional information see: emissions data reported to MRR.

CARB also relies on data from other California State and federal agencies to develop the Inventory. These agencies include, but are not limited to the California Energy Commission, California Department of Tax and Fee Administration, California Department of Conservation, California Department of Food and Agriculture, California Department of Resources Recycling and Recovery, U.S. Energy Information Administration, and U.S. Environmental Protection Agency (U.S. EPA).

The U.S. EPA no longer publishes the Inventory of U.S. Greenhouse Gas Emissions and Sinks. Further, on September 16, 2025, the U.S. EPA proposed to permanently remove Greenhouse Gas Reporting Program obligations for 46 source categories. The loss of these

federal data sources impacts AB 32 GHG Emissions Inventory estimates for some sectors[21] for 2024 and later data years. Various subnational efforts to replace these lost federal data sources have emerged, including the *Greenhouse Gas Inventory and Analysis for the United States* prepared by the University of Maryland Center for Global Sustainability. The 2026 edition AB 32 GHG Emissions Inventory does not utilize any of these newer, subnational data products. However, CARB will continually assess these subnational efforts along with other data sources as they are developed. The AB 32 GHG Emissions Inventory may use these alternate data sources in future editions.

The timing for when data sources are available drives the publication date for the Inventory each year. All data sources used to develop the Inventory are listed in the technical documentation.

Other Ways of Categorizing Emissions in the AB 32 GHG Inventory

There are multiple ways to organize emissions by category in an emissions inventory. Each year, CARB makes the Inventory available in three categorization schemes:

- The Economic Sector/Activity Categorization generally aligns with how sectors are defined in the North America Industry Classification System (NAICS).
- The Scoping Plan Categorization organizes emissions by CARB program structure. (This is the categorization scheme used in this report.)
- The IPCC Categorization groups emissions into four broad categories of emission processes. This format conforms to international GHG inventory practice and is consistent with the national GHG inventory that U.S. EPA has historically submitted annually to the United Nations.

Although this report uses the Scoping Plan Categorization, the Economic Sector/Activity Categorization is also often used by the public. The differences between the Scoping Plan Categorization and the Economic Sector/Activity Categorization are as follows:

- High-GWP gas emissions are grouped into a single sector under the Scoping Plan Categorization; they are included in the economic sectors where they are used in the Economic Sector/Activity Categorization.
- Emissions from recycling and waste are shown in their own sector under the Scoping Plan Categorization; they are included in the industrial sector under the Economic Sector/Activity Categorization.

[21] The loss of federal data impacts the methods for estimating emissions from livestock, landfills, oil and gas production fugitive leaks, semiconductor manufacturing, wastewater treatment, and limestone and dolomite consumption.

The figures below show emissions from each sector using the Economic Sector/Activity Categorization and the Scoping Plan Categorization side-by-side. Detailed data for these categorization schemes can be accessed from CARB's Current California GHG Emission Inventory Data webpage.

Figure 23. 2024 GHG Emissions by Economic Sector.



Figure 23 shows the relative size of 2024 emissions by sector using the Economic Sector/Activity Categorization scheme.

Figure 24. 2024 GHG Emissions by Scoping Plan Sector.



Figure 24 shows the relative size of 2024 emissions, organized by the categories in the AB 32 Scoping Plan. Values do not sum to 100% due to independent rounding.

Uncertainties in the AB 32 GHG Inventory

CARB is committed to continually working to reduce the uncertainty in the Inventory estimates. The uncertainty of emissions estimates varies by sector. The emissions data reported under MRR is subject to third-party verification, ensuring a high level of accuracy. Other non-MRR sources, mainly non-combustion, biochemical processes, have varying uncertainty depending on the input data and the emission processes.

Natural and Working Lands Inventory and Wildfire Emissions

CARB has also developed an Inventory of Ecosystem Carbon in California's Natural and Working Lands [6] (NWL Inventory) separate from the AB 32 GHG Inventory. The NWL Inventory quantifies ecosystem carbon stored in plants and soils in California's Natural and

Working Lands (including forest, woodland, shrubland, grassland, wetland, orchard crop, urban forest, and soils) and tracks changes in carbon stocks over time. More information can be found on the NWL Inventory webpage.

Fire has served a natural beneficial function in California's diverse ecosystems for millennia, such as facilitating germination of seeds for certain tree species, replenishing soil nutrients, clearing dead biomass to make room for living trees to grow, and reducing accumulation of fuels that lead to high-intensity wildfires. However, emissions from fire also negatively impact human health and safety because fire emits GHGs, black carbon, and other harmful air pollutants. GHG emissions from wildfires are estimated separately when compared to anthropogenic sources due to differences in their carbon cycling.

Anthropogenic (human-caused) GHG emissions from fossil fuels come from geological carbon sources, which are part of the earth's slow carbon cycle, where carbon pools change over the course of many millennia (e.g., fossil fuel formation). In contrast, the fast carbon cycle, in which carbon moves between pools over months to centuries, includes natural emissions sources, such as wildfires, plant decomposition and respiration. The acceleration of fossil fuel burning has led to an increase in ambient CO_2 concentrations globally; however, wildfire emissions are part of a fast carbon cycle that is balanced by vegetation growth. In recent years the intensity and size of wildfires have increased across California. To contextualize the GHG emissions from wildfires, CARB annually publishes wildfire emissions estimates. As part of the AB 32 2022 Scoping Plan Update, CARB included estimates of GHG emissions from wildfires, other emissions from NWL, and strategies to reduce those emissions to achieve carbon neutrality. More information is available in CARB's 2022 Scoping Plan Update.

Pesticides

The gases included in the AB 32 GHG Inventory were informed by AB 32 and IPCC Guidelines. Pesticides that act as GHGs but are not listed in AB 32, nor the IPCC Guidelines, are not included. Two examples include methyl bromide, a fumigant used to control pests in agriculture and shipping, and sulfuryl fluoride, a pesticide used for building fumigation and post-harvest storage of commodities. CARB has provided estimates of sulfuryl fluoride emissions as an informational item in the Short-Lived Climate Pollutant Inventory. CARB will continue to track emissions from pesticide use.

Figure References

Figure Number	Reference
Figure 1	[2] [4] [13]
Figure 2	[12] [13]
Figure 3	[12] [13]
Figure 4	[13]
Figure 5	[13]
Figure 6	[13]
Figure 7	[15] [16]
Figure 8	[13]
Figure 9	[13]
Figure 10	[13]
Figure 11	[13] [17] [18]
Figure 12	[17] [18]
Figure 13	[17] [18]
Figure 14	[13]
Figure 15	[13] [18]
Figure 16	[11] [20]
Figure 17	[13] [21]
Figure 18	[13]
Figure 19	[13]
Figure 20	[13]
Figure 21	[24]
Figure 22	[13]
Figure 23	[13]
Figure 24	[13]

References

[1] California Energy Commission, "2024 Total System Electric Generation," 2026. [Online]. Available: https://www.energy.ca.gov/data-reports/energy-almanac/california-electricity-data/2024-total-system-electric-generation

[2] Governor of California News, "Governor Newsom announces California's record growth in battery storage and clean energy leadership at COP30," Nov 13, 2025. [Online]. Available: https://www.gov.ca.gov/2025/11/13/governor-newsom-announces-californias-record-growth-in-battery-storage-and-clean-energy-leadership-at-cop30/

[3] State of California, "California Health and Safety Code, Division 25.5," 2006. [Online]. Available: https://leginfo.legislature.ca.gov/faces/billNavClient.xhtml?bill_id=200520060AB32

[4] State of California, "California Health and Safety Code, Division 25.5, Part 4, Section 38566," 2016. [Online]. Available: https://leginfo.legislature.ca.gov/faces/billNavClient.xhtml?bill_id=201520160SB32

[5] State of California, "California Health and Safety Code, Division 25.5, Part 4, Section 38562.2," 2022. [Online]. Available: https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill_id=202120220AB1279

[6] California Air Resources Board, "2025 Natural and Working Lands Carbon Inventory Update," 2025. [Online]. Available: https://ww2.arb.ca.gov/our-work/programs/nature-based-strategies/natural-and-working-lands-carbon-inventory/2025-natural

[7] Intergovernmental Panel on Climate Change, "IPCC Guidelines for National Greenhouse Gas Inventories, Volume 1 - General Guidance and Reporting," [Online]. Available: https://www.ipcc-nggip.iges.or.jp/public/2006gl/vol1.html

[8] California Air Resources Board, "Short-Lived Climate Pollutant (SLCP) Strategy," 2017. [Online]. Available: https://ww2.arb.ca.gov/our-work/programs/slcp

[9] United Nations Environmental Programmed, "About Montreal Protocol," 2026. [Online]. Available: https://www.unep.org/ozonaction/who-we-are/about-montreal-protocol

[10] California Air Resources Board, "Climate Change Scoping Plan: A Framework for Change," 2008. [Online]. Available:

https://ww2.arb.ca.gov/sites/default/files/classic/cc/scopingplan/document/adopted_scoping_plan.pdf

[11] Intergovernmental Panel on Climate Change, "Fourth Assessment Report," 2007. [Online]. Available: https://www.ipcc.ch/assessment-report/ar4/

[12] California Department of Finance, "Gross State Product in California," 2026. [Online]. Available: https://dof.ca.gov/forecasting/economics/economic-indicators/gross-state-product/

[13] California Air Resources Board, "Current California GHG Emission Inventory Data 2000–2024," 2026. [Online]. Available: https://ww2.arb.ca.gov/ghg-inventory-data

[14] Caltrans, "California 2024 Public Road Data," 2025. [Online]. Available: https://dot.ca.gov/-/media/dot-media/programs/research-innovation-system-information/documents/hpms/hpms-2024-prd-a11y.pdf

[15] California Air Resources Board, EMFAC2025, 2026. [Online]. Available: https://arb.ca.gov/emfac/

[16] California Air Resources Board, "EMFAC Fleet Database," 2026. [Online]. Available: https://arb.ca.gov/emfac/fleet-db/c9ee8734104e55f11c5510b43d08603bf0c1933f

[17] California Energy Commission (c). 2025. Palmere, M, Personal Communication Between the California Air Resources Board (B. Morgan) and the California Energy Commission (M. Palmere), 2025

[18] California Energy Commission, "California Electrical Energy Generation," 2025. [Online]. Available: https://www.energy.ca.gov/data-reports/energy-almanac/california-electricity-data/california-electrical-energy-generation

[19] National Oceanic and Atmospheric Administration, "Degree Days Statistics," 2026. [Online]. Available: https://www.cpc.ncep.noaa.gov/products/analysis_monitoring/cdus/degree_days/

[20] California Energy Commission (c). 2026. Thamilseran, S, Personal Communication Between the California Air Resources Board (B. Cook) and the California Energy Commission (S. Thamilseran), 2026

[21] State of California, Department of Finance, "E-5 Population and Housing Estimates for Cities, Counties and the State, January 2021–2025, with 2020 Benchmark," 2025. [Online]. Available: https://dof.ca.gov/Forecasting/Demographics/Estimates/e-5-

population-and-housing-estimates-for-cities-counties-and-the-state-2020-2025/ Accessed December 3, 2025.

[22] U.S. Department of Agriculture, "National Agricultural Statistics Service," 2026. [Online]. Available: https://quickstats.nass.usda.gov/

[23] G. Gallagher, T. Zhan, Y.-K. Hsu, P. Gupta, J. Pederson, B. Croes, D. R. Blake, B. Barletta, S. Meindardi, P. Ashford, A. Vetter, S. Saba, R. Slim, L. Palandre, D. Clodic, P. Mathis, M. Wagner, J. Forgie, H. Dwyer and K. Wolf, "High-Global Warming Potential F-Gas Emissions in California: Comparison of Ambient-Based Versus Inventory-Based Emission Estimates, and Implications of Refined Estimates," Environmental Science & Technology, pp. 1084–1093, 21 January 2014

[24] California Department of Resources Recycling and Recovery, "Landfill Tonnage Reports," 2026. [Online]. Available: https://www2.calrecycle.ca.gov/LandfillTipFees

[25] Intergovernmental Panel on Climate Change, "IPCC Guidelines for National Greenhouse Gas Inventories, Volume 5 - Waste: IPCC Waste Model," 2006. [Online]. Available: https://www.ipcc-nggip.iges.or.jp/public/2006gl/vol5.html