EXHIBIT 3

Manufacturer Warranties

This exhibit includes the manufacturer warranties for low permeation hoses and nozzles listed in Exhibit 1. The manufacturer warranty tag, included with each low permeation hose and nozzle, shall be provided to the service station owner/operator at the time of installation.

Table of Contents Manufacturer Warranties

CONTITECH....2
PARKER....3
VAPOR SYSTEM TECHNOLOGIES, INC....4
OPW....7
HUSKY CORPORATION....9

CONTITECH

Futura HVR Low Perm Hose Warranty

WARRANTY FOR VAPOR RECOVERY SYSTEMS EQUIPMENT USED IN CALIFORNIA:
Seller warrants Product(s) consisting of low permeation hoses used in California ("California Vapor Recovery Product(s)") to meet the performance standards and specifications to which such Product(s) were certified by the California Air Resources Board for a period of one (1) year from the date of installation. This warranty extends to Buyer and any subsequent Buyer of the California Vapor Recovery Product(s) during the warranty period. SELLER MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND WITH RESPECT TO PRODUCT(S), EXPRESS OR IMPLIED, RESPECTING MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE.

Warranty Card

WARRANTY TAG

Continental
ContiTech

PART #:_____
INSTALLATION DATE:_____ **NAME OF INSTALLER:**_____
LOCATION:_____

This hose was factory tested to and met all applicable performance standards & specifications to which it was certified: Reference CARB Executive Order NVR-1, CARB Test Procedure CP-201, and UL Standard UL-330.

The manufacture date is represented by a 4 digit julian date code stamped on the hose fitting.
Example: "1021" represents the 102nd day of 2011.

1. **Complete warranty tag at time of installation.**
2. **Return warranty tag or other evidence of purchase and installation with hose for any necessary warranty claims.**

WARRANTY FOR LOW PERMEATION HOSES USED IN CALIFORNIA: Seller warrants Product(s) consisting of low permeation hoses used in California ("California Low Permeation Hose Product(s)") to meet the performance standards and specifications to which such Product(s) were certified by the California Air Resources Board for a period of one (1) year from the date of installation. This warranty extends to Buyer and any subsequent Buyer of the California Vapor Recovery Product(s) during the warranty period. SELLER MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND WITH RESPECT TO PRODUCT(S), EXPRESS OR IMPLIED, RESPECTING MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE.

Parker
Parker 7282 Low Perm



WARRANTY TAG

PART #: _____

INSTALLATION DATE: _____

NAME OF INSTALLER: _____

INSTALLATION LOCATION: _____

This hose assembly was factory tested and met all applicable performance standards and specification to which it was certified: Reference all applicable CARB Executive Orders, CARB Test Procedures, Exhibits, Parker Safety Guide (4400-B.1), Parker Technical Advisory (PA 2014.08.012), and UL Standard 330.

Each hose assembly includes an engraved crimp fitting which features the 4-digit Julian date code which represents the manufacturing date. For example, "3214" represents the "321st" day of "2014".

1. Fill out the warranty tag at installation.
2. Return the warranty tag along with hose assembly for any necessary warranty claims.

WARRANTY FOR CONVENTIONAL LOW PERMEATION GASOLINE DISPENSER HOSE ASSEMBLIES USED IN CALIFORNIA: Seller warrant Product(s) consisting of Parker Conventional Low Permeation Gasoline Dispenser Hose Assemblies used in California to meet the performance standards and specifications to which the Product(s) were certified by the California Air Resources Board (CARB) for one (1) year from the date of installation. This warranty extend to Buyer and any subsequent Buyer of the Parker Conventional Low Permeation Gasoline Dispenser Hose Assemblies. **SELLER MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND WITH RESPECT TO PRODUCT(S), EXPRESS OR IMPLIED, EXCEPT AS EXPRESSLY PROVIDED ABOVE.**

Vapor System Technologies, Inc
Low Perm Hose and Nozzle Warranty

VST Warranty Statement

This limited warranty is given by Vapor Systems Technologies, Inc. (hereinafter VST) to the initial purchaser, and any subsequent purchasers of new equipment, within the warranty period of products manufactured by VST. VST products:

- Are factory tested and meet all applicable performance standards and specifications.
- Should be used in compliance with all applicable federal, state, and local laws and regulations to which they were certified.
- Are warranted to be free from defect in material and workmanship with ongoing compliance to all applicable performance standards and specifications under normal use, service, proper installation, inspections, and maintenance practices per manufacturer specifications.

VST warrants the materials and workmanship to be free from defects in accordance with the following provisions:

1. This warranty does not apply to any products that have:
   - Been subject to misuse, abuse, tampering, negligence, accident, or irreparable drive off damage.
   - Been misapplied, improperly installed, or not installed per VST's instructions and specifications.
   - Been modified, altered, rebuilt or repaired by unauthorized persons or outside the criteria of VST specifications.
   - Been improperly maintained and/or improperly inspected in accordance with the system's or product's periodic maintenance schedule, and any inspection and/or maintenance requirements imposed by the State or any government agency.
   - Been exposed to contact with fuels containing greater than 5% methanol, 10% ethanol, or 15% MTBE by volume or any exposure to M85/E85 fuel.
   - Been subject to damage resulting from acts of God.
2. This warranty does not cover and VST is not responsible or liable for:
   - Incidental, consequential and/or indirect damages or loss including, but not limited to, personal injury, death, property damage, environmental damage, cost of labor, clean-up, downtime, installation and removal, product damage, and loss of product, revenue or profits.
   - Any claims or lawsuits against the purchaser and/or distributor.
   - Labor or materials necessary to disconnect or connect the warranted product for return to VST.

VST products used on systems that have not been listed by a nationally-recognized testing laboratory (NRTL) or use that falls outside intended field of use voids all warranties.

The duration of this warranty is TWELVE (12) MONTHS from the time of installation provided timely valid proof of installation is submitted to VST. Valid proof of installation options include, but are not limited to:

- VST Product Warranty Registration Card is properly completed and returned to VST at time of installation and within (6) SIX MONTHS from the date of manufacture.

  OR

- In lieu of a legitimate, completed and returned VST Product Warranty Registration Card within the first (6) SIX MONTHS from the date of manufacture, VST requires the following:
  1. A completed gasoline dispensing facility (GDF) monthly maintenance log from the month in which the VST equipment was installed and documented,

     AND
  2. One of the following documents that may be used as a reference installation date:
     - A valid distributor invoice
     - A valid contractor invoice

The above options must be clearly marked with:

- All VST product serial numbers
- Product sale date and/or installation date
- Purchaser name, address, and phone number

If valid proof of installation is not received by VST, as noted above, the warranty period is TWELVE (12) MONTHS from the VST date of manufacture.

In the event of a warranty claim:

- The purchaser/distributor must obtain a copy of a Return Goods Authorization (RGA) from VST prior to returning product so as to ensure proper processing. All warranty claim returns must be shipped freight prepaid by the purchaser and/or distributor.
- Warranty status will be determined upon inspection at VST's facility within THIRTY (30) DAYS of receipt by VST of the warranted products. All returned merchandise deemed Not Under Warranty; will be held by VST for SEVEN (7) BUSINESS DAYS prior to disposal. Return of this product to the purchaser/distributor will require purchaser/distributor to issue a call tag within SEVEN (7) BUSINESS DAYS of notification.

- Repair or replacement of the warranted product is the **EXCLUSIVE REMEDY** under the terms of this warranty. No other warranty exists.

VST, as to each defect, shall be relieved of all obligations and liabilities under this Limited Warranty if the products have been operated with any accessory, equipment, or a part not specifically approved by VST and the appropriate governing regulatory agencies.

THIS LIMITED WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES. VST MAKES NO OTHER WARRANTIES (WHETHER WRITTEN OR ORAL), EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OTHERWISE, AND ANY OTHER SUCH WARRANTIES ARE HEREBY DISCLAIMED.

VST NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON OR ENTITY TO ASSUME FOR IT OR BIND IT TO ANY OTHER LIABILITY OR OBLIGATION RELATED TO OR IN CONNECTION WITH THIS LIMITED WARRANTY.

VST reserves the right to make changes at any time to prices and designs, or make additions or improvements with respect to its products, without incurring any obligation to modify or install same on previously manufactured products.

CUSTOMER COPY

To be left at gasoline dispensing facility, GDF, at time of installation

Manufacturing Date:

Serial Number: (Fill in at time of installation)

OPW
ECO Nozzle Warranty

OPW
a DOVER company

DEFINING | WHAT'S NEXT

211191 July 2018

WARRANTY POLICY & RETURN PROCEDURE

OPW STANDARD PRODUCT WARRANTY / OPW TERMS & POLICIES

NOTICE: FlexWorks by OPW, Inc., VAPORSAVER™ and all other OPW products must be used in compliance with all applicable federal, state, provincial and local laws, rules and regulations. Product selection is the sole responsibility of the customer and/or its agents and must be based on physical specifications and limitations, compatibility with the environment and material to be handled. All illustrations and specifications in this literature are based on the latest production information available at the time of publication. Prices, materials and specifications are subject to change at any time, and models may be discontinued at any time, in either case, without notice or obligation.

Product	Warranty Period
FlexWorks Primary Pipe	10 years from date of manufacture
All Products and replacement parts installed in the State of California Certified to California CP-201, CP-206, and/or CP-207 Standards*	1 year from date of installation (proof of purchase from certified contractors/technicians required) OPW warrants ongoing compliance with the standards and specifications for the duration of the warranty period required by the State of California; this limited warranty is under the condition the equipment was installed and maintained by trained and certified contractors/technicians unless noted in Installation Manual
All Other Products	1 year from date of manufacture
***Products certified to California CP-201, CP-206, and/or CP-207 Standards have been factory tested and met all applicable performance standards and specifications and will have an OPW registration card enclosed/attached to the product**	

OPW warrants solely to its customer (the initial purchaser and any subsequent purchasers within the warranty period) that the following products sold by OPW will be free from defects in materials and workmanship under normal use and conditions for the periods indicated.

OPW's exclusive obligation under this limited warranty is, at its option, to repair, replace or issue credit (in an amount not to exceed the list price for the product) for future orders for any product that may prove defective within the applicable warranty period (repairs or replacements are subject to prorated warranty coverage for remainder of the original warranty period). Complete and proper warranty claim documentation and proof of purchase required. All warranty claims must be made in writing and delivered during the applicable warranty period to OPW at OPW 9393 Princeton-Glendale Road Hamilton, Ohio, USA 45011, Attention: Customer Service Manager. No products may be returned to OPW without its prior written authority.

This limited warranty shall not apply to any FlexWorks or VAPORSAVER™ product unless it is installed by an OPW attested installer. This limited warranty also shall not apply to any FlexWorks, VAPORSAVER™ or other OPW product: unless all required site and warranty registration forms are completed and received by OPW within 60 days of installation; unless all piping connections are installed with a nationally-recognized or state-approved leak detection device in each tank and dispenser sump (which are not for storage and from which all discharge hydrocarbons must be removed, and the systems completely cleaned, within 24 hours); unless testable sumps utilize FlexWorks pipe and access fittings; unless a sump inspection log or an EPA recommended/required checklist is maintained and the results are furnished to OPW upon request; and unless OPW is notified within 24 hours of any known or suspected product failure and is provided with unrestricted access to the product and the site. This limited warranty also shall not apply to any product which has been altered in any way, which has been repaired by anyone other than a service representative authorized by OPW, or when failure or defect is due to: improper installation or maintenance (including, without limitation, failure to follow FlexWorks Quick Reference Manual Installation Guide and all product warning labels); abuse or misuse; violation of health or safety requirements; use of another manufacturer's, or otherwise unauthorized, substances or components; soil or other surface or subsurface conditions; or fire, flood, storm, lightning, earthquake, accident or any other conditions, events or circumstances beyond OPW's control.

THIS LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AND ALL OTHER WARRANTIES INCLUDING, WITHOUT LIMITATION, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY EXCLUDED.

OPW shall have no other liability whatsoever, whether based on breach of contract, negligence, gross negligence, strict liability or any other claim, including, without limitation, for special, incidental, consequential or exemplary damages or for the cost of labor, freight, excavation, clean-up, downtime, removal, reinstallation, loss of profit, or any other cost or charges. No person or entity is authorized to assume on behalf of OPW any liability beyond this limited warranty. This limited warranty is not assignable.


Please see OPW's website for instructions in other languages, troubleshooting guides, how to use the nozzle and the Do's and Don'ts At The Gas Pump video: www.opwglobal.com

9393 Princeton-Glendale Road
Hamilton, Ohio 45011-9707

North America Toll Free – Telephone: (800) 422-2525 ◆ Fax: (800) 421-3297
International – Telephone: (513) 870-3315 or (513) 870-3261 Fax: (513) 870-3157

Please visit OPW's website: www.opwglobal.com for further information, or contact OPW Customer Service at 1-800-422-2525 (US).

OPW Warranty Tag:



OPW
A DOVER COMPANY

NOZZLE WARRANTY TAG

SITE Phone #


City: Contact:

Distributor:

Branch: Customer #:

RGA #:

No warranty accepted without tag filled out and attached.



Nozzle: Date Code:

Serial #: Replacement Serial #:

WARRANTABLE DEFECTS (CHECK ONLY ONE)

- ☐ Leaks Fuel Around Spout (200)
- ☐ Leaks Fuel in Trigger Area (200)
- ☐ Leaks Fuel at Hose Inlet (200)
- ☐ Does Not Dispense (400)
- ☐ Continues to Shut-off During Use (400)
- ☐ Does Not Shut Off (500)
- ☐ Dispenses Fuel Without Pulling Lever (200)
- ☐ Fails Pressure Decay Test (300)
- ☐ Fails Air-to-Liquid Test (300)

Note:

H-14211-M

Husky Corporation
ECO Nozzle Warranty

WARRANTY

ECO NOZZLE – Husky® Corporation will, at its option, repair, replace, or credit the purchase price of any model in the ECO Nozzle family which proves upon examination by Husky, to be defective in material and/or workmanship for a period of one (1) year of installation or fifteen (15) months from the manufacture date by Husky, whichever occurs first. The warranty period on repaired or replacement ECO Nozzle products is only for the remainder of the warranty period of the defective product.

The warranty is contingent upon the Buyer utilizing 'Husky certified' installers / maintenance / service technicians. Buyer must return the products to Husky, transportation charges prepaid. This Warranty excludes the replaceable spout and interlock assembly, hold open latch assembly, and scuff guard, unless the product is damaged from rubbing inside the shipping carton and the defective product is returned to Husky prior to use.

This warranty does not apply to equipment that has been installed improperly, damaged by misuse, improper operation or maintenance, or which are altered or repaired in any way.

The warranty provisions contained herein apply only to the original purchaser who use the equipment for commercial or industrial purposes. There are no other warranties of merchantability, fitness for a particular purpose, or otherwise, and any other such warranties are hereby specifically disclaimed.

Husky assumes no liability for labor charges or other costs incurred by Buyer incidental to the service, adjustment, repair, return, removal, or replacement of products. Husky assumes no liability for any incidental, consequential, or other damages under any warranty, express or implied, and all such liability is hereby expressly excluded.

Husky reserves the right to change or improve the design of any Husky fuel dispensing equipment without assuming any obligations to modify any fuel dispensing equipment previously manufactured.

Warranty Card:

THIS WARRANTY TAG SHALL BE REMOVED ONLY BY THE OWNER/ OPERATOR OF THIS VAPOR RECOVERY COMPONENT

COMPONENT:	ENHANCED CONVENTIONAL (ECO) NOZZLE	
PART NUMBER:	1190404 / 1190408 / 1190416 / 11904180 / E1190404 E1190416 / 1708404 / E1708404	
DATE OF MANUFACTURING	_____	
WARRANTY PERIOD:	1 YEAR OF INSTALLATION OR 15 MONTHS AFTER MANUFACTURING DATE	
REQUIREMENTS:	LIQUID RETENTION:	< 100 ml/1,000 gallons
	NOZZLE SPITTING:	< 1.0 ml per nozzle per test
	POST FUELING DRIPS:	< 3 Drops/Refueling
	SPILLAGE:	< 0.05 lbs./1,000 gallons

COMPONENT WAS FACTORY TESTED AND MET ALL APPLICABLE PERFORMANCE STANDARDS & SPECIFICATIONS IN CP-207, JULY 12, 2023

HUSKY CORPORATION • 2325 HUSKY WAY PACIFIC MO 63069
www.husky.com • PHONE: 800-325-3558

011905-4 5/2026

WARRANTY TAG

PART #_____

INSTALLATION DATE: _____

NAME OF INSTALLER:_____

INSTALLATION LOCATION:_____

This hose assembly was factory tested and met all applicable performance standards and specifications to which it was certified: Reference all applicable CARB Executive Orders, CARB Test Procedures, Exhibits, Husky Recommended Installation, Maintenance and Inspection Instructions 009349, and UL Standard 330.

Each hose assembly includes an engraved crimp fitting which features the 4-digit Julian date code which represents the manufacturing date. For example, "3214" represents the "321st" day of "2014".

1. Fill out the warranty tag at installation.
2. Return the warranty tag along with hose assembly for any necessary warranty claims.

WARRANTY FOR CONVENTIONAL LOW PERMEATION GASOLINE DISPENSER HOSE ASSEMBLIES USED IN CALIFORNIA: Seller warrant Product(s) consisting of Husky Conventional Low Permeation Gasoline Dispenser Hose Assemblies used in California to meet the performance standards and specifications to which the Product(s) were certified by the California Air Resources Board (CARB), to be free from defects of workmanship or materials, for one (1) year from the date of installation. This warranty extend to Buyer and any subsequent Buyer of the Husky Conventional Low Permeation Gasoline Dispenser Hose Assemblies. **SELLER MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND WITH RESPECT TO PRODUCT(S), EXPRESS OR IMPLIED, EXCEPT AS EXPRESSLY PROVIDED ABOVE.**

FORM 009396-A 5/2015