

**Comment 1 for Architectural Coatings Suggested Control Measure (SCM)
(arch07) - Non-Reg.**

First Name: Daniel

Last Name: Pourreau

Email Address: dan.pourreau@lyondell.com

Affiliation:

Subject: Architectural Coatings SCM

Comment:

Thank you for considering Lyondell's attached comments.

Attachment: 'https://ww2.arb.ca.gov/sites/default/files/BARCU/barcu-attach-old/arch07/2-lyondell_comments_on_proposed_2007_aim_coatings_scm.pdf'

Original File Name: Lyondell comments on proposed 2007 AIM coatings SCM.pdf

Date and Time Comment Was Submitted: 2007-10-10 11:07:12

No Duplicates.

**Comment 2 for Architectural Coatings Suggested Control Measure (SCM)
(arch07) - Non-Reg.**

First Name: Bobbi
Last Name: Becker
Email Address: babecker@mwdh2o.com
Affiliation: Metropolitan Water District

Subject: Architectural Coatings SCM
Comment:

Please see attached.

Attachment: 'https://ww2.arb.ca.gov/sites/default/files/BARCU/barcu-attach-old/arch07/3-carb_architecturalcoatings-2.pdf'

Original File Name: CARB_ArchitecturalCoatings-2.pdf

Date and Time Comment Was Submitted: 2007-10-11 10:40:47

No Duplicates.

**Comment 3 for Architectural Coatings Suggested Control Measure (SCM)
(arch07) - Non-Reg.**

This comment was posted then deleted because it was unrelated to the Board item or it was a duplicate.

**Comment 4 for Architectural Coatings Suggested Control Measure (SCM)
(arch07) - Non-Reg.**

First Name: Todd

Last Name: Wirdzek

Email Address: twirdzek@kellymoore.com

Affiliation:

Subject: Averaging Provision of CARB SCM

Comment:

Please see attached memo for Kelly-Moore's position on the averaging provision in the proposed CARB SCM.

Attachment: 'https://ww2.arb.ca.gov/sites/default/files/BARCU/barcu-attach-old/arch07/5-kelly-moore_averaging_position.pdf'

Original File Name: Kelly-Moore Averaging Position.pdf

Date and Time Comment Was Submitted: 2007-10-12 09:04:10

No Duplicates.

**Comment 5 for Architectural Coatings Suggested Control Measure (SCM)
(arch07) - Non-Reg.**

First Name: Andy

Last Name: Rogerson

Email Address: andy_rogerson@dot.ca.gov

Affiliation: Caltrans

Subject: Architectural Coatings SCM

Comment:

Please see attached.

Attachment: 'https://ww2.arb.ca.gov/sites/default/files/BARCU/barcu-attach-old/arch07/6-caltrans_letter_9-18-07.pdf'

Original File Name: Caltrans letter 9-18-07.pdf

Date and Time Comment Was Submitted: 2007-10-12 13:26:18

No Duplicates.

**Comment 6 for Architectural Coatings Suggested Control Measure (SCM)
(arch07) - Non-Reg.**

First Name: Andrew

Last Name: Jaques

Email Address: andrew_jaques@americanchemistry.com

Affiliation: ACC Solvents Industry Group

Subject: ACC SIG Comments on AIM Coating SCM

Comment:

Attached are comments from the American Chemistry Council's
Solvents Industry Group.

Attachment: 'https://ww2.arb.ca.gov/sites/default/files/BARCU/barcu-attach-old/arch07/7-
acc_sig_comments_on_arb_scm_for_aim_coatings_10-19-07.zip'

Original File Name: ACC SIG Comments on ARB SCM for AIM Coatings 10-19-07.zip

Date and Time Comment Was Submitted: 2007-10-19 13:59:31

No Duplicates.

**Comment 7 for Architectural Coatings Suggested Control Measure (SCM)
(arch07) - Non-Reg.**

First Name: Jack
Last Name: Broadbent
Email Address: jbbroadbent@baaqmd.gov
Affiliation: BAAQMD

Subject: Architectural Coatings SCM
Comment:

Please see attached.

Attachment: 'https://ww2.arb.ca.gov/sites/default/files/BARCU/barcu-attach-old/arch07/8-scm_support_letter-1.pdf'

Original File Name: SCM support letter-1.pdf

Date and Time Comment Was Submitted: 2007-10-23 10:57:38

No Duplicates.

**Comment 8 for Architectural Coatings Suggested Control Measure (SCM)
(arch07) - Non-Reg.**

First Name: David

Last Name: Darling

Email Address: ddarling@paint.org

Affiliation:

Subject: NPCA Comment Letter

Comment:

see NPCA comment letter attached

Attachment: 'https://ww2.arb.ca.gov/sites/default/files/BARCU/barcu-attach-old/arch07/9-npcascmletter.pdf'

Original File Name: NPCASCMletter.pdf

Date and Time Comment Was Submitted: 2007-10-23 11:51:54

No Duplicates.

**Comment 9 for Architectural Coatings Suggested Control Measure (SCM)
(arch07) - Non-Reg.**

First Name: James

Last Name: Baker

Email Address: jbaker@kellencompany.com

Affiliation: RCMA

Subject: Comments on Final AIM SCM

Comment:

Attached is RCMA's Final AIM SCM comments. We will be at the meeting and would like to also present oral testimony.

Attachment: 'https://ww2.arb.ca.gov/sites/default/files/BARCU/barcu-attach-old/arch07/10-final_carb_comment_letter_10-15-07..pdf'

Original File Name: FINAL CARB Comment Letter 10-15-07..pdf

Date and Time Comment Was Submitted: 2007-10-24 08:54:57

No Duplicates.

**Comment 10 for Architectural Coatings Suggested Control Measure (SCM)
(arch07) - Non-Reg.**

First Name: Dwayne
Last Name: Fuhlhage
Email Address: dwayne.fuhlhage@prosoco.com
Affiliation: PROSOCO, Inc.

Subject: PROSOCO, Inc. Comment on AIM SCM
Comment:

Please refer to attached file.

Attachment: 'https://ww2.arb.ca.gov/sites/default/files/BARCU/barcu-attach-old/arch07/11-carb_scm_2007_revision_comment_10-2007.pdf'

Original File Name: CARB SCM 2007 Revision Comment 10-2007.pdf

Date and Time Comment Was Submitted: 2007-10-24 09:09:45

No Duplicates.

**Comment 11 for Architectural Coatings Suggested Control Measure (SCM)
(arch07) - Non-Reg.**

First Name: Robert

Last Name: Wendoll

Email Address: rwendoll@dunn-edwards.net

Affiliation: Dunn-Edwards Corporation

Subject: Proposed Amendments to the Suggested Control Measure for Architectural Coatings
Comment:

See attached.

Attachment: '<https://ww2.arb.ca.gov/sites/default/files/BARCU/barcu-attach-old/arch07/12-arb.scm.de.comment.doc>'

Original File Name: ARB.SCM.DE.Comment.doc

Date and Time Comment Was Submitted: 2007-10-24 09:29:30

No Duplicates.

**Comment 12 for Architectural Coatings Suggested Control Measure (SCM)
(arch07) - Non-Reg.**

First Name: Larry

Last Name: Greene

Email Address: lgreene@airquality.org

Affiliation: Sacramento Metro AQMD

Subject: re: Proposed Amendments to the Architectural Coatings SCM

Comment:

See attached comment letter.

Attachment: 'https://ww2.arb.ca.gov/sites/default/files/BARCU/barcu-attach-old/arch07/14-scm_comment_letter_smaqmd.pdf'

Original File Name: SCM Comment Letter SMAQMD.pdf

Date and Time Comment Was Submitted: 2007-10-24 10:16:49

No Duplicates.

**Comment 13 for Architectural Coatings Suggested Control Measure (SCM)
(arch07) - Non-Reg.**

First Name: Scott

Last Name: Nester

Email Address: Non-web submitted comment

Affiliation:

Subject: San Joaquin Valley Air Pollution Control District

Comment:

Please see attached.

Attachment: 'https://ww2.arb.ca.gov/sites/default/files/BARCU/barcu-attach-old/arch07/16-ohno0002.pdf'

Original File Name: ohno0002.pdf

Date and Time Comment Was Submitted: 2007-10-24 15:43:27

No Duplicates.

**Comment 1 for Architectural Coatings Suggested Control Measure (SCM)
(arch07). (At Hearing)**

First Name: Dave

Last Name: Lucella

Email Address: Non-web submitted comment

Affiliation:

Subject: American Chemistry Council- Solvents Industry Group Testimony

Comment:

Please see attached.

Attachment: <https://ww2.arb.ca.gov/sites/default/files/BARCU/barcu-attach-old/arch07/17-07105com0001.pdf>

Original File Name: 07105com0001.pdf

Date and Time Comment Was Submitted: 2007-10-31 10:46:56

No Duplicates.

**Comment 2 for Architectural Coatings Suggested Control Measure (SCM)
(arch07). (At Hearing)**

First Name: Kyle

Last Name: Frakes

Email Address: Non-web submitted comment

Affiliation:

Subject: TNEMEC Company

Comment:

Please see attached.

Attachment: <https://ww2.arb.ca.gov/sites/default/files/BARCU/barcu-attach-old/arch07/18-07105com0002.pdf>

Original File Name: 07105com0002.pdf

Date and Time Comment Was Submitted: 2007-10-31 10:48:14

No Duplicates.