

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER D-215-67

Relating to Exemptions Under Section 27156
of the California Vehicle Code

Edelbrock Corporation
Exhaust Headers

Pursuant to the authority vested in the Air Resources Board by Section 27156 of the Vehicle Code; and

Pursuant to the authority vested in the undersigned by Section 39515 and Section 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the installation of the Exhaust Headers, manufactured and marketed by the Edelbrock Corporation, 2700 California Street, Torrance, California 90503, has been found not to reduce the effectiveness of the applicable vehicle pollution control systems and, therefore, is exempt from the prohibitions of Section 27156 of the Vehicle Code for the following vehicle applications listed in Exhibit A.

The Exhaust Headers, T.E.S. (long tube design) and Shorty Headers (short tube design), are manufactured out of 16 gage mild steel tubing with either a ceramic or Ti-Tech coating. The header includes, where applicable, connecting pipes, heat stove, air injection, and EGR ports. The location of the oxygen sensor is not changed, which is at the collector sampling all exhaust ports similar to stock.

This Executive Order is valid provided that the installation instructions for the Exhaust Headers will not recommend tuning the vehicle to specifications different from those submitted by the device manufacturer.

Changes made to the design or operating conditions of the Exhaust Headers, as exempt by the Air Resources Board, which adversely affect the performance of the vehicle's pollution control system shall invalidate this Executive Order.

This Executive Order shall not apply to any Exhaust Headers advertised, offered for sale, sold with, or installed on a new motor vehicle prior to or concurrent with transfer to an ultimate purchaser.

Marketing of the Exhaust Headers using any identification other than that shown in this Executive Order or marketing of the Exhaust Headers for an application other than those listed in this Executive Order shall be prohibited unless prior approval is obtained from the Air Resources Board.

This Executive Order does not constitute any opinion as to the effect the use of the Exhaust Headers may have on any warranty either expressed or implied by the vehicle manufacturer.

This Executive Order is granted based on previously submitted emission test data (D-215-63) and emission test data generated on a 2007 model year 5.3L Chevrolet Tahoe certified to the Low Emission Vehicle II Ultra Low Emission Vehicle (LEV II ULEV) emission standards. Test results on the Chevrolet Tahoe showed that emission levels, with Edelbrock's Shorty Headers installed, met the applicable emission standards when tested using the Cold-Start CVS-75 Federal Test Procedure and Supplemental Federal Test Procedure (US06) test cycles. Examination of the OBD II system showed the Edelbrock's Shorty Headers do not affect OBD II system operation. Results from emission testing conducted at the Auto Club of Southern California are listed below with deterioration factors applied.

Chevrolet Tahoe	CVS-75			
	NMOG	CO	NOx	HCHO
Standards (Useful Life)	0.070	3.4	0.05	0.015
Device Test Average	0.049	0.7	0.03	0.001


	US06	
	NMHC+NOx	CO
Standards 4k	0.4	10.5
Device	0.03	0.4

THIS EXECUTIVE ORDER DOES NOT CONSTITUTE A CERTIFICATION, ACCREDITATION, APPROVAL, OR ANY OTHER TYPE OF ENDORSEMENT BY THE AIR RESOURCES BOARD OF ANY CLAIMS OF THE APPLICANT CONCERNING ANTI-POLLUTION BENEFITS OR ANY ALLEGED BENEFITS OF THE EXHAUST HEADERS.

No claim of any kind, such as "Approved by the Air Resources Board", may be made with respect to the action taken herein in any advertising or other oral or written communication.

Violation of any of the above conditions shall be grounds for revocation of this order. The order may be revoked only after a ten-day written notice of intention to revoke the order, in which period the holder of the order may request in writing a hearing to contest the proposed revocation. If a hearing is requested, it shall be held within ten days of receipt of the request and the order may not be revoked until a determination is made after the hearing that grounds for revocation exist.

Executed at El Monte, California, this 22 day of November 2006.



Annette Hebert, Chief
Mobile Source Operations Division

Exhibit A

SHORTY HEADERS

PN	Application
<i>Chevrolet GMC</i>	
<i>(Passenger Cars)</i>	
65732	00-02 Camaro Firebird LS1, Ceramic-Coated
65733	00-02 Camaro Firebird LS1, Ti-Tech Coated
<i>(Full-Size Blazer/Jimmy/Yukon/Tahoe/Escalade/Hummer H2)</i>	
65022*	03-07 Hummer H2 6.0L without A.I.R. & E.G.R., Ceramic-Coated
65023*	03-07 Hummer H2 6.0L without A.I.R. & E.G.R., Ti-Tech Coated
65002*	99-06 Tahoe/Yukon/Escalade 4.8L, 5.3L, 6.0L without A.I.R., Ceramic-Coated
65003*	99-06 Tahoe/Yukon/Escalade 4.8L, 5.3L, 6.0L without A.I.R., Ti-Tech Coated
65012*	99-06 Tahoe/Yukon/Escalade 4.8L, 5.3L, 6.0L with A.I.R., Ceramic-Coated
65013*	99-06 Tahoe/Yukon/Escalade 4.8L, 5.3L, 6.0L with A.I.R., Ti-Tech Coated
65022*	02-07 Tahoe/Yukon 4.8L, 5.3L, 6.0L without A.I.R. & E.G.R., Ceramic-Coated
65023*	02-07 Tahoe/Yukon 4.8L, 5.3L, 6.0L without A.I.R. & E.G.R., Ti-Tech Coated
65102	96-99 Tahoe/Yukon 5.7L without A.I.R., Ceramic-Coated
65103	96-99 Tahoe/Yukon 5.7L without A.I.R., Ti-Tech Coated
65252	98-00 Tahoe/Yukon/Escalade 5.7L with A.I.R., Ceramic-Coated
65253	98-00 Tahoe/Yukon/Escalade 5.7L with A.I.R., Ti-Tech Coated
65272	83-86 K-5 Blazer full-size 5.0L, 5.7L with carb & A.I.R., Ceramic-Coated
65273	83-86 K-5 Blazer full-size 5.0L, 5.7L with carb & A.I.R., Ti-Tech Coated
65662	92-95 K-5 Blazer/Tahoe/Yukon full size 5.0L, 5.7L TBI without A.I.R., Ceramic-Coated
65663	92-95 K-5 Blazer/Tahoe/Yukon full size 5.0L, 5.7L TBI without A.I.R., Ti-Tech Coated
65672	93-95 Blazer/Tahoe/Yukon full-size 5.0L, 5.7L T.B.I. with A.I.R., Ceramic-Coated
65673	93-95 Blazer/Tahoe/Yukon full-size 5.0L, 5.7L T.B.I. with A.I.R., Ti-Tech Coated
<i>(Pick-Ups)</i>	
65002*	99-06 1500/2500 4.8L, 5.3L, 6.0L with E.G.R., without A.I.R., Ceramic-Coated
65003*	99-06 1500/2500 4.8L, 5.3L, 6.0L with E.G.R., without A.I.R., Ti-Tech Coated
65012*	99-06 1500/2500 4.8L, 5.3L with A.I.R. & E.G.R., Ceramic-Coated
65013*	99-06 1500/2500 4.8L, 5.3L with A.I.R. & E.G.R., Ti-Tech Coated
65022*	02-07 1500/2500 4.8L, 5.3L, 6.0L without A.I.R. & E.G.R., Ceramic-Coated
65023*	02-07 1500/2500 4.8L, 5.3L, 6.0L without A.I.R. & E.G.R., Ti-Tech Coated
65102	96-98 1500-2500 Heavy-Duty/3500 5.0L, 5.7L without A.I.R., Ceramic-Coated
65103	96-98 1500-2500 Heavy-Duty/3500 5.0L, 5.7L without A.I.R., Ti-Tech Coated
65192	01-07 2500/3500 8.1L without A.I.R. or E.G.R., Ceramic-Coated
95193	01-07 2500/3500 8.1L without A.I.R. or E.G.R., Ti-Tech Coated
65252	98-99 1500 5.7L with A.I.R., Ceramic-Coated
65253	98-99 1500 5.7L with A.I.R., Ti-Tech Coated
65272	79-87 C-10 5.7L with carb, A.I.R., Ceramic-Coated
65273	79-87 C-10 5.7L with carb, A.I.R., Ti-Tech Coated
65272	81-86 K-10/K-20 5.0L, 5.7L with carb & A.I.R., Ceramic-Coated
65273	81-86 K-10/K-20 5.0L, 5.7L with carb & A.I.R., Ti-Tech Coated
65272	81-87 1500/2500 5.0L, 5.7L with carb & A.I.R., Ceramic-Coated
65273	81-87 1500/2500 5.0L, 5.7L with carb & A.I.R., Ti-Tech Coated
65272	87 1500/2500 (8400 GVW or lower) 5.7L T.B.I. with A.I.R., Ceramic-Coated
65273	87 1500/2500 (8400 GVW or lower) 5.7L T.B.I. with A.I.R., Ti-Tech Coated
65662	88-95 1500-2500 5.0L, 5.7L T.B.I. without A.I.R., Ceramic-Coated
65663	88-95 1500-2500 5.0L, 5.7L T.B.I. without A.I.R., Ti-Tech Coated
65672	88-95 1500-2500 5.0L, 5.7L T.B.I. with A.I.R., Ceramic-Coated
65673	88-95 1500-2500 5.0L, 5.7L T.B.I. with A.I.R., Ti-Tech Coated

Exhibit A

(Chevy Avalanche)		SHORTY HEADERS
65002*	02-06 1500/2500 5.3L, 6.0L with E.G.R., without A.I.R., Ceramic-Coated	
65003*	02-06 1500/2500 5.3L, 6.0L with E.G.R., without A.I.R., Ti-Tech Coated	
65012*	02-06 1500/2500 5.3L, 6.0L with A.I.R. & E.G.R., Ceramic-Coated	
65013*	02-06 1500/2500 5.3L, 6.0L with A.I.R. & E.G.R., Ti-Tech Coated	
65022*	02-07 1500/2500 5.3L, 6.0L without A.I.R. & E.G.R., Ceramic-Coated	
65023*	02-07 1500/2500 5.3L, 6.0L without A.I.R. & E.G.R., Ti-Tech Coated	
65192	02-07 2500 8.1L without A.I.R. or E.G.R., Ceramic-Coated	
65193	02-07 2500 8.1L without A.I.R. or E.G.R., Ti-Tech Coated	
(Suburban)		
65002*	99-06 1500/2500 4.8L, 5.3L, 6.0L with E.G.R., without A.I.R., Ceramic-Coated	
65003*	99-06 1500/2500 4.8L, 5.3L, 6.0L with E.G.R., without A.I.R., Ti-Tech Coated	
65012*	99-06 1500/2500 4.8L, 5.3L with A.I.R. & E.G.R., Ceramic-Coated	
65013*	99-06 1500/2500 4.8L, 5.3L with A.I.R. & E.G.R., Ti-Tech Coated	
65022*	99-07 1500/2500 4.8L, 5.3L, 6.0L without A.I.R. & E.G.R., Ceramic-Coated	
65023*	99-07 1500/2500 4.8L, 5.3L, 6.0L without A.I.R. & E.G.R., Ti-Tech Coated	
65102	96-97 1500/2500 HD, 8-lug 5.0L, 5.7L, C.P.I. without A.I.R., Ceramic-Coated	
65103	96-97 1500/2500 HD, 8-lug 5.0L, 5.7L, C.P.I. without A.I.R., Ti-Tech Coated	
65192	01-07 2500 8.1L without A.I.R. or E.G.R., Ceramic-Coated	
65193	01-07 2500 8.1L without A.I.R. or E.G.R., Ti-Tech Coated	
65252	98-00 1500 5.7L with A.I.R., Ceramic-Coated	
65253	98-00 1500 5.7L with A.I.R., Ti-Tech Coated	
65272	77-91 1500/2500 5.0L, 5.7L carb, T.B.I. with A.I.R., Ceramic-Coated	
65273	77-91 1500/2500 5.0L, 5.7L carb, T.B.I. with A.I.R., Ti-Tech Coated	
65662	92-95 1500/2500 5.0L, 5.7L T.B.I. without A.I.R., Ceramic-Coated	
65663	92-95 1500/2500 5.0L, 5.7L T.B.I. without A.I.R., Ti-Tech Coated	
65672	92-95 1500/2500 5.0L, 5.7L T.B.I. with A.I.R., Ceramic-Coated	
65673	92-95 1500/2500 5.0L, 5.7L T.B.I. with A.I.R., Ti-Tech Coated	
CHRYSLER		
65992	2005 Chrysler 300 5.7L, without A.I.R., with E.G.R., Ceramic-Coated	
65993	2005 Chrysler 300 5.7L, without A.I.R., with E.G.R., Ti-Tech Coated	
DODGE		
65642	96-03 Durango/Dakota/Ram Pick-up 1500/2500 5.2L, 5.9L F.I. without E.G.R., Ceramic-Coated	
65643	96-03 Durango/Dakota/Ram Pick-up 1500/2500 5.2L, 5.9L F.I. without E.G.R., Ti-Tech Coated	
65692	03-05 Dodge Ram 5.7L 4WD Hemi V8, without A.I.R., with E.G.R., Ceramic-Coated	
65693	03-05 Dodge Ram 5.7L 4WD Hemi V8, without A.I.R., with E.G.R., Ti-Tech Coated	
65792	03-05 Dodge Ram Pick-up 2WD 5.7L Hemi, without A.I.R., with E.G.R., Ceramic-Coated	
65793	03-05 Dodge Ram Pick-up 2WD 5.7L Hemi, without A.I.R., with E.G.R., Ti-Tech Coated	
65892	2006 Dodge Ram Pick-up 2 & 4WD 5.7L Hemi, without A.I.R., with E.G.R., Ceramic-Coated	
65893	2006 Dodge Ram Pick-up 2 & 4WD 5.7L Hemi, without A.I.R., with E.G.R., Ti-Tech Coated	
65992	2005 Dodge Magnum RT 5.7L, without A.I.R., with E.G.R., Ceramic-Coated	
65993	2005 Dodge Magnum RT 5.7L, without A.I.R., with E.G.R., Ti-Tech Coated	
	2005 Dodge Magnum RT 5.7L, without A.I.R., with E.G.R., Ti-Tech Coated	
68512	87-91 Dodge Dakota Pick-up 3.9L F.I., Ceramic-Coated	
68513	87-91 Dodge Dakota Pick-up 3.9L F.I., Ti-Tech Coated	

Exhibit A

FORD/MERCURY/LINCOLN SHORTY HEADERS	
65052	05-07 Mustang GT 4.6L, without A.I.R. & E.G.R., Ceramic-Coated
65053	05-07 Mustang GT 4.6L, without A.I.R., & E.G.R., Ti-Tech Coated
67452	94-95 Mustang 5.0L F.I. with E.G.R., Ceramic-Coated
67453	94-95 Mustang 5.0L F.I. with E.G.R., Ti-Tech Coated
68452	86-93 Mustang/Mark/Capri 5.0L F.I., Ceramic-Coated
68453	86-93 Mustang/Mark/Capri 5.0L F.I., Ti-Tech Coated
68832	86-93 Mustang/Mark/Capri 5.0L F.I. Equal Length, Ceramic-Coated
68833	86-93 Mustang/Mark/Capri 5.0L F.I. Equal Length, Ti-Tech Coated
(Trucks)	
65232	04-07 F-150 5.4L V8, without A.I.R. & E.G.R., Ceramic-Coated
65233	04-07 F-150 5.4L V8, without A.I.R., & E.G.R., Ti-Tech Coated
65632	99-03 Expedition/F-150/F-250 5.4L F.I. with E.G.R., without air ride suspension, Ceramic-Coated
65633	99-03 Expedition/F-150/F-250 5.4L F.I. with E.G.R., without air ride suspension, Ti-Tech Coated
66492	88-96 Bronco Full Size 5.8L F.I. without A.I.R., Ceramic-Coated
66493	88-96 Bronco Full Size 5.8L F.I. without A.I.R., Ti-Tech Coated
66492	88-96 F-150/F-250 5.8L F.I. without A.I.R., Ceramic-Coated
66493	88-96 F-150/F-250 5.8L F.I. without A.I.R., Ti-Tech Coated
68482	85-92 Bronco Full Size 5.0L F.I. without A.I.R., Ceramic-Coated
68483	85-92 Bronco Full Size 5.0L F.I. without A.I.R., Ti-Tech Coated
68482	90-92 F-150/F-250 5.0L F.I. without A.I.R., Ceramic-Coated
68483	90-92 F-150/F-250 5.0L F.I. without A.I.R., Ti-Tech Coated
JEEP/AMC	
65812	72-91 Jeep Cherokee, Wagoneer, J Series Pick Up & 72-81 Jeep CJ5, CJ7, CJ8 with 304, 360, 401 V8s & 70-79 AMC-AMX, Javelin, Matador, Rebel, Hornet, Gremlin with 304, 360, 390, 401 cu. in. V8s all with A.I.R., Ceramic-Coated
65813	72-91 Jeep Cherokee, Wagoneer, J Series Pick Up & 72-81 Jeep CJ5, CJ7, CJ8 with 304, 360, 401 V8s & 70-79 AMC-AMX, Javelin, Matador, Rebel, Hornet, Gremlin with 304, 360, 390, 401 cu. in. V8s all with A.I.R., Ti-Tech Coated
65912	72-91 Jeep Cherokee, Wagoneer, J Series Pick Up & 72-81 Jeep CJ5, CJ7, CJ8 with 304, 360, 401 V8s & 70-79 AMC-AMX, Javelin, Matador, Rebel, Hornet, Gremlin with 304, 360, 390, 401 cu. in. V8s all without A.I.R., Ceramic-Coated
65913	72-91 Jeep Cherokee, Wagoneer, J Series Pick Up & 72-81 Jeep CJ5, CJ7, CJ8 with 304, 360, 401 V8s & 70-79 AMC-AMX, Javelin, Matador, Rebel, Hornet, Gremlin with 304, 360, 390, 401 cu. in. V8s all without A.I.R., Ti-Tech Coated
65922	91-99 Jeep Wrangler & Cherokee, 72-81 Jeep Grand Cherokee, 91-92 Jeep Comanche with 4.0L 6 cyl., Ceramic-Coated
65923	91-99 Jeep Wrangler & Cherokee, 72-81 Jeep Grand Cherokee, 91-92 Jeep Comanche with 4.0L 6 cyl., Ti-Tech Coated

Exhibit A

TUBULAR EXHAUST SYSTEMS (T.E.S.)

PN	Application
CHEVROLET/PONTIAC PASSENGER CARS	
(Camaro/Firebird)	
68712	82-87 Standard 5.0L LG-4, 2 1/4" Inlet Slip-on Cat., Auto & Std. Trans., Ceramic-Coated
68713	82-87 Standard 5.0L LG-4, 2 1/4" Inlet Slip-on Cat., Auto & Std. Trans., Ti-Tech Coated
68742	83-86 H.O. (High Output) 5.0L 4-bbl carb, 4-bolt cat., Auto & Std. Trans., Ceramic-Coated
68743	83-86 H.O. (High Output) 5.0L 4-bbl carb, 4-bolt cat., Auto & Std. Trans., Ti-Tech Coated
68722	86-90 IROC, Z-28, Formula 5.0L, 5.7L T.P.I., 3" Inlet slip-on single cat., Auto & Std. Trans., Ceramic-Coated
68723	86-90 IROC, Z-28, Formula 5.0L, 5.7L T.P.I., 3" Inlet slip-on single cat., Auto & Std. Trans., Ti-Tech Coated
68752	88-92 RS & Formula 5.0L T.B.I. 2 1/4" Inlet slip-on cat., Auto & Std. Trans., Ceramic-Coated
68753	88-92 RS & Formula 5.0L T.B.I. 2 1/4" Inlet slip-on cat., Auto & Std. Trans., Ti-Tech Coated
68762	89-92 IROC, Z-28, T/A, Formula 5.0L, 5.7L T.P.I., dual-cat., Auto & Std. Trans., Ceramic-Coated
68763	89-92 IROC, Z-28, T/A, Formula 5.0L, 5.7L T.P.I., dual-cat., Auto & Std. Trans., Ti-Tech Coated
68942	94-95 Z-28, T/A & Formula 5.7L, LT1, single cat., Auto & Std. Trans., Ceramic-Coated
68943	94-95 Z-28, T/A & Formula 5.7L, LT1, single cat., Auto & Std. Trans., Ti-Tech Coated
66022	95-97 Z-28, T/A & Formula 5.7L, LT1, dual cat., Auto & Std. Trans., Ceramic-Coated
66023	95-97 Z-28, T/A & Formula 5.7L, LT1, dual cat., Auto & Std. Trans., Ti-Tech Coated
(Impala SS)	
66032	94-96 Impala SS 5.7L LT1, 2WD Auto & Std. Trans., Ceramic-Coated
66033	94-96 Impala SS 5.7L LT1, 2WD Auto & Std. Trans., Ti-Tech Coated
(Monte Carlo/El Camino)	
68782	83-88 Standard 5.0L LG-4, 2-1/4" Inlet slip-on cat., 2WD Auto & Std. Trans., Ceramic-Coated
68783	83-88 Standard 5.0L LG-4, 2-1/4" Inlet slip-on cat., 2WD Auto & Std. Trans., Ti-Tech Coated
68792	83-88 High Output (H.O.), 4-bolt cat., 2WD Auto & Std. Trans., Ceramic-Coated
68793	83-88 High Output (H.O.), 4-bolt cat., 2WD Auto & Std. Trans., Ti-Tech Coated
CHEVROLET/GMC TRUCKS & VANS	
(Blazer/Jimmy S-10/S-15)	
68362	88-95 S-10/S-15 4.3L T.B.I./C.P.I., 4WD Std. Trans., Ceramic-Coated
68363	88-95 S-10/S-15 4.3L T.B.I./C.P.I., 4WD Std. Trans., Ti-Tech Coated
68552	88-95 S-10/S-15 4.3L T.B.I./C.P.I., 2WD Auto Trans., Ceramic-Coated
68553	88-95 S-10/S-15 4.3L T.B.I./C.P.I., 2WD Auto Trans., Ti-Tech Coated
68562	88-95 S-10/S-15 4.3L T.B.I./C.P.I., 4WD Auto Trans., Ceramic-Coated
68563	88-95 S-10/S-15 4.3L T.B.I./C.P.I., 4WD Auto Trans., Ti-Tech Coated
(Pick-Up S-10/S-15/Sonoma)	
68342	88-95 S-10/S-15/Sonoma 4.3L T.B.I./C.P.I., 2WD Std. Trans., Ceramic-Coated
68343	88-95 S-10/S-15/Sonoma 4.3L T.B.I./C.P.I., 2WD Std. Trans., Ti-Tech Coated
68542	88-95 S-10/S-15/Sonoma 4.3L T.B.I./C.P.I., 2WD Auto Trans., Ceramic-Coated
68543	88-95 S-10/S-15/Sonoma 4.3L T.B.I./C.P.I., 2WD Auto Trans., Ti-Tech Coated
(Full Size Blazer/Jimmy/Yukon/Tahoe)	
66152	96-97 Tahoe/Yukon 5.7L without A.I.R., Dual-Cat., 2WD & 4WD Auto Trans., Ceramic-Coated
66153	96-97 Tahoe/Yukon 5.7L without A.I.R., Dual-Cat., 2WD & 4WD Auto Trans., Ti-Tech Coated
66162	93-95 Blazer/Tahoe/Yukon Full size 5.0L, 5.7L T.B.I. without A.I.R., Single Weld-on Cat., 2WD & 4WD, Auto & Std. Trans., Ceramic-Coated
66163	93-95 Blazer/Tahoe/Yukon Full size 5.0L, 5.7L T.B.I. without A.I.R., Single Weld-on Cat., 2WD & 4WD, Auto & Std. Trans., Ti-Tech Coated
66662	92-93 K-5 Blazer Full size 5.7L T.B.I. without A.I.R., Clamp-on Cat., 2WD & 4WD, Auto & Std. Trans., Ceramic-Coated
66663	92-93 K-5 Blazer Full size 5.7L T.B.I. without A.I.R., Clamp-on Cat., 2WD & 4WD, Auto & Std. Trans., Ti-Tech Coated

Exhibit A

TUBULAR EXHAUST SYSTEMS (T.E.S.)

(Pick-Ups with 5.0L/5.7L Engines)	
66662	88-95 1500/2500 5.0L, 5.7L T.B.I. without A.I.R., clamp-on cat., 2WD & 4WD, Auto & Std. Trans., Ceramic-Coated
66663	88-95 1500/2500 5.0L, 5.7L T.B.I. without A.I.R., clamp-on cat., 2WD & 4WD, Auto & Std. Trans., Ti-Tech Coated
66672	88-95 1500/2500 5.0L, 5.7L T.B.I. with A.I.R., clamp-on cat., 2WD & 4WD, Auto & Std. Trans., Ceramic-Coated
66673	88-95 1500/2500 5.0L, 5.7L T.B.I. with A.I.R., clamp-on cat., 2WD & 4WD, Auto & Std. Trans., Ti-Tech Coated
66162	93-95 1500/2500 5.0L, 5.7L T.B.I. without A.I.R., weld-on cat., 2WD & 4WD, Auto & Std. Trans., Ceramic-Coated
66163	93-95 1500/2500 5.0L, 5.7L T.B.I. without A.I.R., weld-on cat., 2WD & 4WD, Auto & Std. Trans., Ti-Tech Coated
66152	96-98 1500 5.7L without A.I.R., dual-cat., 2WD & 4WD, Auto & Std. Trans., Ceramic-Coated
66153	96-98 1500 5.7L without A.I.R., dual-cat., 2WD & 4WD, Auto & Std. Trans., Ti-Tech Coated
(Pick-Ups with 7.4L Engines)	
66602	90 454 SS 7.4L T.B.I. with A.I.R., 2WD, Auto Trans., Ceramic-Coated
66603	90 454 SS 7.4L T.B.I. with A.I.R., 2WD, Auto Trans., Ti-Tech Coated
66602	88-95 2500/3500 Ex. Cr. Cb. 7.4L T.B.I. with A.I.R., 2WD & 4WD, Auto & Std. Trans., Ceramic-Coated
66603	88-95 2500/3500 Ex. Cr. Cb. 7.4L T.B.I. with A.I.R., 2WD & 4WD, Auto & Std. Trans., Ti-Tech Coated
66602	92-95 Crew Cab 3500; 4-door, 7.4L T.B.I. with A.I.R., 2WD & 4WD, Auto & Std. Trans., Ceramic-Coated
66603	92-95 Crew Cab 3500; 4-door, 7.4L T.B.I. with A.I.R., 2WD & 4WD, Auto & Std. Trans., Ti-Tech Coated
(Suburban)	
66152	96-97 1500 5.7L without A.I.R., dual-cats., 2WD & 4WD, Auto Trans., Ceramic-Coated
66153	96-97 1500 5.7L without A.I.R., dual-cats., 2WD & 4WD, Auto Trans., Ti-Tech Coated
66162	93-95 1500/2500 5.0L, 5.7L T.B.I. without A.I.R., single cat., 2WD & 4WD, Auto & Std. Trans., Ceramic-Coated
66163	93-95 1500/2500 5.0L, 5.7L T.B.I. without A.I.R., single cat., 2WD & 4WD, Auto & Std. Trans., Ti-Tech Coated
66662	92-95 1500/2500 5.0L, 5.7L T.B.I. without A.I.R., clamp-on cat., 2WD & 4WD, Auto & Std. Trans., Ceramic-Coated
66663	92-95 1500/2500 5.0L, 5.7L T.B.I. without A.I.R., clamp-on cat., 2WD & 4WD, Auto & Std. Trans., Ti-Tech Coated
DODGE	
66012	94-99 Ram Pick-up 1500/2500, 5.2L, 5.9L F.I., weld-on cat., 2WD & 4WD, Auto & Std. Trans., Ceramic-Coated
66013	94-99 Ram Pick-up 1500/2500, 5.2L, 5.9L F.I., weld-on cat., 2WD & 4WD, Auto & Std. Trans., Ti-Tech Coated
66062*	92-99 Viper (all models), 8.0L V10, Std. Trans., Ceramic-Coated
66642	97-98 Dakota Pick-up, 5.2L, 5.9L F.I. With single inlet clamp-on cat., 2WD & 4WD, Auto & Std. Trans., Ceramic-Coated
66643	97-98 Dakota Pick-up, 5.2L, 5.9L F.I. With single inlet clamp-on cat., 2WD & 4WD, Auto & Std. Trans., Ti-Tech Coated
66642	98-99 Durango, 5.2L, 5.9L F.I. Clamp-on cat., 4WD, Auto Trans., Ceramic-Coated
66643	98-99 Durango, 5.2L, 5.9L F.I. Clamp-on cat., 4WD, Auto Trans., Ti-Tech Coated
66692	03-04 Ram Truck 5.7L V8 Hemi, Ceramic-Coated
66693	03-04 Ram Truck 5.7L V8 Hemi, Ti-Tech Coated
66792	03-06 Dodge Ram, 5.7L V8 Hemi, Ceramic-Coated
66793	03-06 Dodge Ram, 5.7L V8 Hemi, Ti-Tech Coated