

**State of California
AIR RESOURCES BOARD**

EXECUTIVE ORDER D-280-67

Relating to Exemptions under Section 27156 and 38391
of the Vehicle Code

Airtek, Inc. (d.b.a. Catco)
"Series 710000 Three-way Catalytic Converter"

WHEREAS, Vehicle Code Sections 27156 and 38395, and Title 13, California Code of Regulations (hereafter "CCR") Section 2222(h), authorize the California Air Resources Board and its Executive Officer to exempt new aftermarket catalytic converters from the prohibitions of Vehicle Code Section 27156 and 38391.

WHEREAS, Airtek, Inc. (Airtek) of 4410 W. 37th Avenue, Hobart, Indiana 46342, has applied to the Air Resources Board for exemption from the prohibitions in Vehicle Code Sections 27156 and 38391 to market its new aftermarket Series 710000 three-way catalytic converter (TWC) on selected 1996 through 2003 Isuzu/Honda light-duty trucks 2 (LDT2) equipped with on-board diagnostic II (OBD-II) systems as specified in Appendix D-280-67 and incorporated herein. Series 710000 TWCs will be used for single or multiple catalytic converter system applications. This catalytic converter may be sold as a universal or direct fit system.

WHEREAS, pursuant to the authority vested in the Executive Officer by Health and Safety Code Section 39515 and in the Chief, Mobile Source Operations Division by Health and Safety Code Section 39516 and Executive Order G-02-003, the Air Resources Board finds that the above aftermarket catalytic converter complies with the California Vehicle Code Sections 27156 and 38395 and Title 13, California Code of Regulations, Section 2222(h). Emission performance of the catalytic converter was based on durability bench-aging by Compliance Research Services, Inc. using the Air Resources Board-modified RAT-A bench-aging cycle for 100 hours, as specified in Appendix A to the "California Evaluation Procedures for New Aftermarket Catalytic Converters" as adopted on October 25, 2007.

WHEREAS, previous emissions and OBD II compatibility tests conducted by AirTek, Inc. using a vehicle of a weight classification and exhaust configuration similar to those listed in Appendix D-280-67 and certified to the Low Emission Vehicle (LEV) standards resulted in the issuance of Executive Order D-280-13, it was determined that the installation of Series 710000 TWC on the vehicles listed in Appendix D-280-67 meets the requirements of California regulations for aftermarket catalytic converters.

THEREFORE, IT IS HEREBY RESOLVED that Airtek, Inc.'s 710000 TWC is exempted from the prohibitions in Vehicle Code Sections 27156 and 38391 for installation on the approved vehicle applications specified in Appendix D-280-67 subject to the following conditions:

1. No changes are permitted to the catalytic converter as described in the application for exemption. Any changes to the catalytic converter or any of their components, and other factors addressed in this order must be evaluated and approved by the Air Resources Board prior to marketing in California.


2. Marketing of the catalytic converter using identifications other than those shown in the exemption application, and in this Executive Order, or marketing of the catalytic converter for application other than the ones shown in this Executive Order shall be prohibited unless prior approval is obtained from the Air Resources Board.
Exemption of this product shall not be construed as an exemption to sell, offer for sale, or advertise any components of the catalytic converter as individual devices.
3. Any oral or written references to this Executive Order or its content by Airtek, Inc., its principals, agents, employees, distributors, dealers, or other representatives must include the disclaimer that the Executive Order or the exemption it provides is not an endorsement or approval of any emission reduction claims for the catalytic converter and is only a finding that the catalytic converter is exempt from the prohibitions of Vehicle Code Sections 27156 and 38391.
4. Airtek, Inc.'s installation instructions for the new catalytic converter must conform to requirements in Section (h) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted October 25, 2007.
5. Installation of the catalytic converter shall not cause the relocation of an oxygen sensor. Oxygen sensors must be installed in the same location, position and orientation as prescribed in the original equipment manufacturer's configurations.
6. Upon installation, the catalytic converter must carry a manufacturer's warranty for five (5) years or 50,000 miles as prescribed in Section (f)(2) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted October 25, 2007.
7. Airtek, Inc. and its vendors may not advertise the new aftermarket catalytic converter as "high flow or easy flow" catalytic converter or use any phrase that could make them appear to perform better than the original equipment manufacturer (OEM) catalytic converters.
8. Any marketing arrangement of the new aftermarket catalytic converter by a third party, which involves the use of packaging identification different from the ones described in this Executive Order, must be approved by the Air Resources Board prior to shipment.
9. AirTek, its associates, vendors, other businesses, and individuals associated with AirTek, may not sell or supply new aftermarket catalytic converter substrates to a third party to be assembled in a different facility and marketed under this Executive Order without approval from the Air Resources Board.
10. AirTek, Inc. shall comply with the quality control procedures and reporting requirements in Section (f)(5) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted October 25, 2007.

11. Quality control reports must be submitted on a quarterly basis and warranty information reports on a semi-annual basis, starting with periods covering January 1 through March 31, 2009 and January 1 through June 30, 2009, respectively.
12. AirTek, Inc. must provide a permanent label or stamp as specified under Section (f)(1) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted on October 25, 2007.
13. AirTek, Inc.'s vehicle application catalog must conform with the requirements as specified under Section (f)(4) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted on October 25, 2007.

Executive Order D-280-35 dated September 4, 2008, is hereby superseded and of no further force and effect.

Violation of any of the above conditions shall be grounds for revocation of this order. The order may be revoked only after a 30-day written notice of intention to revoke it, during which period the holder of the order may request in writing a hearing to contest the proposed revocation. If a hearing is requested, it shall be held within 30 days of receipt of the request, and the order may not be revoked until a determination is made, after the hearing, that grounds for revocation exist.

Executed at El Monte, California, this 4 day of December 2008.



Annette Hebert, Chief
Mobile Source Operations Division

AIRTEK INC'S SERIES 710000 FOR ISUZU/HONDA LDT2 VEHICLES												
No.	Model Year	Vehicle Model	Engine Size	Engine Family	Certification Level	Weight Class	Exhaust Type	Total Converters	Converter Type	Monitored	Universal	Direct Fit
1	1996	RODEO 2WD,HONDA PASSPORT 2WD	2.6L	TSZ2.628GKFK	TIER1	LDT2	S	1	TWC	1	712004	TBD
2		RODEO 2&4WD, HONDA PASSPORT 2&4WD	3.2L	TSZ3.22JGKGK	TLEV		D	2	2TWC	2	RIGHT OR LEFT 712004	RIGHT 712968 (AUTO TRANS) LEFT 712969 (AUTO TRANS)
3				TSZ3.22JGKEK	TIER1		D	2	2TWC	2		
4		TROOPER 4WD, ACURA SLX 4WD LWB		TSZ3.22JGKFK			S	1	TWC	1	712004	TBD
		RODEO 2&4WD, HONDA PASSPORT 2&4WD										

AIRTEK INC'S SERIES 710000 FOR ISUZU/HONDA LDT2 VEHICLES

AIRTEK INC'S SERIES 710000 FOR ISUZU/HONDA LDT2 VEHICLES													
No.	Model Year	Vehicle Model	Engine Size	Engine Family	Certification Level	Weight Class	Exhaust Type	Total Converters	Converter Type	Monitored	Universal	Direct Fit	
5		TROOPER 4WD LWB, ACURA SLX 4WD LWB	3.2L	VSZ3.22JGKFK	TIER1	LTD2	S	1	TWC	1	712004	TBD	
		RODEO 2&4WD, HONDA PASSPORT 2&4WD											
		TROOPER 4WD LWB, ACURA SLX 4WD LWB		VSZ3.22JGKEK									
6	1997	RODEO 2&4WD, HONDA PASSPORT 2&4WD		VSZ3.22JGKGK	TLEV			D	2	2TWC	2	RIGHT OR LEFT 712004	RIGHT 712968 (AUTO TRANS) LEFT 712969 (AUTO TRANS)
7													
8		RODEO 2WD,HONDA PASSPORT 2WD	2.6L	VSZ2.628GKFK	TIER1			S	1	TWC	1	712004	TBD
		AMIGO 4WD SWB											
9	1998	RODEO 2&4WD LWB, HONDA PASSPORT 2&4WD LWB	3.5L	WSZXT03.52GK	TLEV		D	2	2TWC	2	RIGHT OR LEFT 712004	RIGHT 712364 (AUTO TRANS) LEFT 712356 (AUTO TRANS)	

AIRTEK INC'S SERIES 710000 FOR ISUZU/HONDA LDT2 VEHICLES

AIRTEK INC'S SERIES 710000 FOR ISUZU/HONDA LDT2 VEHICLES														
No.	Model Year	Vehicle Model	Engine Size	Engine Family	Certification Level	Weight Class	Exhaust Type	Total Converters	Converter Type	Monitored	Universal	Direct Fit		
10	1998	TROOPER LWB, ACURA SLX LWB	3.5L	WSZXT03.52GK	TLEV	LDT2	D	2	2TWC	2	RIGHT OR LEFT 712004	TBD		
11		AMIGO 4WD SWB, RODEO 2WD LWB	2.2L	WSZXT02.22HK			S	1	TWC	1	712004			
12		TROOPER LWB	3.5L	WSZXT03.52FK	TIER1									
13		AMIGO 2 WD SWB	2.2L	WSZXT02.21HK										
14	1999	TROOPER LWB, ACURA SLX LWB	3.5L	XSZXT03.52GK	TLEV		D	2	2TWC	2	RGHT OR LEFT 712005	RIGHT 712364 LEFT 712365		
15		AMIGO 4WD SWB	3.2L											TBD
		RODEO 2&4WD, HONDA PASSPORT 2&4WD												
		TROOPER LWB		3.5L			XSZXT03.52FK	TIER1	S	1	TWC	1	712005	
16		AMIGO 2&4WD		XSZXT03.22JK	LEV		D	2	2TWC	2	RIGHT OR LEFT 712005	RIGHT 712364 (AUTO TRANS) LEFT 712356 (AUTO TRANS)		
17		RODEO 2&4WD LWB, HONDA PASSPORT 2&4WD LWB	3.2L											TBD
		AMIGO 2WD SWB	2.2L	XSZXT02.21HK	TLEV		S	1	TWC	1	712004			

AIRTEK INC'S SERIES 710000 FOR ISUZU/HONDA LDT2 VEHICLES

AIRTEK INC'S SERIES 710000 FOR ISUZU/HONDA LDT2 VEHICLES																	
No.	Model Year	Vehicle Model	Engine Size	Engine Family	Certification Level	Weight Class	Exhaust Type	Total Converters	Converter Type	Monitored	Universal	Direct Fit					
18	1999	AMIGO 4WD SWB, RODEO	2.2L	XSZXT02.22HK	TLEV	LDT2	S	1	TWC	1	712004	TBD					
19		RODEO 2&4WD LWB, HONDA PASSPORT 2&4WD LWB	3.2L	YSZXT03.52GK	TLEV		D		2	2TWC		RIGHT OR LEFT 712005	RIGHT 712364 (AUTO TRANS) LEFT 712356 (AUTO TRANS)				
		AMIGO 4WD SWB										RIGHT OR LEFT 712004	TBD				
20	2000	RODEO 2&4WD LWB, HONDA PASSPORT 2&4WD LWB, AMIGO 2&4WD SWB	3.5L	YSZXT03.52JK	LEV							RIGHT OR LEFT 712005	RIGHT 712364 (AUTO TRANS) LEFT 712356 (AUTO TRANS)				
		TROOPER 2&4WD LWB												RIGHT OR LEFT 712004	TBD		
21		AMIGO 2WD SWB, RODEO 2WD LWB	2.2L	YSZXT02.22HK	TLEV							RIGHT OR LEFT 712005	TBD				
22		TROOPER 2WD AUTOMATIC	3.5L	1SZXT03.55JK	LEV												RIGHT 712364 LEFT 712365
23	2001	RODEO 2&4WD, HONDA PASSPORT 2&4WD, RODEO SPORT 2&4WD	3.2L	1SZXT03.22KK													

AIRTEK INC'S SERIES 710000 FOR ISUZU/HONDA LDT2 VEHICLES

No.	Model Year	Vehicle Model	Engine Size	Engine Family	Certification Level	Weight Class	Exhaust Type	Total Converters	Converter Type	Monitored	Universal	Direct Fit
24	2001	RODEO 2WD, RODEO SPORT 2WD	2.2L	15ZXT02.22LK	LEV	LDT2	S	1	TWC	1	712004	TBD
25	2002	TROOPER 2WD AUTOMATIC, TROOPER 4WD	3.5L	25ZXT03.52JK			D	2	2TWC	RIGHT OR LEFT 712005		
26		AXIOM 2&4WD		RIGHT OR LEFT 712004								
27		RODEO 2&4WD, HONDA PASSPORT 2&4WD, RODEO SPORT 2&4WD		RIGHT OR LEFT 712005						RIGHT 712364 LEFT 712365		
28		AXIOM 2&4WD		RIGHT OR LEFT							TBD	
				RODEO 2&4WD, HONDA PASSPORT 2&4WD, RODEO SPORT 2&4WD						RIGHT OR LEFT 712005	RIGHT 712364 LEFT 712365	
	AXIOM		3.2L	35ZXT03.52MK			RIGHT OR LEFT 712005	TBD				
	RODEO, RODEO SPORT											