
### **APPENDIX I**

# PROPOSED TEST PROCEDURES (Part 1065)

**Small Off-Road Engines** 



Adopt incorporated "California Exhaust Emission Standards and Test Procedures for New 2013 and Later Small Off-Road Engines" (40 CFR, Part 1065) to read:



### State of California AIR RESOURCES BOARD

# CALIFORNIA EXHAUST EMISSION STANDARDS AND TEST PROCEDURES FOR NEW 2013 AND LATER SMALL OFF-ROAD ENGINES

# ENGINE-TESTING PROCEDURES (PART 1065)

Adopted: [insert date of adoption]

NOTE: This document incorporates by reference portions of Title 40 of the Code of Federal Regulations (CFR) Part 1065 – Engine-Testing Procedures, Subparts A through K inclusive, as amended June 28, 2011; and, the internally referenced sections of Title 40 CFR, Parts 60, 80, 86, 90, 1054, and 1068. Sections that have been included in their entirety are set forth with the section number and title. California provisions that replace specific federal language provisions are denoted by the words "DELETE" for the federal language and "REPLACE WITH" or "ADD" for the California language. The symbols "\* \* \* \* and "..." mean that the remainder of the CFR text for a specific section is not shown in these procedures but has been incorporated by reference, with only the printed text changed. CFR sections that are not listed are not part of California's test procedures. If there is any conflict between the provisions of this document and the California Health and Safety Code, Division 26, or Title 13 of the California Code of Regulations (CCR), the Health and Safety Code and Title 13 apply.

This document is all newly adopted text.

SINE-TESTING PROCEDURES1
ability and General Provisions1
Applicability
Other procedures
ment Specifications3
Overview
PM-stabilization environment for in-situ analyzers4
urement Instruments5
Overview and general provisions

	§ 1065.248	Gas divider	6
	CO and CO <sub>2</sub>	Measurements	6
	§ 1065.250	Nondispersive infra-red analyzer	6
	Hydrocarbon	Measurements	
	§ 1065.260	Flame-ionization detector	6
	§ 1065.265	Nonmethane cutter.	
	§ 1065.267	Gas chromatograph	
	~ -	Measurements	
	§ 1065.270	Chemiluminescent detector.	
	§ 1065.272	Nondispersive ultraviolet analyzer.	
	§ 1065.275	N <sub>2</sub> O measurement devices	
	_	nents	
	§ 1065.280	Paramagnetic and magnetopneumatic O <sub>2</sub> detection analyzers	
		atio Measurements	
	§ 1065.284	Zirconia (ZrO <sub>2</sub> ) analyzer	
		nents	
	§ 1065.290	PM gravimetric balance.	
	§ 1065.295	PM inertial balance for field testing analysis.	
Sub	part D –Calibr	ations and Verifications	8
	§ 1065.301	Overview and general provisions	8
	§ 1065.303	Summary of required calibration and verifications.	
	§ 1065.305	Verifications for accuracy, repeatability, and noise	
	§ 1065.307	Linearity verification.	
	§ 1065.308	Continuous gas analyzer system-response and updating-recording	_
	0	verification – for gas analyzers not continuously compensated for	
		other gas species	8
	§ 1065.309	Continuous gas analyzer system-response and updating-recording	
		verification – for gas analyzers continuously compensated for other	
		gas species	
		t of Engine Parameters and Ambient Conditions	8
	§ 1065.310	Torque calibration	
	§ 1065.315	Pressure, temperature, and dewpoint calibration	
		Measurements	
	§ 1065.320	Fuel-flow calibration.	
	§ 1065.325	Intake-flow calibration.	
	§ 1065.330	Exhaust-flow calibration	
	§ 1065.340	Diluted exhaust flow (CVS) calibration	
	§ 1065.341	CVS and batch sampler verification (propane check)	
	§ 1065.342	Sample dryer verification.	
	§ 1065.345	Vacuum-side leak verification	
	_	Measurements	
	§ 1065.350	H <sub>2</sub> O interference verification for CO <sub>2</sub> NDIR analyzers	
	§ 1065.355	H <sub>2</sub> O and CO <sub>2</sub> interference verification for CO NDIR analyzers	9
		ii	

	Hydrocarbon	Measurements	9
	§ 1065.360	FID optimization and verification	
	§ 1065.362	Non-stoichiometric raw exhaust FID O <sub>2</sub> interference verification	
	§ 1065.365	Nonmethane cutter penetration fractions	
		Measurements	
	§ 1065.370	CLD CO <sub>2</sub> and H <sub>2</sub> O quench verification	
	§ 1065.372	NDUV analyzer HC and H <sub>2</sub> O interference verification	
	§ 1065.375	Interference verification for N <sub>2</sub> O analyzers	
	§ 1065.376	Chiller NO <sub>2</sub> penetration	
	§ 1065.378	NO <sub>2</sub> -to-NO converter conversion verification	
		nents PM balance verifications and weighing process verification	
	§ 1065.390 § 1065.395	Inertial PM balance verifications	
	· ·		
Sul	opart E – Engir	ne Selection, Preparation, and Maintenance	11
	§ 1065.401	Test engine selection	11
	§ 1065.405	Test engine preparation and maintenance	
	§ 1065.410	Maintenance limits for stabilized test engines	11
	§ 1065.415	Durability demonstration.	11
Sul	opart F -Perfor	ming an Emission Test in the Laboratory	12
	§ 1065.501	Overview	12
	§ 1065.510	Engine mapping	12
	§ 1065.512	Duty cycle generation	12
	§ 1065.514	Cycle-validation criteria for operation over specified duty cycles	12
	§ 1065.520	Pre-test verification procedures and pre-test data collection	12
	§ 1065.525	Engine starting, restarting, and shutdown, and optional repeating o	
	•	void discrete modes	
	§ 1065.526	Repeating void modes or test intervals	
	§ 1065.530	Emission test sequence	
	§ 1065.545	Validation of proportional flow control for batch sampling	
	§ 1065.546 § 1065.550	Validation of minimum dilution ration for PM batch sampling	
	§ 1065.550 § 1065.590	Gas analyzer range validation, drift validation, and drift correction PM sampling media (e.g., filters) preconditioning and tare weighing	
	9 1003.530	r w sampling media (e.g., mers) preconditioning and tare weighing	
	§ 1065.595	PM sample post-conditioning and total weighing	
۰۱			
Sui	-	lations and Data Requirements	
	§ 1065.601	Overview	
	§ 1065.602	Statistics.	
	§ 1065.610	Duty cycle generation.	
	§ 1065.630	1980 international gravity formula	
	§ 1065.640	Flow meter calibration calculations.	
	§ 1065.642	SSV, CFV, and PDP molar flow rate calculations	14

§ 1065.644	Vacuum-decay leak rate	14
§ 1065.645	Amount of water in an ideal gas	
§ 1065.650	Emission calculations.	
§ 1065.655	Chemical balances of fuel, intake air, and exhaust	
§ 1065.659	Removed water correction	
§ 1065.660	THC, NMHC, and CH <sub>4</sub> determination	
§ 1065.665	THCE and NMHCE determination.	
§ 1065.667	Dilution air background emission correction.	
§ 1065.670	NO <sub>x</sub> intake-air humidity and temperature corrections	
§ 1065.672	Drift correction.	
§ 1065.675	CLD quench verification calculations.	
§ 1065.690	Buoyancy correction for PM sample media	
§ 1065.695	Data requirements.	16
Subpart H -Engin	e Fluids, Test Fuels, Analytical Gases and Other Calibration	
	s	17
§ 1065.701	General requirements for test fuels	17
§ 1065.703	Distillate diesel fuel.	18
§ 1065.705	Residual and intermediate residual fuel	
§ 1065.710	Gasoline	
§ 1065.715	Natural gas.	
§ 1065.720	Liquefied petroleum gas	
§ 1065.740	Lubricants.	
§ 1065.745	Coolants	
§ 1065.750	Analytical gases	
§ 1065.790	Mass standards.	
Subpart I – Testin	ng with Oxygenated Fuels	20
§ 1065.801	Applicability	
§ 1065.805	Sampling system.	
§ 1065.845	Response factor determination.	
§ 1065.850	Calculations.	
Subpart J – Field	Testing and Portable Emission Measurement Systems	21
§ 1065.901	Applicability	21
§ 1065.905	General provisions	
§ 1065.910	PEMS auxiliary equipment for field testing	
§ 1065.915	PEMS instruments.	21
§ 1065.920	PEMS calibrations and verifications	21
§ 1065.925	PEMS preparation for field testing.	21
§ 1065.930	Engine starting, restarting, and shutdown	
§ 1065.935	Emission test sequence for field testing	21
§ 1065.940	Emission calculations.	

Subpart K – Defin	nitions and Other Reference Information	22
§ 1065.1001	Definitions.	22
_	Symbols, abbreviations, acronyms, and units of measure	
§ 1065.1010	Reference materials	26

# CALIFORNIA EXHAUST EMISSION STANDARDS AND TEST PROCEDURES FOR NEW 2013 AND LATER SMALL OFF-ROAD ENGINES

The following provisions of Part 1065, Title 40, Code of Federal Regulations, as promulgated by the United States Environmental Protection Agency on the date listed, are adopted and incorporated herein by this reference for 2013 model year and later small off-road engines as the California Exhaust Emission Standards and Test Procedures for New 2013 and Later Small Off-Road Engines, except as altered or replaced by the provisions set forth below.

PART 1065 – ENGINE-TESTING PROCEDURES

SOURCE: 76 FR 37977, June 28, 2011, unless otherwise noted.

Subpart A – Applicability and General Provisions

§ 1065.1 Applicability.

\* \* \* \* \*

(a) DELETE, REPLACE WITH:

- (a) (1) This part applies to 2013 and later model year small off-road engines regulated under Title 13, California Code of Regulations, Chapter 9, Article 1, and subject to the emission standards in § 2403(b)(1) of that Article. These provisions do not apply to engines and equipment that fall within the scope of the preemption of Section 209(e)(1)(A) of the Federal Clean Air Act, as amended, and as defined by regulation of the Environmental Protection Agency.
- (2) Every new small off-road engine that is manufactured for sale, sold, offered for sale, introduced or delivered or imported into California for introduction into commerce and that is subject to any of the standards prescribed herein is required to be covered by an Executive Order issued pursuant to Article 1, Chapter 9, Title 13, California Code of Regulations, including these Test Procedures.

\* \* \* \* \*

# (d) DELETE, REPLACE WITH:

Paragraph (a) of this section identifies the parts of the CFR that define emission standards and other requirements for particular types of engines. In this part, we refer

to each section of the Article 1, Chapter 9, Title 13, California Code of Regulations, and the incorporated CFR part 1054, generically as the "standard-setting part."

\* \* \* \* \*

# (g) DELETE, REPLACE WITH:

For additional information regarding these test procedures, visit our Web site at http://www.arb.ca.gov/msprog/offroad/sore/sore.htm

§ 1065.2 Submitting information to ARB under this part.

\* \* \* \* \* \*

§ 1065.5 Overview of this part 1065 and its relationship to the standard-setting part.

\* \* \* \* \* \*

§ 1065.10 Other procedures.

\* \* \* \* \*

§ 1065.12 Approval of alternate procedures.

\* \* \* \* \*

§ 1065.15 Overview of procedures for laboratory and field testing.

\* \* \* \* \*

§ 1065.20 Units of measure and overview of calculations.

\* \* \* \* \*

§ 1065.25 Recordkeeping.

Subpart B -	Equipment Specifications
§ 1065.101	Overview.
*	* * * *
§ 1065.110	Work inputs and outputs, accessory work, and operator demand.
*	* * * *
§ 1065.120	Fuel properties and fuel temperature and pressure.
*	* * * *
§ 1065.122	Engine cooling and lubrication.
certification. the supplem engine opera	
(b) DELE	TE
*	* * * *
§ 1065.125	Engine intake air.
*	* * * *
§ 1065.127	Exhaust gas recirculation.
*	* * * *
§ 1065.130	Engine exhaust.
*	* * * *
(g) DELE	TE

§ 1065.140	Dilution for gaseous and PM constituents.
*	* * * *
§ 1065.145 components	Gaseous and PM probes, transfer lines, and sampling system
*	* * * *
§ 1065.150	Continuous sampling.
*	* * * *
§ 1065.170	Batch sampling for gaseous and PM constituents.
*	* * * *
§ 1065.190	PM-stabilization and weighing environments for gravimetric analysis.
*	* * * *
§ 1065.195	PM-stabilization environment for in-situ analyzers.

Subpart C -	Measurement Instruments
§ 1065.201	Overview and general provisions.
*	* * * *
§ 1065.202	Data updating, recording, and control.
*	* * * *
§ 1065.205	Performance specifications for measurement instruments.
*	* * * *
Measureme	nt of Engine Parameters and Ambient Conditions
§ 1065.210	Work input and output sensors.
*	* * * *
§ 1065.215	Pressure transducers, temperature sensors, and dewpoint sensors.
*	* * * *
Flow-Relate	d Measurements
§ 1065.220	Fuel flow meter.
*	* * * *
§ 1065.225	Intake-air flow meter.
*	* * * *
§ 1065.230	Raw exhaust flow meter.
*	* * * *
§ 1065.240	Dilution air and diluted exhaust flow meters.
*	* * * *

§ 1065.245 Sample flow meter for batch sampling. \* \* \* \* \* § 1065.248 Gas divider. CO and CO<sub>2</sub> Measurements § 1065.250 Nondispersive infra-red analyzer. \* \* \* \* \* Hydrocarbon Measurements § 1065.260 Flame-ionization detector. § 1065.265 Nonmethane cutter. \* \* \* \* \* § 1065.267 Gas chromatograph. \* \* \* \* \* NO<sub>x</sub> and N<sub>2</sub>O Measurements § 1065.270 Chemiluminescent detector. § 1065.272 Nondispersive ultraviolet analyzer. § 1065.275 N<sub>2</sub>O measurement devices.

# O<sub>2</sub> Measurements § 1065.280 Paramagnetic and magnetopneumatic O<sub>2</sub> detection analyzers. \* \* \* \* \* \* Air-to-Fuel Ratio Measurements § 1065.284 Zirconia (ZrO<sub>2</sub>) analyzer. \* \* \* \* \* PM Measurements § 1065.290 PM gravimetric balance. \* \* \* \* \* \*

§ 1065.295 PM inertial balance for field testing analysis.

7

Subpart D -	Calibrations and Verifications
§ 1065.301	Overview and general provisions.
*	* * * *
§ 1065.303	Summary of required calibration and verifications.
*	* * * *
§ 1065.305	Verifications for accuracy, repeatability, and noise.
*	* * * *
§ 1065.307	Linearity verification.
*	* * * *
-	Continuous gas analyzer system-response and updating-recording for gas analyzers not continuously compensated for other gas species.
*	* * * *
-	Continuous gas analyzer system-response and updating-recording for gas analyzers continuously compensated for other gas species.
*	* * * *
Measureme	nt of Engine Parameters and Ambient Conditions
§ 1065.310	Torque calibration.
*	* * * *
§ 1065.315	Pressure, temperature, and dewpoint calibration.
*	* * * *
Flow-Relate	d Measurements
§ 1065.320	Fuel-flow calibration.

§ 1065.325 Intake-flow calibration. \* \* \* \* \* § 1065.330 Exhaust-flow calibration. \* \* \* \* \* § 1065.340 Diluted exhaust flow (CVS) calibration. \* \* \* \* \* § 1065.341 CVS and batch sampler verification (propane check). \* \* \* \* \* § 1065.342 Sample dryer verification. § 1065.345 Vacuum-side leak verification. \* \* \* \* \* CO and CO<sub>2</sub> Measurements § 1065.350 H<sub>2</sub>O interference verification for CO<sub>2</sub> NDIR analyzers. \* \* \* \* \* § 1065.355 H<sub>2</sub>O and CO<sub>2</sub> interference verification for CO NDIR analyzers. \* \* \* \* \* Hydrocarbon Measurements § 1065.360 FID optimization and verification. \* \* \* \* \* § 1065.362 Non-stoichiometric raw exhaust FID O<sub>2</sub> interference verification.

\* \* \* \* \* § 1065.365 Nonmethane cutter penetration fractions. \* \* \* \* \* NO<sub>x</sub> and N<sub>2</sub>O Measurements § 1065.370 CLD CO<sub>2</sub> and H<sub>2</sub>O quench verification. § 1065.372 NDUV analyzer HC and H<sub>2</sub>O interference verification. § 1065.375 Interference verification for N<sub>2</sub>O analyzers. § 1065.376 Chiller NO<sub>2</sub> penetration. \* \* \* \* \* § 1065.378 NO<sub>2</sub>-to-NO converter conversion verification. PM Measurements

 $\S~1065.390$   $\,$  PM balance verifications and weighing process verification.

\* \* \* \* \*

§ 1065.395 Inertial PM balance verifications.

Subpart E – Engine Selection, Preparation, and Maintenance

§ 1065.401 Test engine selection.

\* \* \* \* \*

§ 1065.405 Test engine preparation and maintenance.

\* \* \* \* \*

 $\S~1065.410$   $\,$  Maintenance limits for stabilized test engines.

\* \* \* \* \*

§ 1065.415 Durability demonstration.

Subpart F –	Performing an Emission Test in the Laboratory
§ 1065.501	Overview.
*	* * * *
§ 1065.510	Engine mapping.
*	* * * *
§ 1065.512	Duty cycle generation.
*	* * * *
§ 1065.514	Cycle-validation criteria for operation over specified duty cycles.
*	* * * *
§ 1065.520	Pre-test verification procedures and pre-test data collection.
*	* * * *
§ 1065.525 discrete mod	Engine starting, restarting, and shutdown, and optional repeating of void
*	* * * *
§ 1065.526	Repeating void modes or test intervals.
*	* * * *
§ 1065.530	Emission test sequence.
*	* * * *
§ 1065.545	Validation of proportional flow control for batch sampling.
*	* * * *
§ 1065.546	Validation of minimum dilution ration for PM batch sampling.
*	* * * *

§ 1065.550 Gas analyzer range validation, drift validation, and drift correction.

\* \* \* \* \*

§ 1065.590 PM sampling media (e.g., filters) preconditioning and tare weighing.

\* \* \* \* \*

§ 1065.595 PM sample post-conditioning and total weighing.

§ 1065.601	Overview.
*	* * * *
§ 1065.602	Statistics.
*	* * * *
§ 1065.610	Duty cycle generation.
*	* * * *
§ 1065.630	1980 international gravity formula.
*	* * * *
§ 1065.640	Flow meter calibration calculations.
*	* * * *
§ 1065.642	SSV, CFV, and PDP molar flow rate calculations.
*	* * * *
§ 1065.644	Vacuum-decay leak rate.
*	* * * *
§ 1065.645	Amount of water in an ideal gas.
*	* * * *
§ 1065.650	Emission calculations.
*	* * * *
procedure s by the Execu	I testing, engine manufacturers must use the particulate sampling test pecified in this part 1065 or any similar procedure that has been approved utive Officer. For two-stroke engines, engine manufacturers may, in lieu of rmine PM emissions through the following equation:

Subpart G –Calculations and Data Requirements

$$PM_{est} = \frac{HC}{Fuel to oil ratio}$$

Where

HC = weighted hydrocarbons in g/kW-hr, and Fuel to oil ratio = the fuel to oil ratio used in the test engine.

Engine manufacturers may report this estimate as PM<sub>est</sub>, and indicate that the PM emissions were estimated as per this paragraph.

§ 1065.655 Chemical balances of fuel, intake air, and exhaust.

\* \* \* \* \*

§ 1065.659 Removed water correction.

\* \* \* \*

§ 1065.660 THC, NMHC, and CH<sub>4</sub> determination.

\* \* \* \* \*

§ 1065.665 THCE and NMHCE determination.

\* \* \* \* \*

§ 1065.667 Dilution air background emission correction.

\* \* \* \* \*

§ 1065.670 NO<sub>x</sub> intake-air humidity and temperature corrections.

\* \* \* \* \*

§ 1065.672 Drift correction.

\* \* \* \* \*

§ 1065.675 CLD quench verification calculations.

\* \* \* \* \*

§ 1065.690 Buoyancy correction for PM sample media.

§ 1065.695 Data requirements.

Subpart H –Engine Fluids, Test Fuels, Analytical Gases and Other Calibration Standards

§ 1065.701 General requirements for test fuels.

### (a) DELETE, REPLACE WITH:

- (a) Certification test fuel.
- (1) The certification test fuel used for emission testing must be consistent with the fuel specifications as outlined in the California Code of Regulations, title 13, §1960.1, and the "California Exhaust Emission Standards and Test Procedures for 2001 2014 Model Passenger Cars, Light Duty Trucks, and Medium-Duty Vehicles", as last amended [insert latest amendment date], and as incorporated by reference herein. The test fuel specification should remain consistent from batch to batch. If a particular engine requires a different octane fuel, test records should indicate the fuel used.
- (2) For 2019 and later gasoline-fueled engines: The certification test fuel for emission testing must be consistent with the fuel specifications as outlined in title 13, section 1961.2 and the "California Exhaust Emission Standards and Test Procedures for 2015 and Subsequent Model Passenger Cars, Light Duty Trucks, and Medium Duty Vehicles," adopted [insert adoption date], and incorporated by reference herein. The test fuel specifications must remain consistent from batch to batch.
- (3) For 2013 2018 model-year gasoline-fueled engines, the manufacturer has the option to use the certification test fuel specified in  $\S1065.701(a)(2)$ .
- (4) Alcohol-based fuels. Alcohol-based fuels must be allowed for emission test purposes when the appropriate emission standards with respect to such fuels are a part of these provisions. Such fuels must be as specified in either §1065.701(a)(1) or §1065.701(a)(2), as applicable.

### (b) DELETE,

**REPLACE WITH:** 

With Executive Officer approval, the certifying entity may use other test fuels so long as they do not affect the demonstration of compliance.

\* \* \* \* \*

(f) DELETE, REPLACE WITH:

- (f) Test fuels service accumulation and aging.
  - (1) Gasoline.
- (i) Gasoline representative of commercial gasoline generally available through retail outlets must be used in service accumulation and aging for gasoline fueled, spark ignition engines. As an alternative, the certification test fuels specified under either §1054.501(b)(2)(ii)(A) or §1054.501(b)(2)(ii)(B), as applicable, may be used for engine service accumulation and aging.
- (ii) The octane rating of the gasoline used for service accumulation and aging must be no higher than 4.0 Research Octane Numbers above the minimum recommended by the engine manufacturer when a certification fuel is not used for service accumulation, and must have a minimum sensitivity of 7.5 Octane Numbers. Sensitivity is the Research Octane Number minus the Motor Octane Number.
- (iii) The Reid Vapor Pressure of a gasoline used for service accumulation and aging must be characteristic of the engine fuel during the season in which the service accumulation takes place in the outdoors, or must be characteristic of the engine fuel appropriately suited to the ambient conditions of an indoor test cell in which the entire service accumulation takes place.
  - (2) Alternative fuels.
- (i) Liquefied petroleum gas meeting the ASTM D1835 (11/10/1997) or NGPA HD-5 (1970) specifications must be used for service accumulation.
- (ii) Natural gas representative of commercial natural gas that is available locally to the manufacturer's test site may be used in service accumulation. The manufacturer must provide the Executive Officer with detail of how the commercial natural gas differs from the certification test fuel specifications.

\* \* \* \* \*

§ 1065.703 Distillate diesel fuel.

**DELETE** 

§ 1065.705 Residual and intermediate residual fuel.

**DELETE** 

§ 1065.710 Gasoline.

§ 1065.715 Natural gas.

**DELETE** 

§ 1065.720 Liquefied petroleum gas.

**DELETE** 

§ 1065.740 Lubricants.

\* \* \* \* \*

### ADD:

(c) During all engine tests, the engine shall employ a lubricating oil consistent with the engine manufacturer's specifications for that particular engine. These specifications shall be recorded and declared in the certification application.

§ 1065.745 Coolants.

\* \* \* \* \*

§ 1065.750 Analytical gases.

\* \* \* \* \*

§ 1065.790 Mass standards.

Subpart I – Testing with Oxygenated Fuels

§ 1065.801 Applicability.

\* \* \* \* \*

§ 1065.805 Sampling system.

\* \* \* \* \*

§ 1065.845 Response factor determination.

\* \* \* \* \*

§ 1065.850 Calculations.

Subpart J –	Field Testing and Portable Emission Measurement Systems
§ 1065.901	Applicability.
*	* * * *
§ 1065.905	General provisions.
*	* * * *
§ 1065.910	PEMS auxiliary equipment for field testing.
*	* * * *
§ 1065.915	PEMS instruments.
*	* * * *
§ 1065.920	PEMS calibrations and verifications.
*	* * * *
§ 1065.925	PEMS preparation for field testing.
*	* * * *
§ 1065.930	Engine starting, restarting, and shutdown.
*	* * * *
§ 1065.935	Emission test sequence for field testing.
*	* * * *
§ 1065.940	Emission calculations.

Subpart K – Definitions and Other Reference Information

§ 1065.1001 Definitions.

ADD:

The definitions in Section 2401, Chapter 9, Title 13 of the California Code of Regulations, 40 CFR 1054.801, and 1068.30 apply with the following additions:

\* \* \* \* \*

Act DELETE.

Adjustable parameter DELETE,

**REPLACE WITH:** 

Adjustable parameter means any device, system, or element of design that someone can adjust (including those which are difficult to access) and that, if adjusted, may affect emissions or engine performance during emission testing or normal in-use operation. This includes, but is not limited to, parameters related to injection timing and fueling rate. You may ask us to exclude a parameter that is difficult to access if it cannot be adjusted to affect emissions without significantly degrading engine performance, or if you otherwise show us that it will not be adjusted in a way that affects emissions during in-use operation.

\* \* \* \* \*

Aftertreatment DELETE,

**REPLACE WITH:** 

Aftertreatment means relating to a catalytic converter, particulate filter, thermal reactor, or any other system, component, or technology mounted downstream of the exhaust valve (or exhaust port) whose design function is to decrease emissions in the engine exhaust before it is exhausted to the environment. Exhaust-gas recirculation (EGR), turbochargers, and oxygen sensors are not aftertreatment.

\* \* \* \* \*

Applicable standard DELETE,

REPLACE WITH:

Applicable emission standard or applicable standard means an emission standard to which an engine (or equipment) is subject. Additionally, if an engine (or equipment) has been or is being certified to another standard or FEL, applicable emission standard means the FEL or other standard to which the engine (or equipment) has been or is being certified.

DELETE, Brake power

**REPLACE WITH:** 

Brake power means the usable power output of the engine, not including power required to fuel, lubricate, or heat the engine, circulate coolant to the engine, or to operate aftertreatment devices.

Calibration DELETE,

REPLACE WITH:

Calibration means the set of specifications and tolerances specific to a particular design, version, or application of a component or assembly capable of functionally describing its operation over its working range.

\* \* \* \* \*

ADD:

Certificate of Conformity means an Executive Order issued in accordance with the California Health and Safety Code, Division 26, Part 5.

Certification DELETE,

REPLACE WITH:

Certification means, with respect to new small off-road engines, obtaining an executive order for an engine family complying with the small off-road engine emission standards and requirements specified in the California Code of Regulations, Title 13, Chapter 9, Sections 2400-2409.

\* \* \* \* \*

Designated Compliance Officer DELETE,

**REPLACE WITH:** 

Designated Compliance Officer means the Executive Officer of the Air Resources Board, or a designee of the Executive Officer.

Discrete-mode

DELETE,

REPLACE WITH:

Discrete-mode means relating to the discrete-mode type of steady-state test described in §1054.505.

Engine DELETE,

**REPLACE WITH:** 

Engine as used in this part, refers to small off-road engine.

\* \* \* \* \*

ADD:

EPA means Air Resources Board.

ADD:

*Executive Order* means an order issued by the Executive Officer of the Air Resources Board or his or her delegate certifying engines for sale in California.

\* \* \* \* \*

Fuel type DELETE,

REPLACE WITH:

Fuel type means a general category of fuels such as gasoline or natural gas. There can be multiple grades within a single fuel type, such as low-temperature or all-season gasoline.

Good engineering judgment DELETE.

\* \* \* \* \*

Hydrocarbon DELETE,

**REPLACE WITH:** 

Hydrocarbon (HC) means the hydrocarbon group on which the emission standards are based for each fuel type, as described in subpart B of 40 CFR 1054.

\* \* \* \* \*

Manufacturer DELETE.

\* \* \* \* \*

Nonroad engine DELETE,

REPLACE WITH:

Nonroad engine means a small off-road engine as defined in the California Code of Regulations, Title 13, Chapter 9, Section 2401.

\* \* \* \* \*

Ramped-modal DELETE,

**REPLACE WITH:** 

Ramped-modal means ramped-modal type of steady-state test, as described in 40 CFR 1054.

\* \* \* \* \*

### ADD:

Small volume engine manufacturer means any engine manufacturer whose total production of small off-road engines slated for sale in California are projected at the time of certification of a given model year to be no more than 500 engines.

\* \* \* \* \*

Steady-state

DELETE,

REPLACE WITH:

Steady-state means relating to emission tests in which engine speed and load are held at a finite set of essentially constant values. Steady-state tests are either discrete-mode tests or ramped-modal tests.

\* \* \* \* \*

Test sample

DELETE,

**REPLACE WITH:** 

Test sample means the collection of engines selected from the population of an emission family for emission testing. This may include testing for certification, production-line testing, or in-use testing.

\* \* \* \* \*

United States

DELETE.

\* \* \* \* \*

Useful life

DELETE,

REPLACE WITH:

Useful life means the period during which the engine and equipment are designed to properly function in terms of power output and intended function, without being remanufactured, specified as a number of hours of operation or calendar years, whichever comes first. It is the period during which an off-road engine must comply with

all applicable emission standards. If an engine has no hour meter, the specified number of hours does not limit the period during which an in-use engine is required to comply with emission standards unless the degree of service accumulation can be verified separately.

\* \* \* \* \*

We (us, our) DELETE,

**REPLACE WITH:** 

We (us, our) means the Executive Officer of the Air Resources Board or a designee of the Executive Officer.

\* \* \* \* \*

§ 1065.1005 Symbols, abbreviations, acronyms, and units of measure.

\* \* \* \* \*

§ 1065.1010 Reference materials.