

Appendix H

Examples of Multi-purpose Solvent and Paint Thinner Labels



RESPONSIBLE USE AND HANDLING OF ALCOHOLIC SOLVENTS TO PREVENT HARM TO YOU AND THE ENVIRONMENT

Brush & Roller Cleaner

1400577

STORAGE: Do not use or store this product near any source of heat or open flame, furnace, incinerator, or light source. Do not use or store in a cool, dry spot. Keep container closed when not in use. Do not reuse the container.

WARNING: Carefully read all directions, notes and cautions prior to use. Only use this product as directed on the label. Do not use as a general purpose cleaner. Do not spread this product over large areas or use it continuously for too long as it will cause the surface to become tacky.

DANGER: EXTREMELY FLAMMABLE. VAPORS MAY CAUSE FLASH FIRE OR EXPLOSION. EXTREMELY FLAMMABLE. VAPORS MAY CAUSE FLASH FIRE OR EXPLOSION. EXTREMELY FLAMMABLE. VAPORS MAY CAUSE FLASH FIRE OR EXPLOSION. EXTREMELY FLAMMABLE. VAPORS MAY CAUSE FLASH FIRE OR EXPLOSION.

CAUTION: EXTREMELY FLAMMABLE. VAPORS MAY CAUSE FLASH FIRE OR EXPLOSION. EXTREMELY FLAMMABLE. VAPORS MAY CAUSE FLASH FIRE OR EXPLOSION. EXTREMELY FLAMMABLE. VAPORS MAY CAUSE FLASH FIRE OR EXPLOSION. EXTREMELY FLAMMABLE. VAPORS MAY CAUSE FLASH FIRE OR EXPLOSION.

SOURCES OF IGNITION: KEEP AWAY FROM HEAT, SPARKS, PILES OF RAGS, OTHER SOURCES OF IGNITION. Do not use near an open flame or other source of ignition. Do not use near an open flame or other source of ignition. Do not use near an open flame or other source of ignition.

USE PRECAUTIONS: Do not use in confined spaces. Do not use in confined spaces. Do not use in confined spaces. Do not use in confined spaces. Do not use in confined spaces.

First Aid: In case of eye contact, flush with water for 15 minutes. In case of skin contact, wash with soap and water. In case of inhalation, move to fresh air. In case of ingestion, do not induce vomiting. Seek medical attention.

KEEP OUT OF REACH OF CHILDREN

MAX V.O. C. 2%

MADE IN THE U.S.A.

FOR INFORMATION ONLY: THIS PRODUCT IS NOT FOR SALE IN THE FOLLOWING STATES: AL, AR, CA, CO, CT, DE, FL, GA, HI, IL, IN, IA, KS, KY, LA, ME, MA, MD, MI, MN, MO, MS, MT, NE, NH, NJ, NY, NC, ND, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, WA, WI, WY.

FOR INFORMATION ONLY: THIS PRODUCT IS NOT FOR SALE IN THE FOLLOWING STATES: AL, AR, CA, CO, CT, DE, FL, GA, HI, IL, IN, IA, KS, KY, LA, ME, MA, MD, MI, MN, MO, MS, MT, NE, NH, NJ, NY, NC, ND, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, WA, WI, WY.

FOR INFORMATION ONLY: THIS PRODUCT IS NOT FOR SALE IN THE FOLLOWING STATES: AL, AR, CA, CO, CT, DE, FL, GA, HI, IL, IN, IA, KS, KY, LA, ME, MA, MD, MI, MN, MO, MS, MT, NE, NH, NJ, NY, NC, ND, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, WA, WI, WY.

FOR INFORMATION ONLY: THIS PRODUCT IS NOT FOR SALE IN THE FOLLOWING STATES: AL, AR, CA, CO, CT, DE, FL, GA, HI, IL, IN, IA, KS, KY, LA, ME, MA, MD, MI, MN, MO, MS, MT, NE, NH, NJ, NY, NC, ND, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, WA, WI, WY.

FOR INFORMATION ONLY: THIS PRODUCT IS NOT FOR SALE IN THE FOLLOWING STATES: AL, AR, CA, CO, CT, DE, FL, GA, HI, IL, IN, IA, KS, KY, LA, ME, MA, MD, MI, MN, MO, MS, MT, NE, NH, NJ, NY, NC, ND, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, WA, WI, WY.

FOR INFORMATION ONLY: THIS PRODUCT IS NOT FOR SALE IN THE FOLLOWING STATES: AL, AR, CA, CO, CT, DE, FL, GA, HI, IL, IN, IA, KS, KY, LA, ME, MA, MD, MI, MN, MO, MS, MT, NE, NH, NJ, NY, NC, ND, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, WA, WI, WY.

FOR INFORMATION ONLY: THIS PRODUCT IS NOT FOR SALE IN THE FOLLOWING STATES: AL, AR, CA, CO, CT, DE, FL, GA, HI, IL, IN, IA, KS, KY, LA, ME, MA, MD, MI, MN, MO, MS, MT, NE, NH, NJ, NY, NC, ND, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, WA, WI, WY.

FOR INFORMATION ONLY: THIS PRODUCT IS NOT FOR SALE IN THE FOLLOWING STATES: AL, AR, CA, CO, CT, DE, FL, GA, HI, IL, IN, IA, KS, KY, LA, ME, MA, MD, MI, MN, MO, MS, MT, NE, NH, NJ, NY, NC, ND, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, WA, WI, WY.





ACETONE

1000

100% Virgin Solvents

**UN 1090
FOR INDUSTRIAL / PROFESSIONAL USE ONLY**

NOT EXEMPT VOLATILE ORGANIC COMPOUNDS (H/GAL.) 792
VAPOR PRESSURE (mm of Hg) @ 20c 130.0
TOTAL VOLATILE ORGANIC COMPOUNDS (H/GAL.) 792
NOT PHOTO CHEMICALLY REACTIVE
IF SWALLOWED, CALL A PHYSICIAN IMMEDIATELY.

This Product Contains

CONTAINS:	CAS #
ACETONE	67-64-1

DANGER! EXTREMELY FLAMMABLE LIQUID. VAPORS MAY CAUSE FLASH FIRE. HARMFUL IF INHALED. CAUSES EYE IRRITATION. ASPIRATION MAY CAUSE LUNG DAMAGE. MAY CAUSE DIZZINESS AND DROWSINESS.

Cumberland Products Inc.
50 Commerce Parkway

Dupli-Color[®]

PAINT THINNER

100% Mineral Spirits For Oil Based Paints

- Thins oil-based paints, varnishes, stains, enamels, and oil-based polyurethanes
- Cleans dirt and grease from surfaces prior to painting, staining or finishing

CM-532

DANGER: HARMFUL OR TOXICAL IF SWALLOWED. CONTAINS BENZENE. KEEP FROM CHILDREN. ALSO SEE PRODUCT INFORMATION SHEET FOR PRECAUTIONS.

PELIGRO: POCIVOLO O TÓXICO SI SE INGHIOTTE. CONTIENE BENZENE. TENERE LONTANO DAI BAMBINI. VEDI LE PRECAUZIONI SUL PRODOTTO PER INFORMAZIONI.

Dupli-Color[®]

DUPLI-COLOR PAINT THINNER

100% MINERAL SPIRITS. THINS OIL-BASED PAINTS, VARNISHES, STAINS, ENAMELS, AND OIL-BASED POLYURETHANES. CLEANS DIRT AND GREASE FROM SURFACES PRIOR TO PAINTING, STAINING OR FINISHING.

USE INSTRUCTIONS:

- For cleaning: wet surface with product. Rub with brush or cloth. Wipe off with clean cloth. Repeat as needed.
- For thinning: add product to paint. Stir thoroughly. Use as directed.

SAFETY PRECAUTIONS:

- **Warning:** This product should not be used on a surface that has been painted with lead-based paint. This product contains benzene, which is a known carcinogen. Do not breathe vapors. Do not get in eyes. Do not swallow. Do not use near open flame.



Destilados de petróleo de Klean-Strip® es un solvente concentrado que limpia y desengrasa de manera efectiva pinturas, cepillos, herramientas y equipos inmediatamente después de su uso.

INSTRUCCIONES PARA EL USO:

Para recubrimientos nuevos con base de aceite, agite la botella o ruede en los bidones de petróleo hasta que se observe todo el líquido visible. Después enjuague usando Destilados de petróleo frescos. Elimine el exceso de solvente y vuelva a secar. Para desengrasar, coloque a un galón limpio y deseche exhaustivamente. No está previsto usarse como diluyente en California.

Para limpiar y desengrasar superficies grandes antes de pintar: 1. Verter una pequeña cantidad de producto en una prueba seca para probar el rendimiento compatible. 2. Muy temprano en el contenedor para que llegue a ser saturado; tiempo de agitación en el contenedor para quitar exceso de producto. 3. El uso más tiempo para limpiar superficie. 4. Repita pasos 2 y 3 hasta que superficie sea limpia. 5. La superficie de la herramienta y ropa para pintar. 6. Coloque los trapos sucios y el solvente en un recipiente hermético y deseche adecuadamente.



Mineral Spirits

Use in place of Paint Thinner for cleaning and degreasing
Cleans up after an oil-based paint project

Destilados de Petróleo

Se usa en vez de disolvente para tareas de limpieza y desengrase
Limpia restos de pintura al óleo

!PELIGRO! NOCIVO O LETAL SI SE INGERE. IRRITANTE.
!PELIGRO! NOCIVO O LETAL SI SE INGERE. IRRITANTE DE LOS OJOS.
Read other cautions on back panel. Lea las demás precauciones al dorso.

ONE GALLON (3.785 L)

EL USO Y LA MANIPULACIÓN RESPONSABLES DE LOS PRODUCTOS QUÍMICOS PUEDEN EVITAR DAÑOS A USTED Y AL MEDIO AMBIENTE.

ALMACENAMIENTO: No use ni almacene este producto cerca de fuentes de calor, flamas abiertas, zonas de fogones, llamas piloto, estufas, etc. Manténgalo en un lugar fresco y seco. Evite almacenar el recipiente en posición vertical después de cada uso. No vuelva a usar el recipiente.

DESECHO APROPIADO: Después de acuerdo con todos los requisitos federales, estatales y locales.

IMPORTANTE: Lea todas las precauciones e instrucciones antes del uso. Solo use este producto como lo indica la etiqueta. Lea reglas adicionales para sus ojos y evite el contacto prolongado con la piel.

PELIGRO! NOCIVO O FATAL SI SE INGERE. IRRITANTE DE LOS OJOS. Contiene destilado de petróleo e hidrocarburos aromáticos. Manténgalo alejado del calor, chispas, flamas abiertas y otros fuentes de ignición. **USE SOLO CON VENTILACIÓN ADECUADA PARA EVITAR LA CONCENTRACIÓN DE VAPORES.** Una mezcla con el polvo no proporciona protección contra incendios. No para ser rociado. Evite el contacto con los ojos o el contacto prolongado con la piel. **PRIMEROS AUXILIOS - EN CASO DE INGESTIÓN,** no induzca el vomito. Lleve inmediatamente al Centro local de control de venenos a la sala de emergencias de su localidad o a su médico. **EN CASO DE CONTACTO CON LOS OJOS,** lave los inmediatamente con agua y evite cualquier fuente de contacto; continúe enjuagando durante por lo menos 15 minutos, después obtenga atención médica de inmediato. **EN CASO DE CONTACTO PROLONGADO CON LA PIEL,** lave exhaustivamente con agua y jabón. Obtenga asistencia médica si persiste la irritación.

MANTÉNGASE FUERA DEL ALCAÑE DE LOS NIÑOS

Categoría de producto: desengrasante de uso general
Contenido máx. en COV: 4%

Klean-Strip® Mineral Spirits is a strong solvent that effectively cleans and degreases paint brushes, tools and equipment immediately after use.

DIRECTIONS FOR USE

For fresh oil-based coatings, agitate the can in Mineral Spirits until all visible residue is dissolved. Then rinse using fresh Mineral Spirits. Knock out excess solvent and hang to dry. For degreasing, apply to a clean cloth and wipe thoroughly. Not intended for use as a thinner in California.

For cleaning and degreasing large surfaces before painting: 1. Pour an appropriate amount of product into an empty paint can or other compatible container. 2. Dip rag into container so it becomes saturated; squeeze rag into container to remove excess product. 3. Use wetted rag to wipe down surface. 4. Repeat steps 2 and 3 until surface is clean. 5. Wipe surface dry and prepare to paint. 6. Place dirty rags and solvent in an airtight container and dispose of properly.

RESPONSIBLE USE AND HANDLING OF ALL CHEMICALS CAN PREVENT HARM TO YOU AND THE ENVIRONMENT.

STORAGE: Do not use or store this product near any source of heat or open flame, furnace areas, pilot lights, stoves, etc. Keep it in a cool, dry spot. Keep container closed when not in use. Do not reuse this container.

PROPER DISPOSAL: Dispose of in accordance with federal, state and local regulations.

IMPORTANT: Carefully read all directions, notes and cautions prior to use. Only use this product as directed on the label. Protect eyes with chemical splash goggles and avoid prolonged skin contact.

DANGER! HARMFUL OR FATAL IF SWALLOWED. EYE IRRITANT. Contains Petroleum Distillates and Aromatic Hydrocarbon. Keep away from heat, sparks, open flames, and other ignition sources. **USE ONLY WITH ADEQUATE VENTILATION TO PREVENT BUILDUP OF VAPORES.** A dust mask does not provide protection against vapors. Do not take internally. Avoid contact with eyes and prolonged contact with skin.

FIRST AID - IF SWALLOWED, do not induce vomiting. Immediately call poison control center, hospital, emergency room or physician. **IN CASE OF EYE CONTACT,** immediately flush with water; remove any contact lens; continue flushing with water for at least 15 minutes, then get immediate medical attention. **IN CASE OF PROLONGED SKIN CONTACT,** wash thoroughly with soap and water. If irritation persists, get medical attention.

KEEP OUT OF REACH OF CHILDREN

Product Category - General Purpose Degreaser

Max VOC Content: 4%



Product # GPTFRAC02Z
©2011 WAE Barr & Co. Inc.
Memphis, TN 38113
All rights reserved.

Label design is a trademark of WAE Barr & Co.

35979





Paint Thinner

made with Mineral Spirits

Thins oil-based paint, stain and varnish

Diluyente de Pintura

fabricado con Destilados de Petróleo

Diluye pinturas a base de aceite y barniz

DANGER! HARMFUL OR FATAL IF SWALLOWED. COMBUSTIBLE.
Read other cautions on back panel.

¡PELIGRO! NOCIVO O LETAL SI SE INGERE. INCIENDE COMBUSTIBLE.
Lea las demás precauciones al dorso.

ONE GALLON (3.785 L)

El Diluyente de Pintura Klean-Strip® diluye efectivamente pinturas a base de aceite y barniz. El diluyente de pintura es un impregnador para techos y edificios inmediatamente después de usarlos.

Instrucciones para el uso:
Siga las instrucciones del fabricante de la pintura para la cantidad de diluyente requerido. No use más de la cantidad recomendada. Agregue gradualmente y revuelva minuciosamente hasta obtener la consistencia deseada. No lo use como un diluyente para pintura látex u otros recubrimientos de agua, loca ni para el uso en SCAQMD. Para recubrimientos incidentes a base de aceite, agite la botella o el cubo en el diluyente de pintura hasta disolver todo residuo visible. Luego enjuague con diluyente de pintura fresco. Presione para eliminar el exceso y colóque en forma plana para secar.

EL USO Y LA MANIPULACIÓN RESPONSABLES DE LOS PRODUCTOS QUÍMICOS PUEDEN EVITAR DAÑOS A USTED Y AL MEDIO AMBIENTE.

ALMACENAMIENTO: No use ni almacene este producto cerca de fuentes de calor, llamas abiertas, zonas de humos, llamas piloto, estufas, etc. Manténgalo en un lugar fresco y seco. Cierre y almacene el recipiente en posición vertical después de cada uso. No vuelva a usar el recipiente.

DE SECHO APROPIADO: Deshecho de acuerdo con todos los reglamentos federales, estatales y locales.

IMPORTANTE: Lea todas las precauciones e instrucciones del uso. Solo use este producto como lo indica la etiqueta. No utilice este en combustible. No lo use para ningún otro propósito. No lo mezcle con ningún otro producto. No utilice este producto en áreas grandes porque los vapores de incendio y riesgos para la salud aumentarán inmediatamente. Use guantes protectores para sus ojos y evite el contacto prolongado con la piel.

Klean-Strip® Paint Thinner effectively thins oil-based paint, stain and varnish. It can also be used to clean brushes and equipment immediately after use.

Directions for Use:
Follow the paint product manufacturer's instructions for the proper amount of paint thinner required; do not use more than recommended. Add gradually and stir thoroughly until desired consistency is obtained. Do not use as a thinner for latex paint or other water based coatings, lacquer or shellac. Not intended for sale or use in SCAQMD. For fresh oil-based coatings, agitate brush or roller in Paint Thinner until all visible residue is dissolved. Then rinse using fresh Paint Thinner. Press out excess and lay flat to dry.

RESPONSIBLE USE AND HANDLING OF ALL CHEMICALS CAN PREVENT HARM TO YOU AND THE ENVIRONMENT.

STORAGE: Do not use or store this product near any source of heat or open flame, furnace areas, pilot lights, stoves, etc. Keep it in a cool, dry spot. Keep container closed when not in use. Do not reuse this container.

PROPER DISPOSAL: Dispose of in accordance with federal, state and local regulations. **IMPORTANT:** Carefully read all directions, notes and cautions prior to use. Only use this product as directed on the label. Do not use as a dust. Do not use for any other purpose. Do not mix with any other product. Do not spread this product over large surface areas because fire and health safety risks will increase dramatically. Protect eyes with chemical splash goggles and avoid prolonged skin contact.

DANGER! HARMFUL OR FATAL IF SWALLOWED. COMBUSTIBLE. Contains Petroleum Distillates. Keep away from heat, sparks, open flames and other ignition sources. **USE ONLY WITH ADEQUATE VENTILATION TO PREVENT BUILDUP OF VAPORS.** Do not use in areas where vapors can accumulate and concentrate such as basements, garages or small enclosed areas. Whenever possible, use outdoors in an open air area. If using indoors open all windows and doors and maintain a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea or eye-watering - STOP - ventilation is inadequate. Leave area immediately. **IF THE WORK AREA IS NOT WELL VENTILATED, DO NOT USE THIS PRODUCT.** A dust mask does not provide protection against vapors. Do not take internally. Avoid contact with eyes and prolonged contact with skin.

FIRST AID - IF SWALLOWED: Do not induce vomiting. Call Poison Control Center, hospital emergency room or physician immediately. **IN CASE OF EYE CONTACT:** Immediately flush with water, remove any contact lens, continue flushing with water for at least 15 minutes, then get medical attention. **IN CASE OF PROLONGED SKIN CONTACT:** Wash thoroughly with soap and water. If irritation persists, get medical attention.

KEEP OUT OF REACH OF CHILDREN

Product Category - Paint Thinner
Max VOC Content - 30%

 Product of **AMERICA**
©2011 VAM, Bar A Co., Inc.
Memphis, TN 38113
All rights reserved.
No liability is made by trademark owner Bar A Co.

15956



Paint Thinner

made with Mineral Spirits

Diluyente de Pintura

Excellente pour diluer les peintures à base d'huile, les vernis et les résines.

Excellente para diluir con bases de aceite, barnices y barniz.

El Diluyente de Pintura Klean-Strip® diluye efectivamente pinturas a base de aceite y barniz. Diseñado para la dilución de recubrimientos utilizados para el mantenimiento industrial.

Instrucciones para el uso: Lea las instrucciones del fabricante de la pintura para la cantidad de diluyente requerida; no use más de la cantidad recomendada. Agregue gradualmente y revuelva minuciosamente hasta obtener la consistencia deseada. No lo use como un diluyente para pintura látex u otros recubrimientos al agua, lacas ni gomas lacas.

EL USO Y LA MANIPULACIÓN RESPONSABLES DE LOS PRODUCTOS QUÍMICOS PUERDEN EVITAR DAÑOS A USTED Y AL MEDIO AMBIENTE.

ALMACENAMIENTO: No use ni almacene este producto cerca de fuentes de calor, llamas abiertas, zonas de humos, llamas, plomo, estufas, etc. Manténgalo en un lugar fresco y seco. Oerre y amorse el recipiente en posición vertical después de cada uso. No vuelva a usar el recipiente.

DESECHO APROPIADO: Deséchelo de acuerdo con todos los reglamentos federales estatales y locales.

IMPORTANTE: Lea todas las precauciones e instrucciones antes del uso. Soluse este producto como lo indica la etiqueta. No utilice este en comestible. No lo use para ningún otro propósito. No lo mezcle con ningún otro producto. No utilice este producto en áreas grandes porque los peligros de incendio y riesgos para la salud aumentarán dramáticamente. Use guantes protectores para sus ojos y evite el contacto prolongado con la piel.

DANGER! HARMFUL OR FATAL IF SWALLOWED, EYE IRRITANT, COMBUSTIBLE. Lea las demás precauciones al dorso.

PELIGRO! NOCIVO O FATAL SI SE INGERE, IRRITANTE DE LOS OJOS, COMBUSTIBLE.

ONE GALLON (3.785 L)

PELIGRO! NOCIVO O FATAL SI SE INGERE, IRRITANTE DE LOS OJOS, COMBUSTIBLE. Contiene destilados de petróleo. Manténgalo alejado del calor, chispas, llamas abiertas y otras fuentes de ignición. **USE SOLO CON VENTILACIÓN ADECUADA PARA EVITAR LA CONCENTRACIÓN DE VAPORES.** No use en áreas donde se puedan acumular y concentrar los vapores tales como sótanos, baños o áreas pequeñas encerradas. Siempre que sea posible, use al aire libre en un área bien ventilada. Si va a usar el producto adentro, abra todas las ventanas y puertas y mantenga una ventilación cruzada que mueva el aire fresco a través del área de trabajo. Si nota un olor fuerte o se siente un poco mareado, con dolor de cabeza, náusea o lagrimation - PAPE - la ventilación es inadecuada. Salga del área inmediatamente. **SI EL ÁREA DE TRABAJO NO ESTÁ BIEN VENTILADO, NO USE ESTE PRODUCTO.** Una máscara contra el polvo no proporciona protección contra vapores. No para ser ingerido. Evite el contacto con los ojos o el contacto prolongado con la piel.

PRIMEROS AUXILIOS - EN CASO DE INGESTIÓN, no induzca al vómito. Llame inmediatamente al Centro local de control de venenos, a la sala de emergencia de su hospital o a su médico. **EN CASO DE CONTACTO CON LOS OJOS,** lávelos inmediatamente con agua y retire cualquier lente de contacto; continúe enjuagando durante por lo menos 15 minutos y luego abraja atención médica. **EN CASO DE CONTACTO PROLONGADO CON LA PIEL,** lave cuidadosamente con agua y jabón. Obtenga asistencia médica si persiste la irritación.

MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS

Klean-Strip® Paint Thinner effectively thins oil-based paint, stain and varnish. Designed for the thinning of Industrial Maintenance Coatings.

Directions for Use: Follow the paint product manufacturer's instructions for the proper amount of paint thinner required; do not use more than recommended. Add gradually and stir thoroughly until desired consistency is obtained. Do not use as a thinner for latex paint or other water based coatings, lacquer or shellac.

RESPONSIBLE USE AND HANDLING OF ALL CHEMICALS CAN PREVENT HARM TO YOU AND THE ENVIRONMENT.

STORAGE: Do not use or store this product near any source of heat or open flame, furnace areas, pilot lights, stoves, etc. Keep in a cool, dry spot. Keep container closed when not in use. Do not reuse this container.

PROPER DISPOSAL: Dispose of in accordance with federal, state and local regulations.

IMPORTANT: Carefully read all directions, notes and cautions prior to use. Only use this product as directed on the label. Do not use as a fuel. Do not use for any other purpose. Do not mix with any other product. Do not spread this product over large surface areas because fire and health safety risks will increase dramatically. Protect eyes with chemical splash goggles and avoid prolonged skin contact.

DANGER! HARMFUL OR FATAL IF SWALLOWED, EYE IRRITANT, COMBUSTIBLE. Contains Petroleum Distillates. Keep away from heat, sparks, open flames, and other ignition sources. **USE ONLY WITH ADEQUATE VENTILATION TO PREVENT BUILDUP OF VAPORES.** Do not use in areas where vapors can accumulate and concentrate such as basements, bathrooms or small enclosed areas. Whenever possible, use outdoors in an open air area. If using indoors open all windows and doors and maintain a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea or eye-watering - STOP - ventilation is inadequate. Leave area immediately if the work areas NOT WELL VENTILATED. DO NOT USE THIS PRODUCT. A dust mask does not provide protection against vapors. Do not take a break. Avoid contact with eyes and prolonged contact with skin.

FIRST AID - IF SWALLOWED, do not induce vomiting. Immediately call poison control center, hospital emergency room or physician. **IN CASE OF EYE CONTACT,** immediately flush with water; remove any contact lens; continue flushing with water for at least 15 minutes, then get medical attention. **IN CASE OF PROLONGED SKIN CONTACT,** wash thoroughly with soap and water. If irritation persists, get medical attention.

KEEP OUT OF REACH OF CHILDREN

DANGER! HARMFUL OR FATAL IF SWALLOWED, EYE IRRITANT, COMBUSTIBLE. Lea las demás precauciones al dorso.

PELIGRO! NOCIVO O FATAL SI SE INGERE, IRRITANTE DE LOS OJOS, COMBUSTIBLE.

ONE GALLON (3.785 L)

Product Category - Industrial Maintenance Coating Thinner

For assistance call the toll free number 1-800-338-3392 Monday through Friday 9am to 4:30pm Central Time

Product & Company Information:
Klean-Strip® Paint Thinner
Product # KSP-14002
© 2005 Klean-Strip® Products, Inc.
Memphis, TN 38113
www.kleanstrip.com
All rights reserved.

Label design is a trademark of Klean-Strip® Co.

C0733





Alcohol Desnaturalizado

Limpia vidrio: Combustible de baja polución para hornos marinos.

[illegible]

PRIMEROS AUXILIOS - EN CASO DE INGESTIÓN. Llame inmediatamente al un centro de envenenamiento o a un médico para solicitar instrucciones sobre indicación al veneno. **EN CASO DE CONTACTO CON LOS OJOS,** aplique de inmediato con agua, quitale los lentes de contacto y continúe con agua, quítelos después al menos 15 minutos, después obtenga atención médica de inmediato. **EN CASO DE CONTACTO CON LA PIEL,** lávese de inmediato con agua y jabón. Obteniga asistencia médica si persiste la

MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS

IMPORTANTE: Las todas las precauciones e instrucciones a fines del uso. Solo use este producto como lo indica la etiqueta. No use para ningún otro propósito. No lo use con ningún otro producto. No extienda este producto en áreas grandes porque los peligros de incendio y riesgos para la salud aumentarán drásticamente. No use como limpiador multi-uso. Use guantes protectores para sus ojos y evite el contacto prolongado con la piel.

ALMACENAMIENTO: No use ni almacene este producto cerca de fuentes de calor, flamas abiertas, zonas de humo, llama o pillos, estufas, etc. Manténgalo en un lugar fresco y seco. Cierre el recipiente después de cada uso. No vuelva usar el recipiente.

DISCERNIO: Descarta de acuerdo con todos los reglamentos federales, estatales y locales.

IMPORTANT: Carefully read all directions, notes and cautions prior to use. Only use this product as directed on the label. Do not use for any other purpose. Do not spread this product over large surface areas because fire and health safety risks will increase dramatically. Do not use as a general purpose disinfectant. Do not use with chemical release nozzles and avoid extended application to surfaces.

RESPONSIBLE USE AND HANDLING OF ALL CHEMICALS CAN PREVENT HARM TO YOU AND THE ENVIRONMENT.

DANGER! IMMEDIATELY KEEP AWAY FROM HEAT, SPARKS, FLAME AND ALL OTHER SOURCES OF IGNITION. VAPORS MAY CAUSE FLASH-FIRE OR EXPLOSION. Extinction of flames by smothering is not recommended. Do not use water. **DO NOT USE THIS PRODUCT IN ANY OF THE FOLLOWING SITUATIONS:** **1. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE LIQUIDS, GASES, OR VAPORS.** **2. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE SOLIDS.** **3. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE DUSTS.** **4. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE FIBERS.** **5. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OILS.** **6. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE GREASES.** **7. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE WAXES.** **8. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE RESINS.** **9. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE POLYMERS.** **10. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE COMPOUNDS.** **11. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MIXTURES.** **12. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE SOLUTIONS.** **13. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE EMULSIONS.** **14. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE DISPERSIONS.** **15. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE SUSPENSIONS.** **16. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE COLLOIDS.** **17. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE GELS.** **18. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE FOAMS.** **19. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE AEROSOLS.** **20. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE PARTICLES.** **21. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE DROPLETS.** **22. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE FIBRILS.** **23. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE AGGREGATES.** **24. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE CLUSTERS.** **25. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE NETWORKS.** **26. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE PHASES.** **27. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE DOMAINS.** **28. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE REGIONS.** **29. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ZONES.** **30. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE AREAS.** **31. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE VOLUMES.** **32. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MASS.** **33. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATTER.** **34. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE SUBSTANCE.** **35. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATERIAL.** **36. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **37. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE BODY.** **38. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE PART.** **39. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE COMPONENT.** **40. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ELEMENT.** **41. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE UNIT.** **42. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MEMBER.** **43. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ITEM.** **44. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ARTICLE.** **45. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **46. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE THING.** **47. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATTER.** **48. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE SUBSTANCE.** **49. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATERIAL.** **50. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **51. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE BODY.** **52. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE PART.** **53. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE COMPONENT.** **54. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ELEMENT.** **55. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE UNIT.** **56. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MEMBER.** **57. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ITEM.** **58. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ARTICLE.** **59. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **60. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE THING.** **61. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATTER.** **62. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE SUBSTANCE.** **63. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATERIAL.** **64. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **65. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE BODY.** **66. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE PART.** **67. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE COMPONENT.** **68. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ELEMENT.** **69. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE UNIT.** **70. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MEMBER.** **71. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ITEM.** **72. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ARTICLE.** **73. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **74. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE THING.** **75. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATTER.** **76. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE SUBSTANCE.** **77. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATERIAL.** **78. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **79. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE BODY.** **80. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE PART.** **81. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE COMPONENT.** **82. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ELEMENT.** **83. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE UNIT.** **84. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MEMBER.** **85. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ITEM.** **86. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ARTICLE.** **87. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **88. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE THING.** **89. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATTER.** **90. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE SUBSTANCE.** **91. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATERIAL.** **92. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **93. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE BODY.** **94. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE PART.** **95. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE COMPONENT.** **96. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ELEMENT.** **97. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE UNIT.** **98. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MEMBER.** **99. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ITEM.** **100. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ARTICLE.** **101. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **102. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE THING.** **103. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATTER.** **104. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE SUBSTANCE.** **105. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATERIAL.** **106. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **107. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE BODY.** **108. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE PART.** **109. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE COMPONENT.** **110. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ELEMENT.** **111. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE UNIT.** **112. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MEMBER.** **113. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ITEM.** **114. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ARTICLE.** **115. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **116. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE THING.** **117. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATTER.** **118. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE SUBSTANCE.** **119. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATERIAL.** **120. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **121. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE BODY.** **122. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE PART.** **123. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE COMPONENT.** **124. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ELEMENT.** **125. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE UNIT.** **126. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MEMBER.** **127. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ITEM.** **128. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ARTICLE.** **129. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **130. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE THING.** **131. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATTER.** **132. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE SUBSTANCE.** **133. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATERIAL.** **134. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **135. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE BODY.** **136. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE PART.** **137. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE COMPONENT.** **138. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ELEMENT.** **139. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE UNIT.** **140. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MEMBER.** **141. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ITEM.** **142. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ARTICLE.** **143. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **144. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE THING.** **145. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATTER.** **146. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE SUBSTANCE.** **147. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MATERIAL.** **148. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE OBJECT.** **149. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE BODY.** **150. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE PART.** **151. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE COMPONENT.** **152. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ELEMENT.** **153. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE UNIT.** **154. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE MEMBER.** **155. IN THE PRESENCE OF FLAMMABLE OR COMBUSTIBLE ITEM**


First Aid: If **SWALLOWED**, immediately call your poison control center, hospital emergency department or clinic and contact with you, eye and cooling. Do not use charcoal. If **CONTACT** with eyes, immediately call your poison control center, hospital emergency department or clinic for instructions on reducing vomiting. In **CASE OF EYE CONTACT**, immediately flush with water, remove any contact lens, continue flushing with water for at least 15 minutes. If **CONTACT** with skin, immediately wash with soap and water. If irritation persists, get medical attention.

KEEP OUT OF REACH OF CHILDREN



Product # G5L26
©2009 W.M. Barr & Co., Inc.
Memphis, TN 38113
www.kleanstrip.com
All rights reserved.





and the fact that the company's management is not averse to the use of the word "revenue" in its financial statements. The company's management is not averse to the use of the word "revenue" in its financial statements.

Il più recente sviluppo
arrivato da noi è un
cappellino con un
piccolo "sorriso" che
si apre e si chiude
come un ombrello.

[illegible]

1. 1990年12月，中国第一家民营银行——温州城市合作银行成立。

[illegible]

১৫৭৩৩


 sunnyside
 acetone
 Acetona



Powerful, fast drying thinner for boat, auto body and epoxy resins.

offshore water projects

D41057-1 EXTREME PLUMBING, INC. 3000 W. 10TH AVE. SUITE 200, DENVER, CO 80202-1005, PHONE: 303.733.0000 FAX: 303.733.0001

TYPE: GPO 3000 W. 10TH AVE. SUITE 200, DENVER, CO 80202-1005, PHONE: 303.733.0000 FAX: 303.733.0001

382 FL. OZ. (1QT.) ■ 9463 LITER

[illegible]

THE UNIVERSITY OF CHICAGO PRESS

RECEIVED
JAN 3 1968
U.S. DEPT. OF JUSTICE

SEEK OUT OF HELL
BY JOHN C. H. H. H.

Второй этап — это формирование системы показателей, характеризующих состояние и динамику развития системы. В настоящее время в литературе по данному вопросу нет единого мнения. В большинстве случаев авторы используют следующие показатели: количество объектов, находящихся в системе; количество объектов, находящихся в состоянии равновесия; количество объектов, находящихся в состоянии неустойчивости; количество объектов, находящихся в состоянии кризиса; количество объектов, находящихся в состоянии катастрофы. Однако, как мы уже отметили, эти показатели не являются исчерпывающими. Поэтому в нашей работе мы предлагаем использовать следующие показатели: количество объектов, находящихся в системе; количество объектов, находящихся в состоянии равновесия; количество объектов, находящихся в состоянии неустойчивости; количество объектов, находящихся в состоянии кризиса; количество объектов, находящихся в состоянии катастрофы; количество объектов, находящихся в состоянии деградации; количество объектов, находящихся в состоянии разрушения; количество объектов, находящихся в состоянии гибели.

[illegible][illegible]

എന്നതുകൊണ്ട് ഇതിനെ സംബന്ധിച്ച് കൂടുതൽ പഠനം ആവശ്യമാണ്.

[illegible]

100% Satisfaction
 24/7 Support



sunnyside

odorless mineral spirits

solventes minerales sin olor

California compliant
Cleans and degreases

Quality
products
since
1893

112 FLUID OUNCES (3.312 LITERS)