

Attachment A-2.1

Final Regulation Order

Periodic Smoke Inspections of Heavy-Duty Diesel Powered Vehicles

[Note: This version of the Final Regulation Order complies with California Code of Regulations, title 1, section 8, subdivision (b). The amendments are shown in underline to indicate additions and strikethrough to indicate deletions from the existing regulatory text. For ease of readability, CARB has also provided a version of the amendments that can toggle between amendments in strikeout/underline and a "clean" version with amendments incorporated into the regulatory text, which can be found in the Word document titled, "Attachment A-2.2, Final Regulation Order, Alternate/Accessible Format"

Chapter 3.6. Periodic Smoke Inspections of Heavy-Duty Diesel Powered Vehicles

Section 2193. Smoke Opacity Standards, Inspection Intervals, and Test Procedures (Proposed Amendments)

Final Regulation Order

Title 13, California Code of Regulations

Amend section 2193, title 13, California Code of Regulations, to read as follows:

(Note: The amendments to existing regulatory language are shown in ~~strikethrough~~ to indicate deletions and underline to indicate additions. Various portions of the regulation that are not modified by the proposed amendments are omitted from the text shown and indicated by " * * * * * ".)

2193. Smoke Opacity Standards, Inspection Intervals, and Test Procedures.

- (a) Standards. For any vehicle subject to the requirements of this chapter, the maximum smoke opacity standard when tested in accordance with the test procedures specified in section 2193(d) is: as specified in section 2196.6.

* * * * *

Note: Authority cited: Sections 39600, 39601, 43000.5, 43013 and 43701(a), Health and Safety Code. Reference: Sections 39002, 39003, 39033, 43000, 43013, 43018, 43701(a), and 44011.6, Health and Safety Code.