

Executive Order: A-431-0005-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: The following vehicles produced by the manufacturer are certified as plug-in hybrid electric vehicles pursuant to Title 13, California Code of Regulations (13 CCR) Sections 1961 or 1961.2, 1962.2, 1976, 1978 and the incorporated test procedures. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION													
MODI YEA		EST GROUP		VEHIC	LE CLASS	(ES)		FUEI	L C	ATEGORY	FUEL TYPE		
202	L MK	ALV01.5K12	PC						PLUG-IN HYBRID ELECTRIC VEHICLE			GASOLINE	
	USEFUL	LIFE (miles)		VEF	IICLE EMIS	SSION	CA	TEGORY		INTERIM / INT	ERN	MEDIATE IN-USE STD	
EXI	H/ORVR	EVAP			FTP			SFTP	1	FTP		SFTP	
1	50000	150000		LEV3	SULEV30			7 3 SULEV AND-ALONE		*		PM	
SPECIAL FEATURES & EXHAUST EMISSION CONT SYSTEMS						OL		ОВС) S	TATUS	EN	IGINE DISPLACEMENT (L)	
1	DFI, TWC, WR-HO2S, HO2S, TC, CAC							FULL		*			
*			*				r	PARTIAL		*	1.5		
* *							F	PARTIAL WIT FINES	H	ALL MODELS			
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EV	AP / ORV	R FAMILY	EVAP	ORATIVE	STD CAT	EGOR	GORY EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES			
,	MKALR00	080K12		LEV 3 OPTION2				PC			*		
				j	EMISSION	CREDI	ΤI	NFORMATIO	N				
ALI	GR	E FOR TEST OUP ZEV	A۷	IOG+NOX /E. CRED INDED W		FOR NON-PZEV ZERO-				NMOG CREDIT FOR DOR		OPTIONAL EXH. STD FOR WORK TRUCKS	
	ALL M	MODELS		N				N		N		N	
				NMOG	AND FLE	ET AVE	ER/	AGE INFORM	ΛA.	TION			
NMOG CH4 RAF NMOG/NMHC RATIO HCHO/NMHC PC+LDT (0-37 (g/mi)							(3751 LVW-8500						
*	*	1.10		*		0.125	j		0.125 *				

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-431-0005-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed vehicles have been determined to have six, seven, or eight deficiencies. The vehicles produced before November 20, 2020 have been determined to have seven deficiencies when not equipped with advanced driver-assistance systems (ADAS), and eight deficiencies when equipped with ADAS; these vehicles are approved subject to the manufacturer paying a fine of \$150 per vehicle for the third through seventh deficiencies for vehicles with seven deficiencies, and \$175 per vehicle for the third through eighth deficiencies for vehicles with eight deficiencies, that are produced and delivered for sale in California. The vehicles produced on or after November 20, 2020 have been determined to have six deficiencies when not equipped with ADAS, and seven deficiencies when equipped with ADAS; these vehicles are approved subject to the manufacturer paying a fine of \$125 per vehicle for the third through sixth deficiencies for vehicles with six deficiencies, and \$150 per vehicle for the third through seventh deficiencies for vehicles with seven deficiencies, that are produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2021 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$37,500 per violation per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby supersedes Executive Order A-431-0005 dated November 12, 2020.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed on this 22nd day of December 2020.

Allen Lyons, Chief

Emissions Certification and Compliance Division

Executive Order: A-431-0005-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVITATION EMICCION CTANDADDO	AND CERTIFICATION LEVEL C	/ETD LUMEET FOOT SOOT
EXHAUST EMISSION STANDARDS	AND CERTIFICATION LEVELS	(FIP. HWYFEI. DU F. ZU F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- LEV3 E10 PREM	0.0168	0.030	0.61	1.0	*	*	0.3	4	0.001	0.003
50°F @4K	GASOLINE- LEV3 E10 PREM	0.0376	0.060	0.50	1.0	*	*	0.3	8		

	FUEL TYPE	NMOG+N	Ox (g/mi)	CO (g/mi)		
	FUEL TYPE	CERT	STD	CERT	STD	
HWFET @ 50K	*	*	*			
HWFET @ UL	GASOLINE-LEV3 E10 PREM	0.0065	0.030			
20°F @ 50K	COLD CO E10 PREMIUM GASOLINE (TIER3)			1.18	10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC0	3	COMPOSITE		
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT	*	*		*	*			
		STD	*	*		*	*			
		CERT	0.007	0.5	5.1	0.016	1.2	*	*	*
@ UL	GASOLINE- TIER3 E10 PREM	STD	0.050	9.6	6	0.020	3.2	*	*	*
		BIN						*		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

				WHOLE \						
EVAPORATIVE FAMILY		FUEL TYPE	3DH	S (g/test) @) UL	2DI	HS (g/test) (RL (g/mi) @ UL		
			CERT	STD	FEL	CERT	STD	FEL	CERT	STD
	MKALR0080K12	GASOLINE- LEV3 E10 PREM	0.2176	0.300	*	*	0.300	*	0.00	0.05



Executive Order: A-431-0005-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 4

ORVR / FU	ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS											
				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/	FUEL TYPE			IG TEST) @ UL		RIG TEST t) @ UL	BLEED CANISTER TEST (g/test) @ 4K				
	FUEL TYPE	CERT	STD			CERT	STD	CERT	STD	CERT	STD	
MKALR0080K12	GASOLINE- IKALR0080K12 LEV3 E10 0.037 PREM		0.20	*		*	*	*	*	*	*	
	EFFECTIVE	LEAK D	IAMET	ER STAN	NDARI	O AND CE	RTIFICA	TION LEV	/EL (INC	IES)		
EVAPORATIVE	EVAPORATIVE FAMILY LEAK FAMIL			_Y CERT					STD			
MKALR0080K12 MKALR0080K12-			-001		+			0.02				

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW: LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW: LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW: MDV: medium-duty vehicle: MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia: NH3OC: ammonia oxidation catalyst: CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor: WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor: NOXS: NOx sensor: PMS: PM sensor: RDQS: reductant quality sensor: NH3S; ammonia sensor: EGR: exhaust gas recirculation: HP/LP EGR: High/Low Pressure EGR: EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi automatic transmission; CV: continuously variable transmission; SCV; selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits. S = credits for some/select models

2021 MODEL YEAR: VEHICLE MODELS INFORMATION

MODEL NUMBER	MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE Family	EXH ECS	OBD
1	KARMA	GS-6 (21 INCH WHEEL)	PC	1.5	NA1	MKALR0080K12	1	\$
2	KARMA	GS-6 (22 INCH WHEEL)	PC	1.5	NA1	MKALR0080K12	1	\$
3	KARMA	REVERO GT (21 INCH WHEEL)	PC	1.5	NA1	MKALR0080K12	1	\$
4	KARMA	REVERO GT (22 INCH WHEEL)	PC	1.5	NA1	MKALR0080K12	1	\$

ELECTRIC RANGE AND ZEV ALLOWANCE INFORMATION

MODEL	PHEV TYPE	UDDS AER	UDDS EAER	US06 AER	HIGHW	ZEV		
NUMBER	PHEVITPE	(MILES)	(MILES)	(MILES)	AER	EAER	ALLOWANCE	
3	TZEV	92.7	89.7	*	86.6	82.1	1.10	
4	TZEV	79.1	79.7	*	74.8	74.5	1.10	
1	TZEV	92.7	89.7	*	86.6	82.1	1.10	
2	TZEV	79.1	79.7	*	74.8	74.5	1.10	