

**California Air Resources Board**

**Agricultural Lands Conservation Easement  
Quantification Methodology**



**August 28, 2020**

## TABLE OF CONTENTS

Section A. Introduction .....	1
Methodology Development.....	2
Tools.....	3
Updates .....	4
Section B. Methods .....	5
Agricultural Lands Conservation Project Types.....	5
General Approach .....	5
Number of Development Rights Affected by Easement.....	7
Urban or Rural Designation for the Project Site .....	12
Project Site Soil Type .....	13
Project Net GHG Benefit and Selected Co-Benefits.....	18
A. Emission Reductions from Agricultural Lands Easement .....	19
B. Emission Reductions from VMT Reduction.....	20
C. Emission Reductions from Electricity Reduction.....	22
D. Emission Reductions from Natural Gas Use.....	23
E. Avoided Soil Organic Carbon Emissions .....	24
F. Emissions Co-Benefits.....	25
References .....	26
Appendix A. Example Development Rights Calculation .....	29
Appendix B. VMT Estimates for Rural and Urban Regions .....	33
Appendix C. Rural and Urban Household Utility Consumption.....	38

## TABLE OF FIGURES

Figure 1. Dwelling Unit Calculation Determination for Project Section area.....	9
Figure 2. Dwelling Unit Calculation Determination for Project Section area.....	11
Figure 3. Finding Project Site Location on SoilWeb .....	15
Figure 4. SoilWeb Map Unit Composition .....	16
Figure 5. Soil Order Input for Benefit Calculator Tool.....	17
Figure 6. Fictitious Agricultural Easement Example. (Not to scale).....	29
Figure 7. California Regions for CSTDM TAZ VMT Analysis .....	34
Figure 8. Average Household Electrical Consumption by County.....	39
Figure 9. Linear Regression of Average Household Electrical Consumption .....	39
Figure 10. Average Household Natural Gas Consumption by County .....	40

## TABLE OF TABLES

Table 1. General Approach to GHG Quantification by Project Component .....	6
Table 2. Required Agricultural Lands Conservation Easement Inputs .....	6
Table 3. USDA Soil Orders in each IPCC Soil Type .....	14
Table 4. Urban and Rural Traffic Analysis Zones by Region.....	35
Table 5. Annual Vehicle Miles Traveled by Rural and Urban Households .....	35

## TABLE OF EQUATIONS

Equation 1: Total GHG Benefit from Agricultural Land Easement .....	19
Equation 2: GHG Benefit from VMT Reduction due to Agricultural Lands Easement..	20
Equation 3: Baseline VMT for Development on Agricultural Land .....	21
Equation 4: Project VMT due to Agricultural Land Easement .....	21
Equation 5: GHG Benefit from Reduced Future Electrical Use .....	22
Equation 6: GHG Benefit from Natural Gas Use.....	23
Equation 7: Avoided Carbon Loss of Farmland due to Conversion to Housing .....	24
Equation 8: NO <sub>x</sub> , ROG, PM <sub>2.5</sub> and Diesel PM Co-benefit from VMT Reduction .....	25
Equation 9: Predicted Household Electricity Consumption by Rural Percentage .....	40
Equation 10: Predicted Household Natural Gas Consumption by Rural Percentage ...	41

## ACRONYMS

CARB	California Air Resources Board
CARP	Climate Adaptation and Resiliency Program
CCI	California Climate Investments
Diesel PM	Diesel Particulate Matter
DOC	Department of Conservation
DU	Dwelling Unit
EMFAC	Emission Factor Web Database
GGRF	Greenhouse Gas Reduction Fund
GHG	Greenhouse Gas
NO <sub>x</sub>	Nitrogen Oxides
PM <sub>2.5</sub>	Particulate Matter less than 2.5 Microns
QM	Quantification Methodology
ROG	Reactive Organic Gas
SALC	Sustainable Agricultural Lands Conservation Program
SGC	Strategic Growth Council
USGS	United States Geological Survey
VMT	Vehicle Miles Travelled
WCB	Wildlife Conservation Board

## Section A. Introduction

California Climate Investments is a statewide initiative that puts billions of Cap-and-Trade dollars to work facilitating greenhouse gas (GHG) emission reductions; strengthening the economy; improving public health and the environment; and providing benefits to residents of disadvantaged communities, low-income communities, and low-income households, collectively referred to as “priority populations.” Where applicable and to the extent feasible, California Climate Investments must maximize economic, environmental, and public health co-benefits to the State.

The California Air Resources Board (CARB) is responsible for providing guidance on estimating the GHG emission reductions and co-benefits from projects receiving monies from the Greenhouse Gas Reduction Fund (GGRF). This guidance includes quantification methodologies, co-benefit assessment methodologies, and benefits calculator tools. CARB develops these methodologies and tools based on the project components eligible for funding by each administering agency, as reflected in the program expenditure records available at: [www.arb.ca.gov/cci-expenditurerecords](http://www.arb.ca.gov/cci-expenditurerecords).

CARB staff developed this Quantification Methodology (QM) to estimate the avoided GHG emissions and air pollutant emission co-benefits associated with agricultural lands conservation easements. The QM includes equations to estimate benefits of each proposed project component. This methodology uses calculations to estimate avoided emissions from reduced vehicle miles traveled (VMT), reduced utility use, and avoided loss of soil organic carbon. Programs this Quantification Methodology may be used for include, but are not limited to:

- Sustainable Agricultural Lands Conservation Program (SALC), administered by the Strategic Growth Council (SGC) and the Department of Conservation (DOC)
- Climate Adaptation Readiness Program (CARP), administered by the Wildlife Conservation Board (WCB)

The Agricultural Lands Conservation Easement Benefits Calculator Tool (Tool) automates methods described in this document and outlines documentation requirements. Projects will report the total project GHG emission reductions and co-benefits estimated using the Agricultural Lands Conservation Benefits Calculator Tool as well as the total project GHG emission reductions per dollar of GGRF funds requested. The Agricultural Lands Conservation Easement Benefits Calculator Tool is available for download at: <http://www.arb.ca.gov/cci-resources>.

Using many of the same inputs required to estimate GHG emission reductions, the Agricultural Lands Conservation Easement Benefits Calculator Tool estimates the following co-benefits and key variables from projects: PM<sub>2.5</sub> Reduction (in pounds), Diesel PM Reductions (in pounds), NO<sub>x</sub> Reductions (in pounds), ROG Reductions (in pounds), Passenger VMT Reductions (in miles), Fossil Fuel Based Transportation Fuel Use Reductions (gallons), Land Conserved (in acres), Soil Benefit (in acres) and Travel Cost Savings (in dollars). Key variables are project characteristics that contribute to a project’s GHG emission reductions and signal an additional benefit. Additional

co-benefits for which CARB assessment methodologies were not incorporated into the Agricultural Lands Conservation Benefits Calculator Tool may also be applicable to the project. Applicants should consult agency guidelines, solicitation materials, and agreements to ensure they are meeting agency requirements. All CARB co-benefit assessment methodologies are available at: [www.arb.ca.gov/cci-cobenefits](http://www.arb.ca.gov/cci-cobenefits).

This methodology uses calculations to estimate avoided GHG emissions and co-benefits associated with the implementation of a project due to:

- reductions in future vehicle miles traveled (VMT);
- changes in future electrical and heating use; and
- avoidance of agricultural soil carbon loss.

Projects will report the total project GHG benefit estimated using this methodology as well as the total project GHG benefit per dollar of GGRF funds requested.

## Methodology Development

CARB developed this Quantification Methodology consistent with the guiding principles of California Climate Investments, including ensuring transparency and accountability.<sup>1</sup> CARB developed this Quantification Methodology to be used to estimate the outcomes of proposed projects, inform project selection, and track results of funded projects. The implementing principles ensure that the methodology would:

- Apply at the project-level;
- Provide uniform methods to be applied statewide, and be accessible by all applicants;
- Use existing and proven tools and methods;
- Use project-level data, where available and appropriate; and
- Result in GHG emission reduction estimates that are conservative and supported by empirical literature.

CARB reviewed peer-reviewed literature and tools and consulted with experts, as needed, to determine methods appropriate for the project activities. CARB also consulted with agencies responsible for agricultural lands conservation program implementation to determine project-level inputs available. The methods were developed to provide estimates that are as accurate as possible with data readily available at the project level.

CARB released the Draft Agricultural Lands Conservation Easement Quantification Methodology and Draft Agricultural Lands Conservation Easement Benefits Calculator Tool for public comment in August 2020. This Final Agricultural Lands Conservation Easement Quantification Methodology and accompanying Agricultural Lands Conservation Easement Benefits Calculator Tool have been updated to address public comments, where appropriate, and for consistency with updates to programs guidelines.

---

<sup>1</sup> California Air Resources Board. [www.arb.ca.gov/cci-fundingguidelines](http://www.arb.ca.gov/cci-fundingguidelines)

In addition, the University of California, Berkeley, in collaboration with CARB, developed assessment methodologies for a variety of co-benefits such as providing cost savings, lessening the impacts and effects of climate change, and strengthening community engagement. Co-benefit assessment methodologies are posted at: [www.arb.ca.gov/cci-cobenefits](http://www.arb.ca.gov/cci-cobenefits).

## Tools

This Quantification Methodology relies on project-specific outputs from the following tools:

The Topologically Integrated Geographic Encoding and Referencing database (TIGERweb) is used to determine if the agricultural lands conserved are in rural or urban-designated areas. This tool provides a platform to access various data maintained by the Census Bureau, and is referenced in this Quantification Methodology to assist in determining the land use setting for a project. TIGERweb is available at: <https://tigerweb.geo.census.gov/>.

SoilWeb is used to determine the dominant soil order at the project site. SoilWeb was developed by the California Soil Resource Lab at University of California, Davis (UCD) and University of California Agriculture and Natural Resources (UCANR) in collaboration with the US Department of Agriculture Natural Resources Conservation Service (NRCS). SoilWeb explores soil survey areas using an interactive Google map and view detailed information about soils on the project site. SoilWeb runs in any web browser and is compatible with desktop computers, tablets, and smartphones. SoilWeb is available at: <https://casoilresource.lawr.ucdavis.edu/gmap/>.

In addition to the tools above, this Quantification Methodology relies on CARB-developed emission factors. CARB has established a single repository for emission factors used in CARB benefits calculator tools, referred to as the California Climate Investments Quantification Methodology Emission Factor Database (Database), available at: <http://www.arb.ca.gov/cci-resources>. The Database Documentation explains how emission factors used in CARB benefits calculator tools are developed and updated.

Agency staff will apply this Quantification Methodology and use the Agricultural Lands Conservation Benefits Calculator Tool to estimate the net GHG benefit and co-benefits of proposed projects.

## Updates

CARB staff periodically review each quantification methodology to evaluate its effectiveness and update methodologies to make them more robust, user-friendly, and appropriate to the projects being quantified. CARB revised the Revised Quantification Methodology for Agricultural Lands Conservation to this Agricultural Lands Conservation Easement Quantification Methodology<sup>2</sup> to enhance the methodology for calculating extinguished development rights. The changes include:

- Revision of method to determine the number of residential risk development rights extinguished by an agricultural lands conservation easement section subject to risk of conversion to residential zoning, limited to the larger of:
  - The number of existing dwelling units (DU) in communities within two (2) miles of the easement; and
  - A density of 0.5 DU/acre applied to the easement.
- Revision of method to determine the rural residential zoning density to be applied to project sites, based on the size of nearby developments.
- Removal of quantification of project sites with risk of subdivision to current zoning minimums, in alignment with the updated Sustainable Agricultural Lands Conservation Program Grant Guidelines<sup>3</sup>.
- Removal of American Fact Finder, a Census web-based application, used to determine if a project area is assigned an urban or rural designation by the US Census Bureau. American Fact Finder is no longer supported by the US Census Bureau.
- Update of the Auto Vehicle Emission Factors from the 2014 Emission Factor (EMFAC) Web Database to the 2017 EMFAC Web Database.

---

<sup>2</sup> Revised Quantification Methodology Agricultural Lands Conservation. California Air Resources Board, September 6, 2019.

[https://ww3.arb.ca.gov/cc/capandtrade/auctionproceeds/alc\\_qm\\_revised\\_final\\_2019.pdf](https://ww3.arb.ca.gov/cc/capandtrade/auctionproceeds/alc_qm_revised_final_2019.pdf).

<sup>3</sup> California Sustainable Agricultural Lands Conservation Program Grant Guidelines & Applications. Strategic Growth Council, February 2020. <https://www.conservation.ca.gov/dlrp/grant-programs/SALCP/Documents/California%20Sustainable%20Agricultural%20Lands%20Conservation%20Program-%20Grant%20Guidelines%20%26%20Applications.pdf>.

## Section B. Methods

The following section provides details on the methods supporting emission reductions in the Agricultural Lands Conservation Easement Quantification Methodology and Benefits Calculator Tool.

### Agricultural Lands Conservation Easement Project Types

Agricultural Lands Conservation Easement projects protect critical agricultural lands at risk of conversion to residential and rural residential development, avoid GHG emissions from more GHG-intensive land uses, and provide additional co-benefits. There are two Agricultural Lands Conservation Project Types evaluated using this Quantification Methodology:

- Agricultural Conservation Easement at Risk of Conversion to Residential Areas
- Agricultural Conservation Easement at Risk of Conversion to Rural Residential Areas

Easement-type projects directly result in the extinguishment of development rights, thereby avoiding increases in GHG emissions by limiting opportunities for expansive, vehicle-dependent and GHG-intensive forms of development. An easement project's area may be divided into several smaller sections if different project types are applicable to different sections. Planning projects that enable future implementation of easement-type projects, which can create benefits, do not have an associated quantification methodology.

### General Approach

This section describes the methodology used to estimate net GHG benefits and created co-benefits by protecting agricultural lands at risk of conversion. In general, benefits are estimated as the difference between the baseline scenario (conversion of agricultural lands to households) and the project scenario (development of urban lands to the same number of households).

These methods account for reduced future VMT, reduced future electricity and heating demand, and avoided loss of agricultural soil carbon. The net GHG benefit is estimated using the approaches in Table 1.



**Table 1. General Approach to GHG Quantification by Project Component**

GHG emissions avoided from reduced future Vehicle Miles Traveled (VMT)
<i>Net GHG Benefit = (GHG emissions associated with VMT) x (estimated VMT avoided from extinguishment of future housing developments at agricultural project site – estimated VMT created from future housing developments at urban sites)</i>
GHG emissions avoided from reduced future electricity and heating demand
<i>Net GHG Benefit = (GHG emissions associated with electricity use) x (estimated rural household electrical use – estimated urban household electrical use) + (propane heating (rural use) GHG emission factor - natural gas heating (urban use) GHG emission factor) x (estimated urban natural gas use)</i>
GHG emissions avoided from avoided agricultural soil carbon loss
<i>Net GHG Benefit = Soil Carbon Loss Rate due to Land Use Conversion x Soil Carbon Stock of graded areas of project site</i>

Table 2 identifies the required data inputs needed to estimate the net GHG benefit and selected co-benefits for the proposed project.

**Table 2. Required Agricultural Lands Conservation Easement Inputs**

<b>ALL PROJECTS</b>
<p><b>General Information</b></p> <ol style="list-style-type: none"> <li>1. Project Name</li> <li>2. Contact Name, Phone Number and Email</li> <li>3. Project site location</li> <li>4. Project site area</li> <li>5. Characteristics of project site and five miles around project site, including             <ul style="list-style-type: none"> <li>o Geography</li> <li>o Water bodies and Floodways</li> <li>o Current Zoning Designations within 5 miles of the project site</li> <li>o Current Existing Parcels</li> <li>o USGS 10-meter Digital Elevation Model (DEM) layer.<sup>4</sup></li> </ul> </li> <li>6. Total amount of GGRF funds requested from relevant GGRF programs to implement the project, including GGRF funds previously awarded to the project and GGRF funds the project plans to request in the future; and</li> <li>7. Identify California Climate Investments program(s) from which the project has been awarded GGRF funds (include award date), is currently requesting GGRF funds, or plans to request GGRF funds. For a list of GGRF funded programs, go to: <a href="http://ww2.arb.ca.gov/cci-funded-programs">ww2.arb.ca.gov/cci-funded-programs</a>.</li> </ol>

<sup>4</sup> USGS EarthExplorer. <https://earthexplorer.usgs.gov/>

## Number of Development Rights Affected by Easement

To quantify the avoided GHG emissions, determine the number of development rights to be extinguished. This is done by establishing the appropriate project geographic boundary, determining the appropriate zoning density, and then calculating the number of development rights to be extinguished. For this methodology, density is calculated as the ratio of the gross area, including streets, parks, greenbelts, detention basins, fire road access, and non-residential parcels, to the total number of dwelling units in that area.

Agencies will use the maps provided by applicants, in conjunction with any other relevant maps or resources available to agency staff, and Table 2 to establish project geographic boundaries for assessing agricultural lands

Current zoning may not accurately reflect the density level of development projects that could be expected for a given property, particularly if in close proximity to existing urban centers. The SGC/DOC SALC Guidelines defines the appropriate zoning for quantification purposes.<sup>5</sup>

Different sections of the project area may be determined to be at risk under different risk criteria. If different sections of the project area are at risk of conversion to different zoning types, then the number of development rights to be extinguished must be separately determined for each section with a different zoning density. If a portion of the project area is not determined to be at risk of conversion under any of the risk criteria, then no development rights are considered extinguished for these acres, and they are excluded from the GHG reduction calculations.

Areas within the project geographic boundary that contain features that present significant barriers to residential or rural residential development are not considered to be at-risk for the purposes of GHG quantification. Examples of such features include:

- FEMA floodways, rivers, and other waterbodies
- Land already protected for conservation

Acreages within these identified areas are not included in the total acres at risk, unless a land use plan or zoning code specifically states the land is considered developable.

### Dwelling Unit Calculation for Risk of Conversion to Residential Areas

For the sections of the developable land within the project geographic boundary determined to be at risk of conversion to residential zoning, calculate the number of residential dwelling units that could be built on the project site. The project site may be divided into sections and the number of dwelling units for each section may be

---

<sup>5</sup> Agricultural lands determined to be at risk of conversion to residential or rural-residential development using these risk criteria options will calculate the number of development rights extinguished according to the land-use density associated with the demonstrated risk, even if this differs from current zoning. When the risk-based density is higher than the current zoning density, it is referred to as "upzoning."

calculated separately. The number of residential dwelling units will be calculated in this order:


1. If any project section has a zoning proposal or land use plan with the number of dwelling units (DU) stated in the proposal or plan, the stated dwelling units shall be used as the number of residential dwelling units for that section.
2. If any project section has a zoning proposal or land use plan with a housing density range stated in the proposal or plan, the lowest density (DU/acre) in that range shall be multiplied by the developable project section area (acres) to calculate the number of residential dwelling units.
3. If there is no number of dwelling units or housing density stated in a zoning proposal or land use plan, and the total project area at risk of residential conversion is smaller than any community within two miles of the project site, the housing density of a project section will be set to the average housing density of the newest residential zone within two miles of the project section. If the project section has grades exceeding 15%, the housing density for those areas will be the average housing density of the newest residential zone within two miles of the project site, reduced:
  - by 10 percent for areas with grades between 15% and 20%;
  - by 20 percent for areas with grades between 20% and 25%;
  - by 30 percent for areas with grades between 25% and 30%; and
  - to 0.5 DU per acre for areas with grades greater than 30%.

The applicable housing density (DU/acre) of the project section shall be multiplied by the developable project section area (acres) to calculate the number of residential dwelling units.

4. If there is no number of dwelling units or housing density stated in a zoning proposal or land use plan, and the total area of the project site is larger than any community within two miles of the project site, the number of residential dwelling units for a project section shall be set to the lesser of:
  - the number of residential dwelling units as calculated in (3); or
  - the greater of:
    - the number of existing dwelling units in communities within two miles of the project site; or
    - a housing density of 0.5 DU/acre multiplied by developable project section area (acres).
5. In all other cases, a housing density of 0.5 DU/acre shall be multiplied by the developable project section area (acres) to calculate the number of residential dwelling units.

A flowchart describing the calculation order is shown in Figure 1.

**Figure 1. Dwelling Unit Calculation Determination for Project Section area at Risk of Residential Conversion.**



### Density Calculation for Risk of Conversion to Rural Residential Areas

For the sections of the agricultural land within the project geographic boundary determined to be at risk of conversion to rural residential zoning, determine the number of rural residential zoning dwelling units. The project site may be divided into sections and the number of development rights for each section may be calculated separately. The number of rural residential zoning dwelling units will be calculated in this order:


1. If any project section has a zoning proposal or land use plan with the number of dwelling units (DU) stated in the proposal or plan, the stated dwelling units shall be used as the number of rural residential zoning dwelling units for that section.
2. If any project section has a zoning proposal or land use plan with a zoning density range stated in the proposal or plan, the smallest density (DU/acre) in that range shall be multiplied by the developable project section area (acres) to calculate the number of rural residential zoning dwelling units.
3. If there is no number of dwelling units or density stated in a zoning proposal or land use plan, but the project site has grades less than or equal to 30%, and there are at least forty (40) continuous acres of existing dwelling units with an average parcel area less than or equal to 10 acres within five (5) miles of the project area, the housing density of the section of the project under risk of conversion to rural residential areas will be set to the larger of:
  - the average housing density of the newest rural residential community within five miles of the project site.
  - if there is a residential zoned community within five miles, a housing density of 1 DU per 3 acres.

The applicable housing density (DU/acre) of the project section shall be multiplied by the developable project section area (acres) to calculate the number of rural residential zoning dwelling units.

4. In all other cases, a housing density of 0.1 DU/acre shall be multiplied by the developable project section area (acres) to calculate the number of rural residential zoning dwelling units.

A flowchart describing the calculation order is shown in Figure 2.

**Figure 2. Dwelling Unit Calculation Determination for Project Section area at Risk of Rural Residential Conversion.**



### Calculation for Number of Development Rights

The number of development rights to be extinguished is equal to the sum of calculated dwelling units for all the sections of the project site, less any current or reserved houses pre-existing on the project site. Fractions of dwelling units will be rounded down for each calculation.

While some agricultural lands may be at risk of conversion to commercial, industrial, or recreational development, all projects will assume that one development right is equivalent to a single family dwelling unit when using this QM to estimate the avoided VMT and resulting avoided GHG emissions from a proposed project.

Agencies will provide a map identifying at-risk agricultural lands within the project geographic boundaries and the associated number of development rights to be extinguished by the project.

An example estimation of the number of development rights affected by an easement is in Appendix A, "Example Development Rights Calculation."

## Urban or Rural Designation for the Project Site

This QM requires a determination of the land use setting, "Urban" or "Rural." The urban-rural designation code is contained at the block level in Census data. The Census Bureau identifies two types of "Urban" areas:

- Urbanized Areas (UAs) of 50,000 or more people;
- Urban Clusters (UCs) of at least 2,500 and less than 50,000 people.

'Rural' areas encompass all population, housing, and territory not included within an urban area.

Spatial layers in census web-based applications can be reviewed visually and compared to a proposed project location using web-based tools maintained by the US Census Bureau to assist in this determination. Proposed projects may be entirely urban, entirely rural or a combination of both, which can be inferred visually at the block level. If a project spans more than one census block with differing urban-rural designations, applicants should split the project area into rural and urban components for the purposes of calculating avoided VMT.

### Census Tool

TIGERweb, a Census web-based application, may be used in conjunction with this QM to determine if a project area is assigned an urban or rural designation by the US Census Bureau.

TIGERweb is a web-based mapping tool that allows users to visualize TIGER Census data. The application allows feature search by name, query by location, and geographic boundary display.

### Census Urban Areas Definitions

The Census urban areas are composed of urbanized areas and urban clusters. The designation of the urban area boundaries are reviewed and updated every 10 years following the census. The most recent Census data contains the urban-rural designation at the block level, the smallest unit of area in the census. The Census blocks are grouped into block groups, which in turn make up the Census tracts. It is important to note that the urban/rural designation within the data attributes is available only at the block level. As a result, portions of a tract in a rural area may have different designations at the block level.

## Census User Guide

The TIGERweb User Guide is available on the Census website, [https://tigerweb.geo.census.gov/tigerwebmain/TIGERweb\\_User\\_Guide.pdf](https://tigerweb.geo.census.gov/tigerwebmain/TIGERweb_User_Guide.pdf). The guide provides an overview of the step by step procedure for using TIGERweb to view census tract boundaries or obtain the census tract number. Census representatives recommend using Internet Explorer or Firefox, as functionality may not be available in other browsers unless popups from the U.S. Census website are allowed.

## Digital GIS Data files Available from the Census

Census data are available as GIS shapefiles by state or through the web data services for GIS software users. The census layer featuring the urban areas displays the spatial extent of the urban-rural designation. See the guide to TIGER shapefiles at: [http://www2.census.gov/geo/pdfs/education/tiger/Downloading\\_TIGERLine\\_Shp.pdf](http://www2.census.gov/geo/pdfs/education/tiger/Downloading_TIGERLine_Shp.pdf).

ArcGIS users may access the TIGERweb data layers using census data or through ArcGIS REST Services. This is a simple way to access the most current data without storing and managing data locally. Census TIGERweb services are available at <https://tigerweb.geo.census.gov>.

See TIGERweb links for Urban or Tracts\_Blocks at [https://tigerweb.geo.census.gov/tigerwebmain/TIGERweb\\_restmapservice.html](https://tigerweb.geo.census.gov/tigerwebmain/TIGERweb_restmapservice.html) or the Census2010 map server link Urban or Tracts\_Blocks at <https://tigerweb.geo.census.gov/arcgis/rest/services/Census2010>.

The Census FAQs document on urban and rural definitions, the Urban-Rural Classification Program, and urban-rural delineation results are a useful reference. Relationship files are available to search for places, counties, and urban areas. The tables can be searched to determine if a particular area of interest is within an urban area. Reference maps of each urban area are also available to help understand the spatial data.

## Project Site Soil Type

SoilWeb is used to determine the USDA soil order of the project site. This QM uses the Intergovernmental Panel on Climate Change (IPCC) Soil Classification to determine the carbon reference stock in the project site. Table 3 shows which USDA soil orders belong to each IPCC soil type.



**Table 3. USDA Soil Orders in each IPCC Soil Type**

IPCC Soil Types	USDA Soil Orders
Organic Soils	Histosols
Sandy Soils	Soils with greater than 70% sand and less than 8% clay
Volcanic Soils	Andisols
Spodic Soils	Spodosols
Low Activity Clay Soils	Entisols, Gelisols, Oxisols, Udisols
High Activity Clay Soils	Alfisols, Aridisols, Inceptisols, Mollisols, Vertisols

After navigating to the web-based tool, SoilWeb,<sup>6</sup> select "OK" to begin using SoilWeb. Select "Menu" from top right corner of the screen, then select "Zoom to Location." Enter the project site location either as an address or as a latitude/longitude.

<sup>6</sup> University of California, Davis, California Soil Resource Lab. SoilWeb.  
<https://casoilresource.lawr.ucdavis.edu/gmap/>

Figure 3. Finding Project Site Location on SoilWeb

The screenshot shows the SoilWeb interface. On the left, there is a control panel with the following elements:

- A blue header bar with a "< Close" button and the "SoilWeb" logo.
- A "Zoom To Location" section with a "Use My Current Location" button and a "? About this..." link.
- Settings for finding the current location:
  - Desired accuracy: 100 m (with a slider control).
  - Maximum wait: 10 sec (with a slider control).
  - An unchecked checkbox for "Automatically display soil data after my location is determined".
- A separator "- OR -".
- An "Enter a location:" text input field with a "Go" button.
- A list of location entry options:
  - Complete address
  - City, state
  - Zip code
  - Landmark (Example: Mt. Diablo, CA)
- Another separator "- OR -".
- An "Enter a latitude/longitude:" text input field containing "37.595, -121.186" with a "Go" button.
- Instructions: "Enter latitude and longitude in decimal degrees, separated by a comma. Use positive values for degrees North and East, and negative values for degrees South and West."


On the right, a satellite map shows a project site outlined in yellow. The site is divided into map units, some labeled with numbers like 15, 175, 200, and 200. An orange location marker is placed on the map, with a white tooltip box displaying:

Latitude: 37.595  
Longitude: -121.186  
[Remove location marker](#)

After visually confirming that the map now includes the project site, note that the map is divided by many yellow lines into map units. Each map unit bounded by the yellow lines has a defined soil composition. Select one of the larger map units in the project site. A new box will appear in the upper right side of the screen with composition and data for that map unit.

The "Map Unit Composition" section shows the different soil series identified in the selected map unit. The soil series with the largest component is in blue and underlined. Click on this soil series. (If the soil series is not blue and underlined, or if a water body or rock formation is the largest composition, click on adjacent map units within the project site until a blue and underlined soil series is available.)

Figure 4. SoilWeb Map Unit Composition



A new box shows characteristics for that soil series. Under the "Soil Taxonomy" section, note the soil order. This soil order will be input into the Agricultural Lands Conservation Benefit Calculator Tool.

Figure 5. Soil Order Input for Benefit Calculator Tool

The screenshot displays the SoilWeb interface for the Veritas soil series. The left sidebar contains a navigation menu with the following items: < Close, Veritas, Soil Data Explorer | Series Extent Explorer | Description, Soil Profiles, Soil Taxonomy (expanded), Order Mollisols (circled in red), Suborder: Xerolls (with a link to Map of Suborders), Greatgroup: Haploxerolls, Subgroup: Typic Haploxerolls, Family: Coarse-loamy, mixed, superactive, thermic Typic Haploxerolls, Soil Series: Veritas, Land Classification, Hydraulic and Erosion Ratings, Forest Productivity, Soil Suitability Ratings, and Details. The right side of the interface shows an aerial map of the soil area, outlined in yellow, with various soil order numbers (170, 175, 57, 200) and a red 'X' marker.



## Project Net GHG Benefit and Selected Co-Benefits

Agency staff will use the Agricultural Lands Benefits Conservation Easement Calculator Tool to complete this step. The Tool can be downloaded from: [www.arb.ca.gov/cc-resources](http://www.arb.ca.gov/cc-resources).

Each tab in the Tool is identified by a name and cells in the tab are coded by colors:

- **Green** fields indicate direct user input is required for benefit calculation.
- **Blue** fields are informational and user input is not required for benefit calculation.
- **Grey** fields indicate output or calculation fields that are automatically populated based on user entries and the calculation methods.
- **Yellow** fields offer helpful hints or important tips to the user.
- **Black** fields are not applicable and no user input is necessary.

Users should begin in the Tool with the **Read Me** tab, which contains general information about the Tool.

The **Project Info** tab in the Tool provides information about how to complete the tool.

The **Inputs** tab in the Tool is where all project characteristics are entered.

The **Summary** tab in the Tool displays the estimates for:

- Total Agricultural Lands Conservation GHG benefit (MTCO<sub>2e</sub>);<sup>7</sup>
- Total GHG benefit (MTCO<sub>2e</sub>);
- Total GHG benefit per total Agricultural Lands Conservation GGRF funds (MTCO<sub>2e</sub>/); and
- Total GHG benefit per total funds (MTCO<sub>2e</sub>/).
- ROG Emission Reduced (lbs)
- NO<sub>x</sub> Emission Reduced (lbs)
- PM<sub>2.5</sub> Emission Reduced (lbs)
- Diesel PM Emission Reduced (lbs)
- Lands Conserved (acres)
- Soil Benefit (acres)
- Passenger VMT Reductions (miles)
- Travel Cost Savings (dollars)
- Transportation Fossil Fuel Use Reduction (gallons)

---

<sup>7</sup>This is the portion of GHG benefit attributable to funding from the Program; GHG emission reductions are prorated according to the level of program funding contributed from each California Climate Investments program funded with GGRF, as applicable. The results in the Co-benefits Summary tab are prorated using the same approach, as applicable.

## A. Emission Reductions from Agricultural Lands Easement

Equation 1 estimates the GHG benefit ( $GHG_{ESMT}$ ) from a proposed agricultural land easement. Equation 1 relies on four other equations:

- Equation 2 estimates the GHG benefit ( $GHG_{VMT}$ ) from reduced future VMT by urban households compared to rural households.
- Equation 5 estimates the GHG benefit ( $GHG_{ELEC}$ ) from reduced future electricity use by urban households compared to rural households.
- Equation 6 estimates the GHG benefit ( $GHG_{NG}$ ) from natural gas use by urban households compared to propane use by rural households.
- Equation 7 estimates the GHG benefit ( $GHG_{SOC}$ ) from reduced future Vehicle Miles Traveled by urban households compared to rural households.

### Equation 1: Total GHG Benefit from Agricultural Land Easement

$$GHG_{ESMT} = GHG_{VMT} + GHG_{ELEC} + GHG_{NG} + GHG_{SOC}$$

<i>Where,</i>		<u>Units</u>
$GHG_{ESMT}$	= GHG benefit from proposed agricultural land easement	MT CO <sub>2</sub> e
$GHG_{VMT}$	= GHG benefit from reduced future VMT by urban households compared to rural households	MT CO <sub>2</sub> e
$GHG_{ELEC}$	= GHG benefit from reduced future electricity use by urban households compared to rural households	MT CO <sub>2</sub> e
$GHG_{NG}$	= GHG benefit from use of natural gas by urban households compared to use of propane by rural households	MT CO <sub>2</sub> e
$GHG_{SOC}$	= GHG benefit from avoided loss of soil organic carbon due to land use change from farmland to settlements	MT CO <sub>2</sub> e

## B. Emission Reductions from VMT Reduction

Equation 2 estimates the GHG benefit ( $GHG_{VMT}$ ) from the reduction in future VMT by shifting housing development from the easement site to urban locations in the region. The VMT that would have occurred at the easement site, calculated in Equation 3, is dependent on whether the easement site has a rural or urban designation, as determined in Step 3. The VMT that will occur instead at urban locations in the region, calculated in Equation 4, has the same dependence. A description of VMT calculations for rural and urban regions is in Appendix A.

### Equation 2: GHG Benefit from VMT Reduction due to Agricultural Lands Easement

$$GHG_{VMT} = 10^{-9} \times \sum_{Imp=Yr}^{Imp+30} AVEF_{Yr,County} \times (VMT_{BL} - VMT_{PR})$$

Where,		Units
$GHG_{VMT}$	= GHG benefit from reduced future VMT by urban households compared to rural households	MT CO <sub>2</sub> e
$10^{-9}$	= Conversion from grams to metric tons	$\frac{MT}{g}$
$Imp$	= Year in which in the project is implemented	Year
$Yr$	= Year of emissions evaluation	Year
30	= Project Life of an agricultural lands easement	Years
$AVEF_{Yr,County}$	= Auto Vehicle Emission Factor by year and by county; see Database. (For Years greater than 2050, $AVEF_{Yr,County} = AVEF_{2050,County}$ )	$\frac{g\ CO_2e}{mile}$
$VMT_{BL}$	= Estimated baseline future household VMT avoided at easement site (see Equation 3)	$\frac{miles}{year}$
$VMT_{PR}$	= Estimated project future household VMT created away from easement site in a regional urban location (see Equation 4)	$\frac{miles}{year}$

**Equation 3: Baseline VMT for Development on Agricultural Land**

$$VMT_{BL} = \begin{cases} VMT_{Rural} \times HH, & \text{for Rural Sites} \\ VMT_{Urban} \times HH, & \text{for Urban Sites} \end{cases}$$

<i>Where,</i>		<u>Units</u>
$VMT_{BL}$	= Estimated baseline future annual VMT created at easement site if developed into housing	$\frac{\text{miles}}{\text{yr}}$
$VMT_{Rural}$	= Estimated average rural household annual VMT for the project site region (see Appendix A)	$\frac{\text{miles}}{\text{DU} - \text{yr}}$
$VMT_{Urban}$	= Estimated average urban household annual VMT for the project site's region (see Appendix A)	$\frac{\text{miles}}{\text{DU} - \text{yr}}$
$HH$	= Number of household dwelling unit development rights extinguished at project site by the easement, as calculated in Step 3.	DU

**Equation 4: Project VMT due to Agricultural Land Easement**

$$VMT_{PR} = \begin{cases} VMT_{Urban} \times HH, & \text{for Rural Sites} \\ VMT_{Urban} \times \left( 1 - \text{MIN} \left( 0.3, 0.07 \times \frac{HH - 2.46}{2.46} \right) \right) \times HH, & \text{for } \frac{HH}{A_{PR}} > 2.46 \\ VMT_{Urban} \times HH & \text{for } \frac{HH}{A_{PR}} \leq 2.46 \end{cases}$$

		<u>Units</u>
$VMT_{PR}$	= Estimated project future annual household VMT created by new housing development away from easement site in a regional urban location	$\frac{\text{miles}}{\text{yr}}$
$VMT_{Urban}$	= Estimated average urban VMT for the project site region (see Appendix A)	$\frac{\text{miles}}{\text{DU} - \text{yr}}$
0.3	= Maximum urban VMT reduction (LUT-1)	unitless
0.07	= Elasticity of urban VMT with respect to density	unitless
$HH$	= Number of household dwelling unit development rights extinguished at project site by the easement, as calculated in Step 3.	DU
$A_{PR}$	= Area of project site evaluated for housing development	acres
2.46	= State average urban household density	$\frac{\text{DU}}{\text{acre}}$



## C. Emission Reductions from Electricity Reduction

Equation 5 estimates the GHG benefit ( $GHG_{ELEC}$ ) from the reduction in future electricity use by households located in urban regions instead of at the easement site. A description of urban and rural electrical use is in Appendix B.

### Equation 5: GHG Benefit from Reduced Future Electrical Use

$$GHG_{ELEC} = EF_{ELEC} \times (ELEC_{BL} - ELEC_{PR}) \times HH \times 30$$

Where,		Units
$GHG_{ELEC}$	= GHG benefit from reduced future electricity use by urban households compared to rural households	MT CO <sub>2</sub> e
$EF_{ELEC}$	= Emission Factor for California Electrical Use (see Quantification Emission Factor Database)	$\frac{\text{MT CO}_2\text{e}}{\text{MWh}}$
$ELEC_{BL}$	= Predicted Baseline Annual Household Electrical Use, equal to: <ul style="list-style-type: none"> <li>• Annual new single family household rural electrical consumption for rural sites</li> <li>• Annual new single family household urban electrical consumption for urban sites</li> </ul> (See Appendix B)	$\frac{\text{MWh}}{\text{DU} - \text{yr}}$
$ELEC_{PR}$	= Predicted project annual household electrical use, equal to the annual new single family household urban electrical consumption (See Appendix B)	$\frac{\text{MWh}}{\text{DU} - \text{yr}}$
$HH$	= Number of household dwelling unit development rights extinguished at project site by the easement, as calculated in Step 3	DU
30	= Project life of an agricultural lands easement	Years

## D. Emission Reductions from Natural Gas Use

Equation 6 estimates the GHG benefit ( $GHG_{NG}$ ) from the use of natural gas instead of propane by households located in urban regions instead of at the easement site. A description of urban natural gas use and rural propane use is in Appendix B.

### Equation 6: GHG Benefit from Natural Gas Use

$$GHG_{NG} = (EF_{BL} - EF_{PR}) \times NG_{Urban} \times HH \times 30$$

Where,		Units
$GHG_{NG}$	= GHG benefit from use of natural gas by urban households compared to use of propane by rural households	MT CO <sub>2</sub> e
$EF_{BL}$	= Emission factor for the baseline scenario, equal to: <ul style="list-style-type: none"> <li>• Propane emission factor for rural sites</li> <li>• Natural gas emission factor for urban sites</li> </ul> (see Quantification Emission Factor Database)	$\frac{\text{MT CO}_2\text{e}}{\text{therm}}$
$EF_{PR}$	= Emission factor for the project scenario, equal to the natural gas emission factor (see Quantification Emission Factor Database)	$\frac{\text{MT CO}_2\text{e}}{\text{therm}}$
$NG_{Urban}$	= Predicted annual new single family urban household natural gas use	$\frac{\text{therm}}{\text{DU} - \text{yr}}$
HH	= Number of household dwelling unit development rights extinguished at project site by the easement, as calculated in Step 3	DU
30	= Project life of an agricultural lands easement	Years

## E. Avoided Soil Organic Carbon Emissions

Equation 7 estimates the GHG benefit ( $GHG_{SOC}$ ) from the avoided oxidation of soil organic carbon on mineral soils caused by land use change from farmland to housing. The easement keeps the soil organic carbon *in situ*. Soil organic carbon is lost from drained organic soils whether as farmland or as settlements. Housing developed in existing urban areas occurs on land that has already been converted; the soil organic carbon has already been lost.

### Equation 7: Avoided Carbon Loss of Farmland due to Conversion to Housing

$$GHG_{SOC} = 30\% \times CS_{ref} \times \frac{44}{12} \div 2.47105 \times \text{MIN} \left( 3, \frac{A_{PR}}{HH} \right) \times HH$$

Where,		Units
$GHG_{SOC}$	= GHG benefit from avoided loss of soil organic carbon due to land use change from farmland to settlements	MT CO <sub>2</sub> e
30%	= Land use factor to represent the loss of soil carbon with conversion to settlements	unitless
$CS_{ref}$	= Reference carbon stock for project site IPCC soil type: <ul style="list-style-type: none"> <li>• Sandy (16)</li> <li>• Wetland (48)</li> <li>• Volcanic (124)</li> <li>• Spodic (86)</li> <li>• High Activity Clay Soil (37)</li> <li>• Low Activity Clay Soil (25)</li> </ul>	MT C Hectare
$\frac{44}{12}$	= Molecular weight ratio of carbon dioxide to carbon	MT CO <sub>2</sub> e MT C
2.47105	= Conversion from hectares to acre	Acres Hectare
3	= Maximum number of acres per dwelling disturbed by development	Acres DU
$A_{PR}$	= Area of project site evaluated for housing development	acres
$HH$	= Number of household dwelling unit development rights extinguished at project site by the easement, as calculated in Step 3.	DU

## F. Emissions Co-Benefits

Equation 8 estimates the emissions benefit based on the reduction of future VMT and future electricity use. Emissions evaluated are particulate matter 2.5 microns or smaller (PM<sub>2.5</sub>), oxides of nitrogen (NO<sub>x</sub>), reactive organic gases (ROG), and diesel particulate matter (diesel PM).

**Equation 8: NO<sub>x</sub>, ROG, PM<sub>2.5</sub> and Diesel PM Co-benefit from VMT Reduction**

$$CoBenefit = \sum_{Imp=Yr}^{Imp+30} AVEF_{Yr,County} \times (VMT_{BL} - VMT_{PR}) + EF_{ELEC} \times (ELEC_{BL} - ELEC_{PR}) \times HH \times 30 + (EF_{BL} - EF_{PR}) \times (NG_{Urban}) \times HH \times 30$$

<i>Where,</i>		<u>Units</u>
<i>CoBenefit</i>	= PM <sub>2.5</sub> , NO <sub>x</sub> , ROG, and Diesel PM co-benefit from future reduction of VMT and electricity use due to easement project	lb emission
<i>AVEF<sub>Yr,County</sub></i>	= Auto Vehicle Emission Factor by year and by county; see Database. (For Years greater than 2050, $AVEF_{Yr,County} = AVEF_{2050,County}$ )	$\frac{\text{lb emission}}{\text{mile}}$
<i>VMT<sub>BL</sub></i>	= Estimated baseline future household VMT avoided at easement site (see Equation 3)	$\frac{\text{miles}}{\text{yr}}$
<i>VMT<sub>PR</sub></i>	= Estimated project future household VMT created away from easement site in a regional urban location (see Equation 4)	$\frac{\text{miles}}{\text{yr}}$
<i>EF<sub>ELEC</sub></i>	= NO <sub>x</sub> , ROG, PM 2.5 and Diesel PM Emission Factors for California electrical use (see Quantification Emission Factor Database)	$\frac{\text{lb emission}}{\text{MWh}}$
<i>ELEC<sub>BL</sub></i>	= Predicted baseline annual household electrical use, equal to: <ul style="list-style-type: none"> <li>• Annual household rural electrical use for rural sites</li> <li>• Annual household urban electrical use for urban sites</li> </ul> (See Appendix B)	$\frac{\text{MWh}}{\text{DU} - \text{yr}}$
<i>ELEC<sub>PR</sub></i>	= Predicted project annual household electrical use, equal to the annual household urban electrical use (See Appendix B)	$\frac{\text{MWh}}{\text{DU} - \text{yr}}$
<i>HH</i>	= Number of household dwelling unit development rights extinguished at project site by the easement, as calculated in Step 3.	DU
30	= Project life of an agricultural lands easement	Years
<i>EF<sub>BL</sub></i>	= NO <sub>x</sub> , ROG and PM <sub>2.5</sub> emission factors for the baseline scenario, equal to: <ul style="list-style-type: none"> <li>• Propane emission factor for rural sites</li> <li>• Natural gas emission factor for urban sites</li> </ul> (see Quantification Emission Factor Database)	$\frac{\text{lb emission}}{\text{therm}}$
<i>EF<sub>PR</sub></i>	= NO <sub>x</sub> , ROG and PM <sub>2.5</sub> emission factors for the project scenario, equal to the natural gas emission factor (see Quantification Emission Factor Database)	$\frac{\text{lb emission}}{\text{therm}}$
<i>NG<sub>Urban</sub></i>	= Predicted urban natural gas use (See Appendix B)	$\frac{\text{therm}}{\text{DU} - \text{yr}}$

## References

- California Air Pollution Control Officers Association. (2017) *User's Guide for CalEEMod version 2016.3.2*. <http://www.caleemod.com/>.
- California Air Resources Board. (2015) *Compliance Offset Protocol, U.S. Forest Projects*.  
<https://ww3.arb.ca.gov/cc/capandtrade/protocols/usforest/forestprotocol2015.pdf>.
- California Air Resources Board. (2017). *California Climate Investments Quantification Methodology Emission Factor Database*. [www.arb.ca.gov/cci-quantification](http://www.arb.ca.gov/cci-quantification).
- California Air Resources Board. (2018). *Funding Guidelines for Agencies Administering California Climate Investments*.  
<https://ww3.arb.ca.gov/cc/capandtrade/auctionproceeds/2018-funding-guidelines.pdf>.
- California Air Resources Board. (2020) *EMFAC Web Database*.  
<https://www.arb.ca.gov/emfac/>.
- California Department of Transportation. (2009) *California Metropolitan Planning Organizations (MPOs) and Regional Transportation Planning Agencies (RTPAs)*.  
[http://www.dot.ca.gov/hq/tpp/images/rtpa\\_mpo\\_map.pdf](http://www.dot.ca.gov/hq/tpp/images/rtpa_mpo_map.pdf).
- California Department of Transportation. (2016) *California Statewide Travel Demand Model*. [http://www.dot.ca.gov/hq/tpp/offices/omsp/statewide\\_modeling/cstdm.html](http://www.dot.ca.gov/hq/tpp/offices/omsp/statewide_modeling/cstdm.html).
- California Energy Commission. (2010) *2009 California Residential Appliance Saturation Study*. <https://ww2.energy.ca.gov/appliances/rass/>.
- California Energy Commission. (2016) *California Energy Consumption Database*.  
<http://ecdms.energy.ca.gov/>.
- California Strategic Growth Council. (2020) *California Sustainable Agricultural Lands Conservation Program Grant Guidelines & Applications*.  
<https://www.conservation.ca.gov/dlrp/grant-programs/SALCP/Documents/California%20Sustainable%20Agricultural%20Lands%20Conservation%20Program-%20Grant%20Guidelines%20%26%20Applications.pdf>.
- California Wildlife Conservation Board. (2018) *Climate Adaptation and Resiliency Program Guidelines*. <https://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=156228>.
- City of Brea. (2004) *Brea Hillside Zoning Ordinance*.  
<http://www.cityofbrea.net/DocumentCenter/View/60/Brea-Hillside-Zoning-Ordinance>.
- City of Cupertino. *General Plan Appendix F: Slope Density*.  
<https://www.cupertino.org/home/showdocument?id=12738>.
- City of Fremont. (2011) *General Plan, Chapter 2 – Land Use*.  
<https://fremont.gov/DocumentCenter/View/4665/02-Land-Use>.

City of Gilroy. (2019) *Gilroy City Code, Article IX. RH Residential Hillside District.*  
<https://www.codepublishing.com/CA/Gilroy/html/Gilroy30/Gilroy3009.html>.

City of Glendale. *Glendale Municipal Code, Chapter 30.11 – Residential Districts.*  
<https://www.glendaleca.gov/Home/ShowDocument?id=4915>.

City of Palm Springs. *Palm Springs Municipal Code, Chapter 92 – Zoning Regulations.*  
[http://www.qcode.us/codes/palmsprings/view.php?topic=zoning\\_code-92\\_00-92\\_01\\_00](http://www.qcode.us/codes/palmsprings/view.php?topic=zoning_code-92_00-92_01_00).

City of Laguna Beach. *Laguna Beach Municipal Code, Chapter 25.15 – R/HP Residential/Hillside Protection Zone.*  
[https://qcode.us/codes/lagunabeach/view.php?topic=25-25\\_15-25\\_15\\_010](https://qcode.us/codes/lagunabeach/view.php?topic=25-25_15-25_15_010).

City of Oakland. *Chapter 17.13 – RH Hillside Residential Zones Regulations.*  
<http://www2.oaklandnet.com/oakca/groups/ceda/documents/report/oak027095.pdf>.

City of Pasadena. *Code of Ordinances, Chapter 17.29 – Hillside Overlay Districts.*  
[https://library.municode.com/ca/pasadena/codes/code\\_of\\_ordinances?nodeId=TIT17\\_ZONING\\_CODE\\_ART2ZODIALLAUSZOECS CH17.29HIOVDI](https://library.municode.com/ca/pasadena/codes/code_of_ordinances?nodeId=TIT17_ZONING_CODE_ART2ZODIALLAUSZOECS CH17.29HIOVDI)

City of San Rafael. *Hillside Development Guidelines.*  
<https://storage.googleapis.com/proudcity/sanrafaelca/uploads/Hillside-Guidelines-Handout.pdf>.

City of San Ramon. (2018) *City of San Ramon Zoning Ordinance, Division D2 – Allowable Land Uses and Zoning Standards.*  
[http://www.sanramon.ca.gov/UserFiles/Servers/Server\\_10826046/File/Our%20City/Departments/Community%20Development/Planning/Zoning%20Ordinance/Division%20D-2%20Effective%202018-03-28.pdf](http://www.sanramon.ca.gov/UserFiles/Servers/Server_10826046/File/Our%20City/Departments/Community%20Development/Planning/Zoning%20Ordinance/Division%20D-2%20Effective%202018-03-28.pdf)

City of Santa Paula. *Zoning Code, Chapter 16.07 – Establishment of Zones.*  
<http://www.ci.santa-paula.ca.us/planning/zoningcode/ZoningDistricts-LandUseRegulations.pdf>

City of Santa Rosa. *Santa Rosa City Code, Chapter 20-32 - Hillside Development Standards.* [http://qcode.us/codes/santarosa/view.php?topic=20-3-20\\_32](http://qcode.us/codes/santarosa/view.php?topic=20-3-20_32)

City of Saratoga. *Hillside Residential (HR) Zoning District.*  
<https://www.saratoga.ca.us/DocumentCenter/View/54/Hillside-Residential-HR-PDF>.

City of Temecula. *Temecula Municipal Code, Chapter 17.06 – Residential Districts.*  
[https://qcode.us/codes/temecula/view.php?topic=17-17\\_06-17\\_06\\_020](https://qcode.us/codes/temecula/view.php?topic=17-17_06-17_06_020).

Colorado State University, Natural Resource Ecology Laboratory. *IPCC Soil Classification Based on USDA Taxonomy.*  
<https://www2.nrel.colostate.edu/projects/ALUsoftware/files/presentations/IPCC Climate Soil Classifications.pps>.

County of Santa Clara. (2018) *Zoning Ordinance, Article 2 – Base Districts.*  
<https://www.sccgov.org/sites/dpd/DocsForms/Documents/ZonOrd.pdf>.

Institute of Transportation Engineers. (2017) *Trip Generation Manual, 10th Edition*. Washington D.C. <https://www.ite.org/technical-resources/topics/trip-and-parking-generation/trip-generation-10th-edition-formats/>.

Intergovernmental Panel on Climate Change. (2006). *2006 IPCC Guidelines for National Greenhouse Gas Inventories, Volume 4: Agriculture, Forestry and Other Land Use*. IGES, Japan: Eggleston H.S., Buendia L., Miwa K., Ngara T. and Tanabe K. (eds). <https://www.ipcc-nggip.iges.or.jp/public/2006gl/vol4.html>.

Town of Los Gatos. (2015) *HR Zoning District Summary Handout*. <https://www.losgatosca.gov/DocumentCenter/View/354/HR-Zone-Handout>.

Town of San Anselmo. *Code of Ordinances, Article 4. – Development Standards*. [https://library.municode.com/ca/san\\_anselmo/codes/code\\_of\\_ordinances?nodeId=TIT10PLZO\\_CH3ZO\\_ART4DEST\\_10-3.410TAHHIDEDIPA](https://library.municode.com/ca/san_anselmo/codes/code_of_ordinances?nodeId=TIT10PLZO_CH3ZO_ART4DEST_10-3.410TAHHIDEDIPA).

Town of Yucca Valley. *Town of Yucca Valley Development Code, Article 2: Zoning Districts and Development Standards*. [http://www.yucca-valley.org/pdf/planning/2014\\_development\\_Code/Article\\_2\\_Ord\\_253\\_Zoning.pdf](http://www.yucca-valley.org/pdf/planning/2014_development_Code/Article_2_Ord_253_Zoning.pdf).

U.S. Census Bureau. (2012) *Population and Housing Unit Counts, CPH-2-6, California*. U.S. Government Printing Office, Washington DC. <https://www.census.gov/prod/cen2010/cph-2-6.pdf>

U.S. Department of Agriculture. (2014). *Quantifying Greenhouse Gas Fluxes in Agriculture and Forestry: Methods for Entity-Scale Inventory*. Washington, D.C.: Eve, M., Pape, D., Flugge, M., Steele, R., Man, D., Riley-Gilbert and M., Biggar, S. (eds). [https://www.usda.gov/oce/climate\\_change/estimation.htm](https://www.usda.gov/oce/climate_change/estimation.htm).

U.S. Department of Agriculture. (2016). *U.S. Agriculture and Forestry Greenhouse Gas Inventory 1990-2013*. Technical Bulletin No. 1943. [https://www.usda.gov/oce/climate\\_change/AFGG\\_Inventory/USDA\\_GHG\\_Inventory\\_1990-2013\\_9\\_19\\_16\\_reduced.pdf](https://www.usda.gov/oce/climate_change/AFGG_Inventory/USDA_GHG_Inventory_1990-2013_9_19_16_reduced.pdf)


U.S. Environmental Protection Agency. (2019) *Inventory of U.S. Greenhouse Gas Emissions and Sinks: 1990-2017*. <https://www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2017>.

U.S. Geographical Survey. (2020) *EarthExplorer*. <https://earthexplorer.usgs.gov/>.

## Appendix A. Example Development Rights Calculation

This appendix demonstrates the development rights calculation method, as outlined in Step 3 of this QM, for a fictitious agricultural easement. The easement is shown below as the double-lined rectangle in the center of Figure 6. The easement has an area of 15,000 acres. The easement is currently zoned for agriculture at 40 acres per dwelling unit, or 0.025 DU/acre. There is a hill to the southwest of the easement and a section of a lake in the northeast of the easement.

Figure 6. Fictitious Agricultural Easement Example. (Not to scale)



There is an urban area to the southwest of the agricultural easement. Area A is a residential area with an average density of 3 DU/acre. The median year that single family homes were constructed in A is 1996. Area B is a residential area with an average density of 6 DU/acre. The median year that single family homes were constructed in B is 1979. There is an urban cluster to the east of the easement. Area C is a rural residential area with an average density 0.25 DU/acre (4 acres/DU).

There is a section of the easement, W, that is within 2 miles of A and B, defined by the solid line. Section W has an area of 1,500 acres. A portion of W includes a hill, of which 180 acres has grades between 20% and 25%, and 120 acres has grades greater than 30%. The remaining 1,200 acres in W have grades less than 15%.



There is a section of the easement, X, that is within 2 and 5 miles of A and B, defined by the solid and dashed lines. Section X has an area of 7,000 acres. A portion of X includes a hill, of which 320 acres has grades between 20% and 25%, and 80 acres has grades greater than 30%. There are 6,920 acres in X with grades less than 30%. There are two existing dwelling units in section X.

There is a section of the easement, Y, that is greater than 5 miles from A, B or C, defined by the two dashed lines. Section Y has an area of 2,500 acres and has had no zoning proposal or land use plan in the past five years. All 2,500 acres in Y have grades less than 15%.

There is a section of the easement, Z, that is within 5 miles of C, defined by the dashed line. Section Z has an area of 4,000 acres. A portion of Z is a lake. The area of the lake in Z is 800 acres. The remaining 3,200 acres in Z have grades less than 15%. There is one existing dwelling unit in section Z.

### **Estimated extinguished housing developments in section W**

Section W is at risk of development to residential zoning because it is less than two miles from existing residential zoning.

The residential zoning housing density to be assigned to the area in W with grades less than 15% is the smallest of the residential densities within 2 miles of W, as defined by the dash-dot line. Areas A and B are within 2 miles of W. The single family homes in Area A were constructed more recently than the single family homes in Area B. The housing density of A will be used to estimate the housing density in section W. A housing density of 3 DU/acre is applied to the 1,200 acres in W where the grades are less than 15%.

A reduced housing density is assigned to the area in W with grades between 20% and 25%. For grades between 20% and 25%, the reduction is 20%. A housing density of 2.4 DU/acre is applied to the 180 acres where the grades are between 20% and 25%.

A reduced housing density is assigned to the area in W with grades greater than 30%. For grades greater than 30%, the housing density for residential areas is 0.5 DU/acre. A housing density of 0.5 DU/acre is applied to the 120 acres where the grades are greater than 30%.

The number of extinguished housing development rights in W is the sum of the products of the different areas in W by their respective densities:

$$3 \text{ DU/acres} \times 1,200 \text{ acres} + 2.4 \text{ DU/acre} \times 180 \text{ acres} + 0.5 \text{ DU/acre} \times 120 \text{ acres} \\ = 4,092 \text{ DU}$$

There are 4,092 housing development rights extinguished in section W.

### Estimated extinguished housing developments in section X

Section X is at risk of development to rural residential zoning because it is more than two miles but less than five miles from existing residential zoning.

The rural residential zoning housing density to be assigned to the area in X with grades less than 30% is 0.333 DU/acre because there is no rural residential zoning within five miles of X, only residential zoning. A housing density of 1/3 DU/acre is applied to the 6,920 acres in W where the grades are less than 30%.

A reduced housing density is assigned to the area in X with grades greater than 30%. For grades greater than 30%, the housing density for rural residential areas is 0.1 DU/acre. A housing density of 0.1 DU/acre is applied to the 80 acres where the grades are greater than 30%.

The number of extinguished housing development rights in X is the sum of the products of the different areas in W by their respective densities, less the two existing dwelling units in section X:

$$1 \text{ DU/ 3 acres} \times 6,920 \text{ acres} + 0.1 \text{ DU/acre} \times 80 \text{ acres} - 2 \text{ DU} = 2,312.67 \text{ DU}$$

There are 2,312 housing development rights extinguished in section X.

### Estimated extinguished housing developments in section Y

Section Y is at no risk of development because it has no zoning proposal or land use plan, nor is it within five miles of rural residences or two miles of residential zoning.

There are no housing development rights extinguished in section Y.

### Estimated extinguished housing developments in section Z

Section Z is at risk of development to rural residential zoning because it is less than five miles from existing rural residential zoning. The 800 acres of lake in Z cannot be converted to housing and are considered not at risk.

The rural residential zoning housing density to be assigned to the area in Z with grades less than 30% is equal to the average density of the rural residential housing in C, 0.25 DU/acre. A housing density of 0.25 DU/acre is applied to the 3,200 acres of developable land in W where the grades are less than 30%.

The number of extinguished housing development rights in Z is the sum of the products of the different areas in W by their respective densities, less the existing dwelling unit in section Z:

$$0.25 \text{ DU/acre} \times 3,200 \text{ acres} - 1 \text{ DU} = 799 \text{ DU}$$

There are 799 housing development rights extinguished in section Z.

**Estimated extinguished housing developments in the easement**

The total number of extinguished housing development rights in the easement is the sum of the different extinguished housing development rights from each of the sections:

$$4,092 \text{ DU} + 2,312 \text{ DU} + 62 \text{ DU} + 799 \text{ DU} = 7,265 \text{ DU}$$

A total of 7,265 dwelling unit development rights will be extinguished with this easement.

## Appendix B. VMT Estimates for Rural and Urban Regions

Vehicle Miles Traveled (VMT) per household estimates are provided by metropolitan planning organizations (MPOs). Where MPOs have not provided data, VMT estimates are averaged from information in the California Statewide Travel Demand Model (CSTDM), a tool developed by the California Department of Transportation (CalTrans), using a methodology described in the California Emissions Estimator Model (CalEEMod). The CSTDM is primarily intended to provide a baseline for statewide aggregated data rather than detailed regional forecasts. The Statewide Travel Model operates similarly to a standard regional travel demand model using the same variables but on a statewide basis. The CalEEMod methodology takes trip length, trip type, and trip generation to calculate annual VMT.

The CSTDM divides California into 5,454 Traffic Analysis Zones (TAZs). Of these, 5,412 TAZs have VMT estimates per household. The number of TAZs varies by county, with Alpine County and Sierra County each having one TAZ with VMT data, while Los Angeles County has 1,316 TAZs with VMT data. Each TAZ has trip length data for Home-to-Work, Home-to-Shopping, and Home-to-Other. CalEEMod uses this information with average State trip type and the trip generation rate from the Institute of Transportation Engineers *Trip Generation Manual, 10th Edition* to calculate the VMT.

While each TAZ provides trip lengths for households within each TAZ, those numbers cannot be directly used for this QM. The approach this QM takes is to compare two cases: first, what the VMT would be for houses built on a specific agricultural land, and second, the VMT of the same number houses built in a nearby urban area. While the location of the agricultural lands in the first case is known, the land use change of the TAZ to settlements makes the current specific trip length estimates for the location inaccurate. Conversely, the houses built in urban areas in the second case would not change the land use of TAZ, but the specific location of the urban area cannot be identified.

Averages of the trip lengths in multi-county regions are used to predict VMT using the CalEEMod methodology. An average value of rural VMT per household will not be as affected by land use change of a single project site, and an average value of urban VMT per household will accommodate the uncertainty of where housing would be built due to the easement. The following multi-county Metropolitan Planning Organizations (MPOs) provided VMT data and are each assigned a region: Butte County Association of Governments (BCAG), Sacramento Area Council of Governments (SACOG), Metropolitan Transportation Commission (MTC), Association of Monterey Bay Governments (AMBAG), San Luis Obispo Council of Governments (SLOCOG) and Southern California Association of Governments (SCAG). Other counties are assigned regions based on geographical characteristics: the North Coast, Western Range, Sacramento Valley, Mountain counties, and San Joaquin Valley. Santa Barbara County and San Diego County are evaluated individually. El Dorado County

and Placer County are divided into the SACOG and Mountain regions. A map of the regions is shown below in Figure 7.

**Figure 7. California Regions for CSTDM TAZ VMT Analysis**



While TAZs provide VMT per household estimates, CalTrans has not designated TAZs as rural or urban. Census blocks in California are designated rural and urban, but the

boundaries of census blocks and TAZs do not align. Consequently, TAZs were characterized as urban if they contained at least 3.64 percent area of urban census blocks, and rural if they did not. The 3.64 percent area threshold was established because the resulting distribution of rural and urban populations matched the rural and urban population distribution from the 2010 census. The number of rural and urban TAZs for each multi-county region is shown below in Table 4.

**Table 4. Urban and Rural Traffic Analysis Zones by Region**

Region	Rural TAZ Count	Urban TAZ Count
North Coast	33	19
Western Range	25	4
Sacramento Valley	19	26
BCAG	9	20
Mountain	30	13
SACOG	37	293
MTC	27	1,104
San Joaquin Valley	140	549
AMBAG	15	94
SLOCOG	8	26
Santa Barbara County	8	50
SCAG	81	2,302
San Diego County	12	468

The VMT per household for the rural and urban areas of each region are estimated as the arithmetic average of the VMT per household of the rural and urban TAZs in that region. The VMT per household estimates used in the Tool, from MPO and CSTDM sources, by region and county, by rural and urban area, are shown below in Table 5.

**Table 5. Annual Vehicle Miles Traveled by Rural and Urban Households**

County	Region	Urban VMT mi/du-yr	Rural VMT mi/du-yr	MPO or CSTDM Source
Alameda	Metropolitan Transit Commission (MTC)	22,012	26,818	MPO
Alpine	Western Range	9,878	47,127	CSTDM
Amador	Mountain	21,970	46,473	CSTDM

County	Region	Urban VMT mi/du-yr	Rural VMT mi/du-yr	MPO or CSTDM Source
Butte	Butte County Association of Governments (BCAG)	20,211	26,308	CSTDM
Calaveras	Mountain	21,970	46,473	CSTDM
Colusa	Sacramento Valley	17,732	51,334	CSTDM
Contra Costa	MTC	24,914	29,696	MPO
Del Norte	North Coast	14,242	40,903	CSTDM
El Dorado (SACOG)	Sacramento Area Council of Governments (SACOG)	37,766	55,894	MPO
El Dorado (Tahoe Basin)	Mountain	21,970	46,473	CSTDM
Fresno	San Joaquin Valley	21,785	49,614	CSTDM
Glenn	Sacramento Valley	17,732	51,334	CSTDM
Humboldt	North Coast	14,242	40,903	CSTDM
Imperial	Southern California Association of Governments (SCAG)	14,620	24,141	MPO
Inyo	Western Range	9,878	47,127	CSTDM
Kern	San Joaquin Valley	21,785	49,614	CSTDM
Kings	San Joaquin Valley	21,785	49,614	CSTDM
Lake	North Coast	14,242	40,903	CSTDM
Lassen	Western Range	9,878	47,127	CSTDM
Los Angeles	SCAG	30,098	39,268	MPO
Madera	San Joaquin Valley	21,785	49,614	CSTDM
Marin	MTC	23,631	29,432	MPO
Mariposa	Mountain	21,970	46,473	CSTDM
Mendocino	North Coast	14,242	40,903	CSTDM
Merced	San Joaquin Valley	21,785	49,614	CSTDM
Modoc	Western Range	9,878	47,127	CSTDM
Mono	Western Range	9,878	47,127	CSTDM
Monterey	Association of Monterey Bay Area Governments (AMBAG)	41,852	45,259	MPO
Napa	MTC	23,510	27,824	MPO
Nevada	Mountain	21,970	46,473	CSTDM

County	Region	Urban VMT mi/du-yr	Rural VMT mi/du-yr	MPO or CSTDM Source
Orange	SCAG	28,140	34,616	MPO
Placer (SACOG)	SACOG	28,702	54,743	MPO
Placer (Tahoe Basin)	Mountain	21,970	46,473	CSTDM
Plumas	Mountain	21,970	46,473	CSTDM
Riverside	SCAG	34,136	38,253	MPO
Sacramento	SACOG	23,251	45,552	MPO
San Benito	AMBAG	47,277	57,792	MPO
San Bernardino	SCAG	32,418	39,057	MPO
San Diego	San Diego County	24,312	65,845	CSTDM
San Francisco	MTC	16,183	N/A	MPO
San Joaquin	San Joaquin Valley	21,785	49,614	CSTDM
San Luis Obispo	San Luis Obispo Council of Governments (SLOCOG)	14,240	36,652	MPO
San Mateo	MTC	21,067	32,904	MPO
Santa Barbara	Santa Barbara County	13,236	37,882	CSTDM
Santa Clara	MTC	19,656	26,921	MPO
Santa Cruz	AMBAG	31,294	39,179	MPO
Shasta	Sacramento Valley	17,732	51,334	CSTDM
Sierra	Mountain	21,970	46,473	CSTDM
Siskiyou	Western Range	9,878	47,127	CSTDM
Solano	MTC	25,380	28,327	MPO
Sonoma	MTC	20,736	26,505	MPO
Stanislaus	San Joaquin Valley	21,785	49,614	CSTDM
Sutter	SACOG	20,915	49,386	MPO
Tehama	Sacramento Valley	17,732	51,334	CSTDM
Trinity	North Coast	14,242	40,903	CSTDM
Tulare	San Joaquin Valley	21,785	49,614	CSTDM
Tuolumne	Mountain	21,970	46,473	CSTDM
Ventura	SCAG	28,451	35,036	MPO
Yolo	SACOG	25,088	54,616	MPO
Yuba	SACOG	33,128	66,363	MPO



## Appendix C. Rural and Urban Household Utility Consumption


Rural and urban electricity and natural gas consumption for new single family households must be estimated for the QM to determine the GHG benefit and co-benefits associated with development of housing in urban areas instead of rural ones.

Existing models, such as the Cool California Carbon Calculator, estimate electricity and natural gas use by zip code, number of residents in a household, and household habits. Much of this information is unavailable for the QM, which only calculates the number of households and not additional household characteristics. Like the VMT analysis, the land use change at the project site and the uncertainty of urban locations make current estimates regarding electricity and natural gas use inaccurate.

The average household rural and urban electricity and natural gas use are calculated as statewide averages using the household electricity and natural gas use and percent rural population by county. Electricity and natural gas use by county are available in the California Energy Commission's (CEC) California Energy Consumption Database (CEC Database). The number of households and rural population of each county is found in the 2010 U.S. Census. CEC Database values from 2010 will be used for consistency with Census and CSTDM values. These values are then adjusted to match the change in electricity and natural gas use from average households and newly constructed households, and average households and single family household. The adjusted numbers are used in the Tool to determine the GHG benefit and co-benefits associated with development of housing in urban areas instead of rural ones.


Average household electrical consumption by county is shown below in Figure 8. The household electrical consumption for Trinity County is identified as an outlier using Tukey's Fences method and is removed from the distribution before rural and urban averages are predicted.

**Figure 8. Average Household Electrical Consumption by County**



A linear regression of the remaining counties is shown below in Figure 9.

**Figure 9. Linear Regression of Average Household Electrical Consumption by County**



The linear regression equation calculated from the data predicts that, in California, the household electrical consumption is a function of the rural percentage of the household's county as:

**Equation 9: Predicted Household Electricity Consumption by Rural Percentage**


$$\text{Household Electricity Consumption } \left( \frac{\text{MWh}}{\text{yr}} \right) = 1.64 \times (\text{Rural } \%) + 6.92$$

Using this equation, the statewide predicted urban annual household electricity consumption is 6.92 MWh/du-yr, and the predicted rural annual household electricity consumption is 8.52 MWh/du-yr. These values must now be adjusted to estimate new single family urban and rural consumption.

The CEC Residential Appliance Saturation Study (RASS) is a comprehensive study of residential sector energy use in California. The RASS shows that single family homes consume 20.8% more electricity than the average household, which includes single family homes, townhomes, small and large apartments, and mobile homes. The RASS shows that households built after 2003 consume 5.5% more electricity than homes built before 2003. Using these adjustments, these statewide predicted electricity consumption for new single family urban and rural households are respectively 8.82 and 10.86 MWh/du-yr.

A similar procedure is used to calculate urban natural gas consumption by comparing the county annual household natural gas consumption and the rural percent of the population of each county. The relationship is shown below with linear regression in Figure 10.

**Figure 10. Average Household Natural Gas Consumption by County**



Average household natural gas consumption decreases as the rural population percentage of a county increases as described in Equation 10:

**Equation 10: Predicted Household Natural Gas Consumption by Rural Percentage**

$$\text{Household Natural Gas Consumption} \left( \frac{\text{therm}}{\text{yr}} \right) = -470.4 \times (\text{Rural \%}) + 420.4$$

This decreasing use of natural gas in more rural counties occurs because rural households are typically not connected to the natural gas distribution system. Rural households instead rely on other sources, such as liquid petroleum gas (LPG), wood, and electricity to meet the heating and cooking needs that natural gas would have provided. Data on rural household consumption of these natural gas substitutes are not readily available. Instead, this methodology assumes that the same household heating demand provided by natural gas to urban areas will be provided to rural households by propane as LPG. The GHG benefit from using natural gas instead of propane is the most conservative benefit that can be made by fuel choice.

The predicted urban natural gas annual consumption is 420.4 therm/du-yr and the assumed rural propane annual consumption is 420.4 therm/du-yr. These values must now be adjusted to estimate new single family urban and rural consumption. The RASS shows that single family homes consume 18.9% more natural gas than the average household, which includes single family homes, townhomes, small and large apartments, and mobile homes. The RASS shows that households built after 2003 consume 1.9% more natural gas than homes built before 2003. Using these adjustments, the statewide predicted natural gas consumption for new single family urban households and propane consumption for new single family rural households is 505.6 therm/du-yr.