

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-326-3

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

POWER SYSTEMS ASSOCIATES

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1997 model-year Power Systems Associates diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Compressed Natural Gas (CNG) + Diesel in multi-fuel mode, or Liquefied Natural Gas (LNG) + Diesel in multi-fuel mode, or Diesel

<u>Engine Family</u>	<u>Engine Displacement Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems and Special Features</u>
VPS629EZJ6RM	10.3 (629)	Turbocharger Charge Air Cooler Engine Control Module (Diesel) Engine Control Module (CNG/LNG)

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour: (The standards in parentheses are for diesel-only default operation.)

<u>Non-Methane (Total) Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
1.2 (1.3)	15.5 (15.5)	2.5 (5.0)	0.10 (0.10)

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour: (The values in parentheses are for diesel-only default operation.)

<u>Engine Family</u>	<u>Non-Methane (Total) Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
VPS629EZJ6RM	1.1 (0.2)	8.2 (1.3)	2.4 (4.4)	0.07 (0.09)


BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That since the default diesel-only operating mode is intended to be used only to provide safe vehicle operation when the multi-fuel modes fail or when there is insufficient CNG or LNG on board to allow multi-fuel operation, and to further this objective the listed engine models exhibit reduced engine power over a wide engine RPM range when the engine is operating in the diesel-only mode, it is appropriate to certify the listed engine models to the optional lower-emission standards identified by California Code of Regulations, Title 13, Section 1956.8(a)(1) Footnote J when operating in CNG-diesel or LNG-diesel multi-fuel modes, and to the mandatory emission standards identified in California Code of Regulations, Title 13, Section 1956.8(a)(1) when operating in the default diesel-only operating mode.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 10<sup>th</sup> day of November 1997.



R. B. Summerfield, Chief  
Mobile Source Operations Division

# LARGE ENGINE MODEL SUMMARY

EO: A-326-3

Manufacturer: Power Systems Associates, LLC

EPA Engine Family: VPS629EZJ6R1 Manufacturer Family Name: C10G

Engine Code	Engine Model	BHP@RPM (SAE Gross)	Fuel Rate: mm/stroke @ rated speed (for diesel only)	Low NOx	Torque @ RPM (SEA Gross)	Fuel Rate: mm/stroke @ max rated torque	Fuel Rate: (lbs/hr) @ max rated torque	Emission Control Device Per SAE J1930
A. 50 State Codes	LEV (California)	2.5 gm/bhp-hr	17.0d/208.0NG	10.2d/148.6NG	1050 @ 1400	18.0d/165.5NG	8.4d/91.9NG	EC, DI, TC, CAC
1	C10G	350 @ 1800	17.0d/208.0NG	10.2d/148.6NG	1050 @ 1400	18.0d/165.5NG	8.4d/91.9NG	EC, DI, TC, CAC
2	C10G	335 @ 1800	17.0d/196.8NG	10.2d/140.6NG	1050 @ 1400	18.0d/158.4NG	8.4d/88.0NG	EC, DI, TC, CAC
3	C10G	325 @ 1800	17.0d/190.1NG	10.2d/135.8NG	1050 @ 1400	18.0d/153.7NG	8.4d/85.4NG	EC, DI, TC, CAC
4	C10G	280 @ 1800	17.0d/160.8NG	10.2d/114.8NG	972 @ 1400	18.0d/132.4NG	8.4d/73.5NG	EC, DI, TC, CAC

**B. Federal Codes**

Note: 1. Fuel rates shown show the diesel rate first followed by the natural gas rate at the rated condition horsepower listed.