

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-6-7

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Isuzu Motors Limited 1998 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

Typical Equipment Usage: Hydraulic Excavator

Fuel Type: Diesel

<u>Engine Family</u>	<u>Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems and Special Features</u>
WSZXL09.8DTA (98DTA)	9.8 (600)	Turbocharger

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matter (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

<u>Exhaust Emissions (g/bhp-hr)</u>				<u>Smoke Opacity (%)</u>		
<u>THC</u>	<u>CO</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
1.0	8.5	6.9	0.4	20	15	50

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

<u>Engine Family</u>	<u>Exhaust Emission (g/bhp-hr)</u>				<u>Smoke Opacity (%)</u>		
	<u>THC</u>	<u>CO</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
WSZXL09.8DTA (98DTA)	0.4	1.1	6.4	0.3	15	10	23


BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 24th day of November 1997.


R. B. Summersfield, Chief
Mobile Source Operations Division

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
HEAVY - DUTY OFF- ROAD DIESEL ENGINES

Page ___ of ___

Manufacturer : Isuzu Motors Limited Engine Family : WSZXL09.8DTA
 Displacement : 9.8 / 600 Liters / Cubic Inches Eng Config : L6 / OHC
 All Codes in Eng Fam : CA ___ 49S ___ 50S
 Cert Test Procedures : ARB ___ EPA
 Valve / Ports per Cylinder 2 Strokes per Combustion Cycle 4
 Maximum Rated Power : 249.6 HP (186.1 kW) @ 2200 RPM
 Ignition : Compression ___ Compression with Glow Plug Spark ___
 Fuel Type(s) : Dedicated Flex-Fuel ___ Dual-Fuel ___ Diesel M100 ___ M85 ___
 CNG ___ LNG ___ LPG ___ Other (specify) _____
 Diesel Cert Fuel : 40 CFR 86.1313-94 Other (specify) _____
 Primary Service Equipment : Hydraulic Excavator
 Exhaust ECS (e.g., OC, TWC, PTOX, IFI, TC, CAC) : EM, TC
 (use abbreviations per SAE J1930 JUN 93)

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm ³ / stroke (lbs / hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX Catalytic Converter Part No.
98DTA- A	250 / 2200	130.6 (95.9)	Pump 115603263 (×)	N / A	N / A	N / A
98DTA- B	241 / 2000	132.3 (88.4)	115603074 (×)			
98DTA- C	174 / 2200	92.2 (67.7)	or 115603075 (×)			
98DTA- D	170 / 2000	94.1 (62.8)	Injector 115300289 (×)			

(×) : Suffix any figure from 0 to 9.