

Pursuant to the authority vested in California Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2022	NCEXL04.5AAL	4.5	Diesel	8000
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION	
Electronic Control Module, Periodic Trap Oxidizer, Diesel Oxidation Catalyst, Electronic Direct Injection, Turbocharger, Selective Catalytic Reduction - Urea, Charge Air Cooler, Ammonia Oxidation Catalyst			Crane, Loader, Dozer, Pump, Compressor	

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)					OPACITY (%)		
			NMHC	NOx	NMHC+NOx	CO	PM	ACCEL	LUG	PEAK
75 ≤ kW ≤ 560	Tier 4 Final	STD	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
		CERT	0.04	0.14	--	0.04	0.01	--	--	--

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

BE IT FURTHER RESOLVED: That for the listed engine models which include engines from different power categories in the same engine family, the manufacturer is complying with the more stringent set of standards from the 130 ≤ kW ≤ 560 power category in conformance with the incorporated Section 1039.230 (e) of the "California Exhaust Emission Standards and Test Procedures for New 2011 and Later Tier 4 Off-Road Compression Ignition Engines, Part 1-D" adopted October 20, 2005 and last amended October 25, 2012.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order hereby supersedes Executive Order U-R-002-0797 dated January 20, 2022.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this 11th day of May 2022.



Allen Lyons, Chief
Emissions Certification and Compliance Division

Attachment: Engine Models

EO #: U-R-002-0797-1

Family: NCEXL04.5AAL

Attachment Last Revised: 4/4/2022

Model	Code	Trim	Config	Displacement	Displacement -		Peak Power -		Peak Power -		Peak Power - Fuel		Peak Torque -		Peak Torque - Fuel		OBD	GHG	Special	Notes
					Units	Peak Power	Units	Speed (rpm)	Fueling	Units	Peak Torque	Units	Speed (rpm)	Peak Torque - Fuel	Units					
B4.5	OB1	N/A	I4	B4.5	Liters	200	horsepower	2500	140	mm3/stroke	575	lb-ft	1500	53	lb/hr	N/A	N/A	N/A	N/A	
B4.5	OB2	N/A	I4	B4.5	Liters	188	horsepower	2500	143	mm3/stroke	575	lb-ft	1500	53	lb/hr	N/A	N/A	N/A	N/A	
B4.5	OB3	N/A	I4	B4.5	Liters	173	horsepower	2500	143	mm3/stroke	575	lb-ft	1500	53	lb/hr	N/A	N/A	N/A	N/A	
B4.5	OB4	N/A	I4	B4.5	Liters	200	horsepower	2200	138	mm3/stroke	575	lb-ft	1500	53	lb/hr	N/A	N/A	N/A	N/A	
B4.5	OB5	N/A	I4	B4.5	Liters	188	horsepower	2200	143	mm3/stroke	575	lb-ft	1500	53	lb/hr	N/A	N/A	N/A	N/A	
B4.5	OB6	N/A	I4	B4.5	Liters	173	horsepower	2200	144	mm3/stroke	575	lb-ft	1500	53	lb/hr	N/A	N/A	N/A	N/A	
B4.5	OB7	N/A	I4	B4.5	Liters	188	horsepower	2000	144	mm3/stroke	575	lb-ft	1500	53	lb/hr	N/A	N/A	N/A	N/A	