

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-5-33  
Relating to Certification of New Motor Vehicles

TRIUMPH MOTORS  
OF BRITISH LEYLAND (UK) LIMITED

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That Triumph Motors of British Leyland (UK), Ltd. exhaust emission control systems for 1977 model-year passenger cars are certified for the engine family described below:

Engine Family: SL4/2/50C/C  
Engine: 122 CID  
Transmission: 4 and 5-Speed Manual  
Exhaust Emission Control Systems: Air Injection, Oxidation Catalyst,  
Exhaust Gas Recirculation

Model: Triumph  
TR7

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1977 model-year vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
SL4/2/50C/C	.32	8.3	0.8


BE IT FURTHER RESOLVED: That this certification is contingent upon Triumph Motors of British Leyland (UK), Ltd. affixing a permanent catalyst overheat warning label on the driver's sun-visor of all catalyst-equipped vehicles. This label must be approved by the Executive Officer.

BE IT FURTHER RESOLVED: That this certification is also contingent upon Triumph Motors of British Leyland (UK), Ltd. listing in the owner's manual the operating cautions associated with a catalyst-equipped vehicle. This listing must be approved by the Executive Officer.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 3 day of February, 1977.



G. C. Hass, Chief  
Vehicle Emissions Control Division



Manufacturer British Leyland      Executive Order No. A-5-33      Page 1  
 Engine Family SL4/2/50C/C      Engine (CID) 122      Engine Code PE 124/2/50C/C  
 Emission Control System AI + EGR + OC      +10%(A/C) Yes       No

Vehicle Models (If Coded see attachment)	Trans	Inertia Weight	Distributor Type EI,C VR Mfgr. Part Number	Fuel System Type 2-1V Mfgr. Part Number	EGR System Part No. Service*	Tune-Up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
Triumph TR7	M-4 M-5	2750	Lucas TKC 3330 (41700 A)	Zenith RKC 3145 (3862)	TKC 3523 (AC Delco) (7975704)  No Service	1) 2° ATDC  Warm engine; disconnect and plug air injection system at air pump, vent pump to atmosphere.  2) 5% ± 2%  3) 800 ± 100 RPM  All settings with transmission in neutral and air conditioning off. See label attached.

Comments    Numbers in brackets are stamped on parts.

Date of Issue

**Abbreviations**

Distributor

- C-Centrifugal Advance
  - V-Vacuum Advance
  - R-Vacuum Retard
  - HEI-High Energy Ignition
  - EI-Electronic Ignition
- Fuel System
- EFI, FI
  - nV-nVenturi Carburetor
  - VV-Variable Venturi

Exhaust Emission Control System

- AI-Air Injection
- CAI-Catalyst Air Injection
- EFI-Electronic Fuel Injection
- EGR-Exhaust Gas Recirculation
- EM-Engine Modification
- EFE-Early Fuel Evaporation
- ESAC-Electronic Spark Advance Control
- FI-Fuel Injection

- OC-Oxidation Catalyst
- PAI-Pulse Air Injection
- RC-Reduction Catalyst
- TR-Thermal Reactor
- TWC-Three Way Catalyst
- λ-Air Fuel Ratio Sensor

\*Service

- I-Inspect, repair/replace as needed
- R-Replace