

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-225  
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year Chrysler Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: MCR242T5FEF9 Displacement: 4.0 Liters (242 Cu. In.)

Exhaust Emission Control Systems (Special Features):

- Three-Way Catalyst
- Heated Oxygen Sensor
- Sequential Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Loaded Vehicle Weight(lbs.)</u>	<u>Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
0-3750	0.39	9.0	0.4
3751-5750	0.50	9.0	1.0

The following are the certification emission values for this engine family:

<u>Loaded Vehicle Weight(lbs.)</u>	<u>Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
0-3750	0.17	3.2	0.1
3751-5750	0.21	3.4	0.1

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this <sup>17<sup>th</sup></sup> day of May, 1990



R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEETManufacturer Chrysler Corporation Engine Family MCR242T5FEF9Passenger Cars  Light-Duty Trucks  Medium-Duty Vehicles  Gas  Diesel Eng. Type I6 Liter (CID) 4.0 (242) Evap. Family MT-242H-1S & MT-242M-1P

Emission Control System.

(Use SAE Abbrv.) H02S, TWC, SMPIEngine: Front  Mid.  Rear  Drive: FWD  RWD  4WD-FT  4WD-PT 

Eng. Code/ (Cert Std.)	Veh. Models (If Coded See Attachment)	Trans Type A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. Sys. (ECU/PROM) Part No.	EGR System Part No.	Catalyst Part No.
1A1 (.39/9.0/.4)	MJTL61 XJTL72 XJTL74	A	3500	See Attachment	53 006 150 (56 005 715)	None	52 018 103 52 003 725
	MJTL62		3625				
	XJTL72		3750				
1A1 (.50/9.0/1.0)	MJTL61 XJTL74		3750				
	MJTL62		3875				
1A2 (.39/9.0/.4)	XJTL72		3375				
	MJTL61 XJTL74		3500				
	MJTL62 XJTL72		3625				
	XJTL74		3750				
1A2 (.50/9.0/1.0)	MJTL61		3750				
	MJTL62		3875				
1A4 (.39/9.0/.4)	YJTL77	A	3625				

Date of Issue: \_\_\_\_\_

Revisions: \_\_\_\_\_

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEETManufacturer Chrysler Corporation Engine Family MCR242T5FEF9Passenger Cars  Light-Duty Trucks  Medium-Duty Vehicles  Gas  Diesel Eng. Type I6 Liter (CID) 4.0 (242) Evap. Family MT-242H-1S & MT-242M-1PEmission Control System  
(Use SAE Abbrv.) HO2S, TWC, SMPIEngine: Front  Mid.  Rear  Drive: FWD  RWD  4WD-FT  4WD-PT 

Eng. Code/ (Cert Std.)	Veh. Models (If Coded See Attachment)	Trans Type A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. Sys. (ECU/PROM) Part No.	EGR System Part No.	Catalyst Part No.
1M1 (.39/9.0/.4)	XJTL72	M	3375		53 006 150 (56 005 717)		
	MJTL61 XJTL74		3500				
	MJTL62 XJJL72		3625				
	MJJL61 XJJL74		3750				
1M1 (.50/9.0/1.0)	MJJL62		3875				
1M2 (.39/9.0/.4)	MJTL61 XJTL72		3375				
	MJTL62 XJTL74		3500				
	XJJL72 XJJL74		3625				
	MJJL61		3750				
1M2 (.50/9.0/1.0)	MJJL62		3750				
1M4 (.39/9.0/.4)	YJJL77		3625				

Date of Issue: \_\_\_\_\_

Revisions: \_\_\_\_\_



APPLICATION FOR CERTIFICATION

1991  
ENGINE FAMILY PAGE  
MCR 242 T5 FE F9 H2  
0004-4  
(I-6 CAL)

MODEL CODES

<u>Engrg. Model Code</u>	<u>EPA Carline Code</u>	<u>Name</u>	<u>Body Style</u>	<u>Wheel Base (in.)</u>	<u>Class</u>
XJL72	65230	Cherokee 4WD	2 Door Sport Utility	101.4	Special Purpose Veh
XJL74	65230	Cherokee 4WD	4 Door Sport Utility	101.4	Special Purpose Veh
XJL72	65235	Cherokee 2WD	2 Door Sport Utility	101.4	Special Purpose Veh
XJL74	65235	Cherokee 2WD	4 Door Sport Utility	101.4	Special Purpose Veh
MJL61	65240	Comanche 4WD	Pickup Truck	112.9	Standard Pickup Trk
MJL62	65240	Comanche 4WD	Pickup Truck	119.4	Standard Pickup Trk
MJL61	65245	Comanche 2WD	Pickup Truck	113.1	Standard Pickup Trk
MJL62	65245	Comanche 2WD	Pickup Truck	119.6	Standard Pickup Trk
YJL77	65250	Wrangler 4WD	Open Body	93.4	Special Purpose Veh

1991 LDT CO DOWN DATA

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME			DPA SETTINGS		
									W/O AC	W/ AC	W/O AC	W/AC		
MUJ AUTO TR. 4.0L ENG	3750	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TMC	13.28	12.34	12.8	14.2		
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF						
		P195/75R15	MI	XA4	SBR	A/S	33	TMC	12.94	12.06	12.9	14.2		
		P205/75R15	MI	XM4	SBR	A/S	30	TPF						
		P215/75R15	MI	XM4	SBR	A/S	30	TMD, TME						
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD, TME	12.76	11.87	13.2	14.6		
	3875	P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.26	11.44	13.5	14.9		
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN, TRP						
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.17	11.35	13.5	14.9		
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN, TRP						
		P195/75R15	GY	INVICTA GL	SBR	A/S	33	TMC	13.63	12.67	12.8	14.1		
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF						
3875	P195/75R15	MI	XA4	SBR	A/S	33	TMC	13.29	12.39	12.8	14.1			
	P205/75R15	MI	XM4	SBR	A/S	30	TPF							
	P215/75R15	MI	XM4	SBR	A/S	30	TMD, TME							
	P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD, TME	13.10	12.19	13.2	14.5			
	P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.59	11.74	13.4	14.8			
	P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN, TRP							
3875	P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.48	11.65	13.4	14.8			
	P225/75R15	MI	XCAT	SBR	A/T	30	TRN, TRP							

1991 LDT CC DOWN DATA

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME		DPA SETTING	
									W/O AC	W/ AC	W/O AC	W/AC
4.0L ENG MAN TR.	3750	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	13.54	12.57	12.8	14.1
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF				
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.19	12.28	12.9	14.2
		P205/75R15	MI	XW4	SBR	A/S	30	TPF				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD, TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD, TME	13.01	12.09	13.2	14.5
	3875	P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.50	11.64	13.5	14.8
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN, TRP				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.40	11.55	13.5	14.8
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN, TRP				
		P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	13.85	12.86	12.8	14.1
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF, TPG				
3875	P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.50	12.57	12.8	14.2	
	P205/75R15	MI	XW4	SBR	A/S	30	TPF					
	P215/75R15	MI	XW4	SBR	A/S	30	TMD, TME					
	P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD, TME	13.30	12.36	13.2	14.6	
	P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.77	11.90	13.5	14.8	
	P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN, TRP					
3875	P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.67	11.81	13.5	14.8	
	P225/75R15	MI	XCAT	SBR	A/T	30	TRN, TRP					

1991 LDT COAS. OWN DATA

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME			DPA SETTING		
									W/O AC	W/ AC	W/O AC	W/AC		
4.0L ENG	3500	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	13.66	12.69	11.9	13.2		
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF						
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.48	12.57	11.5	12.6		
		P205/75R15	MI	XW4	SBR	A/S	30	TPF						
		P215/75R15	MI	XW4	SBR	A/S	30	TMD, TME						
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD, TME	13.11	12.17	12.5	13.8		
	3625	P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.55	11.71	12.1	13.4		
			GY	WRANGLER	SBR	A/T	30	TRN, TRP						
			MI	XCAT	SBR	A/T	30	TMW	12.65	11.78	12.6	13.9		
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN, TRP						
			GY	EAGLE GT+4	SBR	A/SP	30	TRM	12.26	11.46	12.3	13.6		
			GY	INVICTA GL	SBR	A/S	33	TNC	14.06	13.07	11.9	13.1		
P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF								
	MI	XA4	SBR	A/S	33	TNC	13.87	12.93	11.4	12.5				
	MI	XW4	SBR	A/S	30	TPF								
P215/75R15	MI	XW4	SBR	A/S	30	TMD, TME								
	GY	INVICTA GL	SBR	A/S	30	TMD, TME	13.47	12.52	12.5	13.7				
	GY	WRANGLER	SBR	A/T	30	TMW	12.90	12.04	12.0	13.3				
P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN, TRP								
	MI	XCAT	SBR	A/T	30	TMW	13.00	12.12	12.6	13.8				
	MI	XCAT	SBR	A/T	30	TRN, TRP								



1991 LDT COAS JWN DATA

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME			DPA SETTING		
									W/O AC	W/ AC	W/O AC	W/AC		
4.0L ENG M/JT MAN TR.	3375	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	13.45	12.48	11.9	13.1		
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF						
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.27	12.36	11.4	12.6		
		P205/75R15	MI	XW4	SBR	A/S	30	TPF						
		P215/75R15	MI	XW4	SBR	A/S	30	TMD, TIME						
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD, TIME	12.90	11.96	12.5	13.7		
	3500	P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.35	11.51	12.1	13.3		
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN, TRP						
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.45	11.58	12.6	13.8		
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN, TRP						
		P225/70R15	GY	EAGLE GT+4	SBR	A/SP	30	TRM	12.06	11.26	12.3	13.5		
		P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	13.90	12.89	12.0	13.2		
3625	P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF							
	P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.70	12.76	11.5	12.6			
	P205/75R15	MI	XW4	SBR	A/S	30	TPF							
	P215/75R15	MI	XW4	SBR	A/S	30	TMD, TIME							
	P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD, TIME	13.32	12.35	12.5	13.8			
	P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.74	11.88	12.2	13.4			
	P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN, TRP							
	P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.84	11.95	12.7	13.9			
	P225/75R15	MI	XCAT	SBR	A/T	30	TRN, TRP							
	P225/70R15	GY	EAGLE GT+4	SBR	A/SP	30	TRM	12.44	11.61	12.4	13.6			
	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	14.30	13.27	11.9	13.1			
	P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF							
P195/75R15	MI	XA4	SBR	A/S	33	TNC	14.09	13.13	11.4	12.6				
	MI	XW4	SBR	A/S	30	TPF								
	MI	XW4	SBR	A/S	30	TMD, TIME								
	GY	INVICTA GL	SBR	A/S	30	TMD, TIME	13.69	12.71	12.5	13.7				
	GY	WRANGLER	SBR	A/T	30	TMW	13.09	12.21	12.1	13.3				
	GY	WRANGLER	SBR	A/T	30	TRN, TRP								
P215/75R15	MI	XCAT	SBR	A/T	30	TMW	13.20	12.29	12.6	13.8				
	MI	XCAT	SBR	A/T	30	TRN, TRP								

1991 LDT COAC OWN DATA

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME			DPA SETTING		
									W/O AC	W/ AC	W/O AC	W/ AC	W/O AC	W/ AC
4.0L ENG	3625	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	13.00	12.16	11.8	13.0		
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF,TPG						
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	12.46	11.68	11.9	13.0		
		P205/75R15	MI	XW4	SBR	A/S	30	TPF,TPG						
		P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME						
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	12.36	11.57	12.3	13.6		
	3750	P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	11.80	11.07	12.6	13.9		
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN						
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	11.80	11.06	12.5	13.8		
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN						
		P225/70R15	GY	EAGLE GT+4	SBR	A/SP	30/35	TRM	11.54	10.86	12.1	13.4		
		P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	13.38	12.52	11.8	13.1		
3750	P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF,TPG							
	P195/75R15	MI	XA4	SBR	A/S	33	TNC	12.83	12.04	11.9	13.1			
	P205/75R15	MI	XW4	SBR	A/S	30	TPF,TPG							
	P215/75R15	MI	XW4	SBR	A/S	30	TMD,TME							
	P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD,TME	12.73	11.92	12.4	13.6			
	P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.15	11.40	12.7	14.0			
	P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN							
	P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.15	11.39	12.6	13.9			
	P225/75R15	MI	XCAT	SBR	A/T	30	TRN							
	P225/70R15	GY	EAGLE GT+4	SBR	A/SP	30/35	TRM	11.88	11.18	12.2	13.5			

1991 LDT COL DOWN DATA

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME			DPA SETTING		
									W/O AC	W/ AC	W/O AC	W/AC	W/O AC	W/AC
4.0L ENG XJJ AUTO TR.	3625	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	14.10	13.11	11.7	12.9		
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF,TPG						
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.46	12.56	11.8	13.0		
		P205/75R15	MI	XW4	SBR	A/S	30	TPF,TPG						
		P215/75R15	MI	XW4	SBR	A/S	30	TMO,TME						
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMO,TME	13.35	12.43	12.2	13.5		
	3750	P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.70	11.86	12.6	13.8		
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN						
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.69	11.85	12.5	13.7		
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN						
		P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	14.50	13.50	11.8	13.0		
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF,TPG						
3750	P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.87	12.94	11.9	13.1			
	P205/75R15	MI	XW4	SBR	A/S	30	TPF,TPG							
	P215/75R15	MI	XW4	SBR	A/S	30	TMO,TME							
	P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMO,TME	13.75	12.81	12.3	13.6			
	P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	13.07	12.21	12.6	13.9			
	P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN							
3750	P215/75R15	MI	XCAT	SBR	A/T	30	TMW	13.07	12.20	12.5	13.8			
	P225/75R15	MI	XCAT	SBR	A/T	30	TRN							

1991 LDT COAL OWN DATA

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME			DPA SETTING		
									W/O AC	W/ AC	W/O AC	W/AC		
4.0L ENCL MAN TR.	3625	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	14.40	13.38	11.6	12.8		
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF, TPG						
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.74	12.80	11.8	13.0		
		P205/75R15	MI	XW4	SBR	A/S	30	TPF, TPG						
		P215/75R15	MI	XW4	SBR	A/S	30	TMD, TME						
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD, TME	13.62	12.67	12.2	13.4		
	3750	P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	12.95	12.07	12.5	13.8		
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN						
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	12.94	12.06	12.4	13.7		
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN						
		P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	14.74	13.70	11.7	12.9		
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF, TPG						
3750	P195/75R15	MI	XA4	SBR	A/S	33	TNC	14.08	13.13	11.8	13.0			
	P205/75R15	MI	XW4	SBR	A/S	30	TPF, TPG							
	P215/75R15	MI	XW4	SBR	A/S	30	TMD, TME							
	P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD, TME	13.96	12.99	12.2	13.5			
	P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	13.26	12.37	12.6	13.8			
	P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN							
3750	P215/75R15	MI	XCAT	SBR	A/T	30	TMW	13.26	12.36	12.5	13.7			
	P225/75R15	MI	XCAT	SBR	A/T	30	TRN							

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME		DPA SETTING	
									W/O AC	W/ AC	W/O AC	W/AC
XJT AUTO TR. 4.0L ENG	3375	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TMC	14.14	13.13	11.0	12.1
		P205/75R15	GY	INVICTA GL	SBR	A/S	32	TPF, TPG				
		P195/75R15	MI	XA4	SBR	A/S	33	TMC	13.66	12.75	10.7	11.8
		P205/75R15	MI	XW4	SBR	A/S	32	TPF, TPG				
		P215/75R15	MI	XW4	SBR	A/S	32	TMD, TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	32	TMD, TME	13.36	12.44	11.2	12.3
	3500	P215/75R15	GY	WRANGLER	SBR	A/T	32	TMW	12.75	11.88	11.6	12.8
		P225/75R15	GY	WRANGLER	SBR	A/T	32	TRN				
		P215/75R15	MI	XCAT	SBR	A/T	32	TMW	12.75	11.89	11.5	12.6
		P225/75R15	MI	XCAT	SBR	A/T	32	TRN				
		P195/75R15	GY	INVICTA GL	SBR	A/S	33	TMC	14.60	13.56	11.1	12.2
		P205/75R15	GY	INVICTA GL	SBR	A/S	32	TPF, TPG				
3500	P195/75R15	MI	XA4	SBR	A/S	33	TMC	14.10	13.17	10.8	11.8	
	P205/75R15	MI	XW4	SBR	A/S	32	TPF, TPG					
	P215/75R15	MI	XW4	SBR	A/S	32	TMD, TME					
	P215/75R15	GY	INVICTA GL	SBR	A/S	32	TMD, TME	13.79	12.84	11.3	12.4	
	P215/75R15	GY	WRANGLER	SBR	A/T	32	TMW	13.15	12.26	11.7	12.9	
	P225/75R15	GY	WRANGLER	SBR	A/T	32	TRN					
3500	P215/75R15	MI	XCAT	SBR	A/T	32	TMW	13.15	12:27	11.6	12.7	
	P225/75R15	MI	XCAT	SBR	A/T	32	TRN					

MODEL	TEST WEIGHT CLASS	TIRE SIZE	MFR.	TIRE NAME	CONST	TYPE	PSI	SALES CODE	COASTDOWN TIME		DPA SETTING	
									W/O AC	W/ AC	W/O AC	W/AC
4.0L ENG	3375	P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	14.46	13.40	10.9	12.1
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF, TPG				
		P195/75R15	MI	XA4	SBR	A/S	33	TNC	13.96	13.01	10.7	11.7
		P205/75R15	MI	XW4	SBR	A/S	30	TPF, TPG				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD, TME				
		P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD, TME	13.65	12.69	11.1	12.3
	3500	P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	13.02	12.11	11.6	12.8
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN				
		P215/75R15	MI	XCAT	SBR	A/T	30	TMW	13.01	12.12	11.4	12.6
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN				
		P195/75R15	GY	INVICTA GL	SBR	A/S	33	TNC	14.90	13.82	10.9	12.1
		P205/75R15	GY	INVICTA GL	SBR	A/S	30	TPF, TPG				
4.0L ENG	3375	P195/75R15	MI	XA4	SBR	A/S	33	TNC	14.38	13.41	10.6	11.7
		P205/75R15	MI	XW4	SBR	A/S	30	TPF, TPG				
		P215/75R15	MI	XW4	SBR	A/S	30	TMD, TME				
	3500	P215/75R15	GY	INVICTA GL	SBR	A/S	30	TMD, TME	14.06	13.08	11.1	12.3
		P215/75R15	GY	WRANGLER	SBR	A/T	30	TMW	13.40	12.47	11.6	12.8
		P225/75R15	GY	WRANGLER	SBR	A/T	30	TRN				
4.0L ENG	3500	P215/75R15	MI	XCAT	SBR	A/T	30	TMW	13.40	12.48	11.4	12.6
		P225/75R15	MI	XCAT	SBR	A/T	30	TRN				