

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-187
Relating to Certification of New Motor Vehicles

TOYOTA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year Toyota Motor Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: MTY2.4T5FBE6 Displacement: 2.4 Liters (144 Cu. In.)

Exhaust Emission Control Systems and Special Features:

- Three-Way Catalyst
- Heated Oxygen Sensor
- Pulsed Secondary Air Injection
- Exhaust Gas Recirculation
- Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Loaded Vehicle Weight(lbs.)</u>	<u>Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
3751-5750	0.50	9.0	1.0

The following are the certification emission values for this engine family:

<u>Loaded Vehicle Weight(lbs.)</u>	<u>Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
3751-5750	0.25	3.5	0.4

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 10 day of August, 1990


for R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page _____

Manufacturer TOYOTA Engine family MTY2.4T5FBE6Passenger Cars ___ Light-Duty Trucks x Medium-Duty Vehicles ___ Fuel Type GasolineEng. Type 4 cyl. in-line Liter (CID) 2.4 (144.4) Evap.Family EV-EEmission Control System & Special Features MPI + PAIR + EGR + HO2S + TWC
(Use abbreviation per SAE J1930 Jun88)Engine : Front x Mid. ___ Rear ___ Drive: FWD ___ RWD x 4WD-FT ___ 4WD-PT x
*1

Certification std. : 1.0 NOx

Engine Code/ (Cert std.)	Veh. Models (If Coded see attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP or DPA	Ign. System (PCME/PROM) Part No.	EGR System Part No.	Catalyst Part No.
9	RN130L-GKLSEA -GKMSEA	M5	4000	14.8	89661-35670	25620-35130	18450-35130 (E52) *2
10	RN130L-GKLSEA -GKMSEA		4000	14.8			
11	RN130L-GKLSEA -GKMSEA		4000	16.2			
12	RN130L-GKLSEA -GKMSEA		4000	16.2			
13	RN120L-GKPSEA RN130L-GKPSEA	A4	3875 4250	13.5 14.8	89661-35670 89661-35680		
14	RN120L-GKPSEA RN130L-GKPSEA		3875 4250	13.5 14.8	89661-35670 89661-35680		
15	RN120L-GKPSEA RN130L-GKPSEA		3875 4250	14.8 16.2	89661-35670 89661-35680		
16	RN120L-GKPSEA RN130L-GKPSEA		4000 4250	14.8 16.2	89661-35670 89661-35680		

Comments : Please refer to manufacturer's HP list for correct dyno test HP setting based on model and equipment.

Note *1 : Applicable vehicle model is RN120L-GKPSEA.

*2 : Parenthetical information represents identifying marks found on production parts.

Page : A-17.11-51

Issued : 05/25/90

17.11.00

A-14-187

VEHICLE MODELS :

4-Runner 2WD
RN120L-GKPSEA

4-Runner 4WD
RN130L-GKLSEA
-GKMSEA
-GKPSEA