

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-305
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
GFM2.9T5FRC1	179 (2.9)	Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per mile</u>
0-3999	0.39	9.0	1.0
4000-5999	0.50	9.0	1.0

The following are the certification emission values for this engine family:

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0-3999	0.26	8.7	0.7
4000-5999	0.20	7.9	0.8

BE IT FURTHER RESOLVED: That the listed models in the 0-3999 equivalent inertia weight class were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and Health and Safety Code Section 43204, provided, however, that for the listed vehicles in the 0-3999 equivalent inertia weight class, jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 6th day of August, 1985.


K. D. Drachand, Chief
Mobile Source Division

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A-10-305

Passenger Cars Light-Duty Trucks Medium-Duty Vehicles Gas Diesel

Manufacturer Ford Motor Company Page 2A

Engine Family GFM2.9T5FRC1 (G2.9TRC) Engine Code 6-65S R00A/N

ECS (Special Features) EGR, TWC, CL (EFI) CID (Liter)-Type 179 (2.9L) V6

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System	Fuel System	EGR Valve	Label Ident.
				EEC IV Part No.	EFI Part No.	PFE Part No.	Part No.
6-65S R00A/N	Ranger	Y5396 (M5)		E6TF-DA	E67E-AA/ E59E-AA	E6AE-BA	AEZ
	4x2 RCS		3000/				
	RCL		3125*				
	SCS		3250				
	4x4 RCS		3250/				
			3375*				
	RCL	3375					
	SCS	3500/					
		3625*					
	Bronco II	K5397 (M5)					
4x2 STD	3500						
4x4 STD	3625						
Ranger							
4x4 RCS	3250/						
	3375*						
RCL	3375						
SCS	3500/						
	3625*						
Bronco II							
4x4 STD	3625						

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*with air conditioning

Engine Family G2.9TRC

1986 DPA SETTINGS
Light Duty Truck

Vehicle Line	ETW Limit	Non A/C		A/C	
		CDT	DPA	CDT	DPA
Ranger (4X2)	3125 ETW	13.46	11.4(C)	12.48	12.5(C)
	3500 ETW	15.19	11.6(P)	14.01	12.8(P)
Ranger (4X2) Chassis Cab	3625 ETW	11.47	15.2(C)	10.68	16.6(C)
	28.0SF				
Ranger (4X2) Chassis Cab	3875 ETW	10.98	18.1(C)	10.33	19.5(C)
	42.0SF				
Ranger (4X4)	3750 ETW	14.23	12.9(P)	13.20	14.2(P)
Bronco II (4X4)	3875 ETW	14.86	11.6(P)	13.88	12.8(P)
Bronco II (4X2)	3875 ETW	15.52	10.8	14.40	11.9
F-150 (4X2)	4000 ETW	13.24	13.2(C) 1/	12.41	14.5(C)
	4500 ETW	14.18	14.0(C)	13.20	15.4(C)
	4750 ETW	15.42	15.2(C)	14.35	16.6(C)
F-250 (4X2)	5000 ETW	14.18R	16.2R(C)	13.30R	17.6R(C)
		12.77B	18.0B(C)	12.04B	19.4B(C)
F-150 (4X4)	5000 ETW	14.19R	16.5R(C)	13.30R	17.9R(C)
		12.23B	18.6B(C)	11.59B	20.0B(C)
F-250 (4X4)	5250 ETW	14.03R	17.7R(C)	13.18R	19.1R(C)
	5500 ETW	12.53B	20.0B(C)	11.90B	21.4B(C)
U-150 (4X4)	5000 ETW	15.42R	14.0R(C)	14.36R	15.4R(C)
	5250 ETW	12.51B	17.2B(C)	11.88B	18.6B(C)
Aerostar	3875 ETW	15.94	11.1	14.64	12.2
E-150	5250 ETW	15.38	15.2(C)	14.35	16.6(C)
E-250	5500 ETW	14.16R	17.3R(C)	13.31	18.7R(C)
	6000 ETW	13.71B	18.0B(C)	13.05	19.4B(C)

NOTES: 1/ F-150 w/SP/2/1/50 spoiler.
(C) - Carryover Data
(P) - Pending EPA Approval

R - Radial Tire; B - Bias Tire

Engine Family G2.9TRC