

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-2-95
Relating to Certification of New Motor Vehicles

FUJI HEAVY INDUSTRIES, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year Fuji Heavy Industries, Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: TFJ1.8VJGFEK Displacement: 1.8 Liters (111 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Three Way Catalytic Converters (two)
- Heated Oxygen Sensors (two)
- Sequential Multiport Fuel Injection
- Exhaust Gas Recirculation (Automatic Transmission Models Only)
- Pulsed Secondary Air Injection (Automatic Transmission Models Only)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

| <u>Miles</u> | <u>Non-Methane Hydrocarbons</u> | <u>Carbon Monoxide</u> | <u>Nitrogen Oxides</u> | <u>Carbon Monoxide (20°F)</u> |
|--------------|---------------------------------|------------------------|------------------------|-------------------------------|
| 50,000 | 0.25 | 3.4 | 0.4 | 10.0 |
| 100,000 | 0.31 | 4.2 | 0.6 | n/a |

The certification exhaust emission values for this engine family in grams per mile are:

| <u>Miles</u> | <u>Non-Methane Hydrocarbons</u> | <u>Carbon Monoxide</u> | <u>Nitrogen Oxides</u> | <u>Carbon Monoxide (20°F)</u> |
|--------------|---------------------------------|------------------------|------------------------|-------------------------------|
| 50,000 | 0.18 | 1.5 | 0.1 | 6.3 |
| 100,000 | 0.20 | 1.7 | 0.1 | n/a |

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).


BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 19th day of July 1995.


R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
 PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Fuji Heavy Industries Ltd. Exh Engine Family: TFJ1.8VJGFKE (System #1)
 Evap Std: 50K Useful Life with R/L x Evap Engine Family: TFJ1110BYME1
 Exh Std: Tier-0 Tier-1 x TLEV LEV ULEV ZEV ; EPA Tier-0 Tier-1 x
 Veh Class(es): PC x LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Exh Cert Fuel(s): Indo Ph2 x Diesel: 13 CCR 2282 or 40 CFR 86.113-90 or -94
M85 CNG LPG Other (specify)
 Fuel Type(s): Dedicated x Flex-Fuel Dual-Fuel Gasoline x Diesel M85
CNG LNG LPG Other (specify)
 Hybrid: Type A B C , APU Cycle (e.g., Otto, Diesel, Turbine)
 Engine Configuration: H04 Displacement: 1.8 / Liters 111 / Cubic Inches
 Engine: Front x Mid Rear Drive: FWD x RWD 4WD-FT x 4WD-PT
 Exhaust ECS (eg., EGR, MFI, TC, CAC): HO2S(2), TWC(2), SFI
 (use abbreviations per SAE J1930 SEP91)

| Engine Code (CA/49ST /50ST) | Vehicle Models | Trans. Type: A-Auto M-Man. | ETW | DPA | Ignition (ECM/PCM) Part No. | EGR System Part No. | Catalytic Converter Part No. |
|-----------------------------|-------------------------|----------------------------|--------------|-----|---|---------------------|--|
| T1.8BNM (50ST) | IMPENZA 2D Base | M-5 | 2750 | 6.5 | Electronic Control Unit: Fuji's Part No. 22611AC450 | None | Fuji's Part No. Front: 20805AA780 Rear: 20805AA800 |
| | IMPENZA 4D Base | | | 7.4 | | | |
| | IMPENZA 2D AWD Brighton | | 2875 | 7.1 | | | |
| | IMPENZA 4D AWD Base | | 2875 | 7.4 | | | |
| T1.8BNMA (50ST) | IMPENZA 2D Base | M-5 | 2750 | 7.2 | 22611AC451 (R/C #96-6) 22611AC452 (R/C #96-15) | None | Fuji's Part No. Front: 20805AA780 Rear: 20805AA800 |
| | IMPENZA 4D Base | | | 7.2 | | | |
| | IMPENZA 2D L | | 3000 | 6.5 | | | |
| | IMPENZA 2D AWD Brighton | | | 7.8 | | | |
| | IMPENZA 4D AWD Base | | 3000 (2875)# | 8.1 | | | |
| | | | | 7.8 | | | |

#The model is tested at higher ETW in accordance with 40 CFR 86.094-26(a)(2).

Date Issued: 3/22/95
 Revisions: 015-10/09/95 023-5/17/96

E.O # A-2-95

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Fuji Heavy Industries Ltd. Exh Engine Family: TFJ1.6VJGFEK (System #2)
 Evap Std: 50K___ Useful Life with R/L x Evap Engine Family: TFJ1110BYME1
 Exh Std: Tier-0___ Tier-1 x TLEV___ LEV___ ULEV___ ZEV___ ; EPA Tier-0___ Tier-1 x
 Veh Class(es): PC x LDT1___ LDT2___ MDV1___ MDV2___ MDV3___ MDV4___ MDV5___
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Exh Cert Fuel(s): Indo___ Ph2 x Diesel: 13 CCR 2282___ or 40 CFR 86.113-90___ or -94___
 M85___ CNG___ LPG___ Other (specify)___
 Fuel Type(s): Dedicated x Flex-Fuel___ Dual-Fuel___ Gasoline x Diesel___ M85___
 CNG___ LNG___ LPG___ Other (specify)___
 Hybrid: Type A___ B___ C___, APU Cycle (e.g., Otto, Diesel, Turbine)___
 Engine Configuration: H04 Displacement: 1.8 / ___ Liters 111 / ___ Cubic Inches
 Engine: Front x Mid___ Rear___ Drive: FWD x RWD___ 4WD-FT___ 4WD-PT___
 Exhaust ECS (eg., EGR, MFI, TC, CAC): PAIR, EGR, HO2S(2), TWC(2), SFI
 (use abbreviations per SAE J1930 SEP91)

| Engine Code (CA/49ST /50ST) | Vehicle Models | Trans. Type: A-Auto M-Man. | ETW | DPA | Ignition (ECM/PCM) Part No. | EGR System Part No. | Catalytic Converter Part No. |
|-----------------------------|----------------|----------------------------|------|-----|---|---|--|
| T1.8BNAA (50ST) | IMPENZA 2D L | A-4 | 2750 | 6.3 | Electronic Control Unit: Fuji's Part No. 22611AC450 22611AC451 (R/C #96-6) 22611AC452 (R/C #96-15) | EGR Valve: Mitsubishi K005T75072, AA551 Fuji's Part No. 14710AA551 | Fuji's Part No. 20805AA780 Rear: 20805AA800 |
| | IMPENZA 4D L | | | 6.6 | | | |
| | | | | 6.6 | | | |

Date Issued: 3/22/'95
 Revisions: 015-10/09/'95 023-5/17/'96