

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-48-35  
Relating to Certification of New Motor Vehicles

ROLLS-ROYCE MOTOR CARS LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year Rolls-Royce Motor Cars Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: TRR6.7V8GPFK Displacement: 6.75 Liters (412 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Sequential Multiport Fuel Injection  
Heated Oxygen Sensors (Two)  
Warm Up Three Way Catalytic Converter  
Secondary Air Injection  
Three Way Catalytic Converter  
Turbocharger  
Charge Air Cooler

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards (alternative in-use compliance standards in parentheses) for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.25 (0.32)	3.4 (5.2)	0.4 (n/a)	10.0 (n/a)
100,000	0.31 (n/a)	4.2 (n/a)	0.6 (n/a)	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.17	1.6	0.3	7.5
100,000	0.22	2.3	0.3	n/a

BE IT FURTHER RESOLVED: That the listed vehicle models are permitted alternative in-use compliance as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles," pursuant to provisions in the said standards and test procedures applicable to small-volume manufacturers.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", pursuant to provisions in said standards and test procedures applicable to small-volume manufacturers.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".


BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 6<sup>th</sup> day of June 1995.

  
R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division



1996 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

E.O.# A-48-35Page 101

Manufacturer: Rolls-Royce Motor Cars Ltd Exh Eng Fam: TRR6.7V8GPGFK Evap Fam: TRR1085AYMA1  
 All Eng Codes in Eng Fam: CA \_\_\_ 49S \_\_\_ 50S x AB965 \_\_\_  
 Exh Std: CA Tier-1 x TLEV \_\_\_ LEV \_\_\_ ULEV \_\_\_ ZEV \_\_\_; US EPA Tier-1 x  
 Evap Std: 50K x Useful Life with R/L \_\_\_ In-Use Exh Std: Full In Use \_\_\_ Alt In Use >  
 Veh Class(es): PC x LDT1 \_\_\_ LDT2 \_\_\_ MDV1 \_\_\_ MDV2 \_\_\_ MDV3 \_\_\_ MDV4 \_\_\_ MDV5 \_\_\_  
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)  
 Fuel Type(s): Dedicated x Flex-Fuel \_\_\_ Dual-Fuel \_\_\_ Bi-Fuel \_\_\_ Gasoline x Diesel \_\_\_  
 CNG \_\_\_ LNG \_\_\_ LPG \_\_\_ M85 \_\_\_ Other (specify) \_\_\_  
 Emiss Test Fuels(s): Indo x Ph2 \_\_\_ CNG \_\_\_ LPG \_\_\_ M85 \_\_\_ Other (specify) \_\_\_  
 Diesel: 13 CCR 2282 \_\_\_ 40 CFR 86.113-90 \_\_\_ or 40 CFR 86.113-94 \_\_\_  
 Service Accum: Std AMA \_\_\_ Mod AMA \_\_\_ Mfr ADP \_\_\_ Other (specify) ADF Assigned d/s  
 NMOG Test Procedure: N/A x Std \_\_\_ Equiv \_\_\_ R/L Test Proc: SHED \_\_\_ Pt Source \_\_\_  
 Hybrid: Type A - B - C -, APU Cycle (e.g., Otto, Diesel, Turbine) \_\_\_  
 Engine Configuration: V8 Displacement: 6 / 75 Liters 412 / Cubic Inches  
 Valves per Cylinder: 2 Rated HP: 350 @ 4000 RPM  
 Engine: Front x Mid \_\_\_ Rear \_\_\_ Drive: FWD \_\_\_ RWD x 4WD-FT \_\_\_ 4WD-PT \_\_\_  
 Exhaust ECS (eg., EGR, MFI, TC, CAC): SFI/HO2S(2)/WU-TWC/TWC/AIR/TC/CAC

(use abbreviations per SAE J1930 SEP91)

Eng. Code/ (Cert Std)	Vehicle Models (if coded see Attachment)	Trans. (M5, A4 etc.)	ETW or Test Wt	DPA or RLHP (DPA)	Ignition (ECM/PCM) Part No.	EGR Sys Part No.	Catalytic Converter Part No.
A/50S	<u>Bentley</u>						
	Turbo R	A4	5660	11.7		N/A	WU-TWC UE 74016 or UE 79281
	Turbo RL	A4	5740	11.7	RR Part No: UT 11094/Z1		
	Continental R	A4	6410	11.1	Zytek Part No 20/021/0004A		TWC UE 74907 or UE 79282
Azure	A4	5760	10.7				