



Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;


IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
BRIGGS & STRATTON CORPORATION	7BSXS.5702VR (U-U-002-0403) 7BSXS.6272VJ (U-U-002-0405)	570 627	Gasoline
* TBC = To Be Certified			
EQUIPMENT DESCRIPTION			
MODEL YEAR	EQUIPMENT APPLICATION		
2008	Commercial Turf		
EQUIPMENT MODELS	LCT18BV483, LCT21BV523, LCT23BV523, LCT23BV603		
EXEMPTION CRITERIA			
(1) Small production volume tank exemption criteria as defined in Section 2752(a)(26)			

BE IT FURTHER RESOLVED: That the aforementioned equipment is exempt, pursuant to 13 CCR Section 2766, from (1) fuel tank permeation emissions standards and diurnal emissions standards described in section 2754 for engine displacement greater than or equal to 225 cc or (2) diurnal performance requirements in section 2754 and fuel tank permeation and carbon canister design requirements in section 2754(b) because it meets at least one of the exemption criteria listed above.

This Executive Order is only granted to the equipment models and model-year listed above. Equipment that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this 11th day of January 2008.


Annette Hebert, Chief
Mobile Source Operations Division

Small Off-Road Evaporative Certification Database Form
(Supplementary Information)

U-U-052-0005

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)			S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type	S9. Nominal Fuel Line Length ⁽¹⁾ (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
		CA Only	49- State	50- State											
	Fuel Tank 103-4583														
	Lazer Z CT 48														
	LCT18BV483		X	II	Carb	22.7	NA	Multilayer	152.4	6.35	7BSXS.5702VR	N/A	G-05-018		
	LCT18BV483		X	II	Carb	22.7	NA	Multilayer	482.60	6.35	7BSXS.5702VR	N/A	G-05-018		
	LCT18BV483		X	II	Carb	22.7	NA	Multilayer	155.0	6.35	7BSXS.5702VR	N/A	G-05-018		
	LCT18BV483		X	II	Carb	22.7	NA	Multilayer	186.4	6.35	7BSXS.5702VR	N/A	G-05-018		
	Lazer Z CT 52 in.														
	LCT21BV523		X	II	Carb	22.7	NA	Multilayer	152.4	6.35	7BSXS.6272VJ	N/A	G-05-018		
	LCT21BV523		X	II	Carb	22.7	NA	Multilayer	482.60	6.35	7BSXS.6272VJ	N/A	G-05-018		
	LCT21BV523		X	II	Carb	22.7	NA	Multilayer	155.0	6.35	7BSXS.6272VJ	N/A	G-05-018		
	LCT21BV523		X	II	Carb	22.7	NA	Multilayer	130.2	6.35	7BSXS.6272VJ	N/A	G-05-018		
	Lazer Z CT 52 in.														

Attachment 2 of 2

U-4-052-0005

LCT23BV523	X	II	Carb	22.7	N/A	Multilayer	152.4	6.35	7BSXS.6272VJ	N/A	G-05-018
LCT23BV523	X	II	Carb	22.7	N/A	Multilayer	482.6	6.35	7BSXS.6272VJ	N/A	G-05-018
LCT23BV523	X	II	Carb	22.7	N/A	Multilayer	155.0	6.35	7BSXS.6272VJ	N/A	G-05-018
LCT23BV523	X	II	Carb	22.7	N/A	Multilayer	130.2	6.35	7BSXS.6272VJ	N/A	G-05-018
Lazer Z CT 60 in.											
LCT23BV603	X	II	Carb	22.7	NA	Multilayer	152.4	6.35	7BSXS.6272VJ	N/A	G-05-018
LCT23BV603	X	II	Carb	22.7	NA	Multilayer	482.60	6.35	7BSXS.6272VJ	N/A	G-05-018
LCT23BV603	X	II	Carb	22.7	NA	Multilayer	155.0	6.35	7BSXS.6272VJ	N/A	G-05-018
LCT23BV603	X	II	Carb	22.7	NA	Multilayer	130.2	6.35	7BSXS.6272VJ	N/A	G-05-018

(1) The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)