

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
Briggs & Stratton Corporation	9BSXS.3442VA (U-U-002-0518)	344	Gasoline
	9BSXS.5002VV (U-U-002-0515)	500	
	9BSXS.5402VL (U-U-002-0513)	540	
	9BSXS.7242VA (U-U-002-0512)	656, 724	
	9BSXS.7242VE (U-U-002-0516)	656, 724	
	ABSXS.3442VA (U-U-002-0574)	344	
	ABSXS.5002VV (U-U-002-0575)	500	
	ABSXS.5402VL (U-U-002-0576)	540	
	ABSXS.7242VA (U-U-002-0577)	656, 724	
	ABSXS.7242VE (U-U-002-0578)	656, 724	
Kohler Company	9KHXS.5972GD (U-U-005-0282)	597	Gasoline
	9KHXS.7252GD (U-U-005-0286)	725	
	9KHXS.5972GB (U-U-005-0281)	535, 597	
	9KHXS.7252GB (U-U-005-0285-1)	725	
	AKHXS.5972GD (U-U-005-0311)	597	
	AKHXS.7252GD (U-U-005-0315)	725	
	AKHXS.5972GB (U-U-005-0310)	535, 597	
AKHXS.7252GB (U-U-005-0314)	725		

S.A. = See Attachment
TBC = To Be Certified

EQUIPMENT DESCRIPTION			
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	EQUIPMENT APPLICATION
2010	CP	4.59, 11.27, 15.11, 15.31	Riding Mower, Tractor
EMISSION CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL	
Canister, Treated HDPE		See Attachment	

A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. Venting Control Type and Code:- Canister=C Sealed Tank=S Other=O 2. Tank Barrier Type and Code:- Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes =C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.


*not applicable					
DESIGN BASED					
FUEL HOSE PERMEATION (grams ROG/m ² /day)		FUEL TANK PERMEATION (grams ROG/m ² /day)		CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)	
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER
15	G-05-018, Q-18-034	2.5	Q-07-019	1.4	C-U-06-015

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this 24th day of February 2010.


Annette Hebert, Chief
Mobile Source Operations Division

S1.	S2.	S3.	S4.			S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
			Engine Class (I or II)	Fuel System (FI or CARB)	Fuel Tank Vol. (Liters)										
Word Case (Check One)	Engine or Equipment Model	Sales Codes (check all appropriate)													
		CA Only	48 State	46 State											
	LT	X			Comb	4.59	0.194	ML	329	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	LT	X			Comb	4.59	0.194	ML	381	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
X	LT	X			Comb	4.59	0.194	ML	531	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	YT	X			Comb	4.59	0.194	ML	219	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	YT	X			Comb	4.59	0.194	ML	381	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
X	YT	X			Comb	4.59	0.194	ML	531	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	LT	X			Comb	11.27	0.463	ML	1092	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	LT	X			Comb	11.27	0.463	ML	1245	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	LT	X			Comb	11.27	0.463	ML	1397	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	LT	X			Comb	11.27	0.463	ML	1549	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	YT	X			Comb	11.27	0.463	ML	1092	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	YT	X			Comb	11.27	0.463	ML	1245	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	YT	X			Comb	11.27	0.463	ML	1397	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	YT	X			Comb	11.27	0.463	ML	1549	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	GT	X			Comb	15.11	0.519	ML	1092	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	GT	X			Comb	15.11	0.519	ML	1245	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	GT	X			Comb	15.11	0.519	ML	1397	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	GT	X			Comb	15.11	0.519	ML	1549	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	LT	X			Comb	15.11	0.519	ML	1092	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	LT	X			Comb	15.11	0.519	ML	1245	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	LT	X			Comb	15.11	0.519	ML	1397	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	LT	X			Comb	15.11	0.519	ML	1549	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	GT	X			Comb	15.11	0.519	ML	1092	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	GT	X			Comb	15.11	0.519	ML	1245	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	GT	X			Comb	15.11	0.519	ML	1397	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	
	GT	X			Comb	15.11	0.519	ML	1549	6	985X5 342VA ABSX5 342VA	Q-07-015	G-05-018 and/or Q-18-014	C-U-06-015	

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
		CA Only	49-State											
	LT	X		II	Carb	4.59	0.194	ML	239	6	9BX5X-5002VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Carb	4.59	0.194	ML	361	6	9BX5X-5003VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
X	LT	X		II	Carb	4.59	0.194	ML	531	6	9BX5X-5003VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Carb	4.59	0.194	ML	379	6	9BX5X-5002VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Carb	4.59	0.194	ML	381	6	9BX5X-5003VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
X	YT	X		II	Carb	4.59	0.194	ML	511	6	9BX5X-5002VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Carb	11.27	0.463	ML	1092	6	9BX5X-5002VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Carb	11.27	0.463	ML	1245	6	9BX5X-5002VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Carb	11.27	0.463	ML	1597	6	9BX5X-5002VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Carb	11.27	0.463	ML	1549	6	9BX5X-5003VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Carb	11.27	0.463	ML	1092	6	9BX5X-5003VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Carb	11.27	0.463	ML	1245	6	9BX5X-5003VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Carb	11.27	0.463	ML	1397	6	9BX5X-5002VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Carb	11.27	0.463	ML	1549	6	9BX5X-5003VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.11	0.519	ML	1092	6	9BX5X-5002VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.11	0.519	ML	1245	6	9BX5X-5002VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.11	0.519	ML	1397	6	9BX5X-5002VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.11	0.519	ML	1549	6	9BX5X-5003VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.11	0.519	ML	1092	6	9BX5X-5003VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.11	0.519	ML	1245	6	9BX5X-5003VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.11	0.519	ML	1397	6	9BX5X-5002VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.11	0.519	ML	1549	6	9BX5X-5003VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.11	0.519	ML	1092	6	9BX5X-5003VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.11	0.519	ML	1245	6	9BX5X-5003VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.11	0.519	ML	1397	6	9BX5X-5002VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.11	0.519	ML	1549	6	9BX5X-5003VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	N		II	Carb	15.11	0.519	ML	1549	6	9BX5X-5003VV	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015

MODEL SUMMARY (Page 3 of 10)

S1.	S2.	S3.	S4.	S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
		CA Only	49 State	50 State									
	LT	X			4.39	0.194	ML	229	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X			4.39	0.194	ML	381	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
X	LT	X			4.39	0.194	ML	533	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X			4.39	0.194	ML	229	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X			4.39	0.194	ML	381	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
X	YT	X			4.39	0.194	ML	533	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X			11.27	0.463	ML	1092	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X			11.27	0.463	ML	1245	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X			11.27	0.463	ML	1397	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X			11.27	0.463	ML	1549	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X			11.27	0.463	ML	1092	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X			11.27	0.463	ML	1245	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X			11.27	0.463	ML	1397	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X			11.27	0.463	ML	1549	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X			11.27	0.463	ML	1092	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X			11.27	0.463	ML	1245	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X			11.27	0.463	ML	1397	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X			11.27	0.463	ML	1549	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X			15.11	0.519	ML	1092	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X			15.11	0.519	ML	1245	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X			15.11	0.519	ML	1397	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X			15.11	0.519	ML	1549	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X			15.11	0.519	ML	1092	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X			15.11	0.519	ML	1245	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X			15.11	0.519	ML	1397	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X			15.11	0.519	ML	1549	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X			15.11	0.519	ML	1092	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X			15.11	0.519	ML	1245	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X			15.11	0.519	ML	1397	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X			15.11	0.519	ML	1549	6	9BXSX 5402VL	Q-07-0 9	G-05-018 and/or Q-18-034	C-U-06-015

4-4-006-0290

ment 4 of 10

MODEL SUMMARY (Page 4 of 10)

S1.	S2.	S3.	S4.	S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
		CA Only	#8 State	#8 State									
	LT	X			4.59	0.194		229	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	LT	X			4.59	0.194		381	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
X	LT	X			4.59	0.194		533	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	YT	X			4.59	0.194		229	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	YT	X			4.59	0.194		381	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	YT	X			4.59	0.194		533	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
X	LT	X			11.27	0.463		1092	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	LT	X			11.27	0.463		1245	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	LT	X			11.27	0.463		1387	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	LT	X			11.27	0.463		1549	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	YT	X			11.27	0.463		1092	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	YT	X			11.27	0.463		1245	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	YT	X			11.27	0.463		1387	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	YT	X			11.27	0.463		1549	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	GT	X			15.11	0.519		1092	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	GT	X			15.11	0.519		1245	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	GT	X			15.11	0.519		1387	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	GT	X			15.11	0.519		1549	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	LT	X			15.11	0.519		1092	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	LT	X			15.11	0.519		1245	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	LT	X			15.11	0.519		1387	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	YT	X			15.11	0.519		1092	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	YT	X			15.11	0.519		1245	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	YT	X			15.11	0.519		1387	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	YT	X			15.11	0.519		1549	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	GT	X			15.11	0.519		1092	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	GT	X			15.11	0.519		1245	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	GT	X			15.11	0.519		1387	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015
	GT	X			15.11	0.519		1549	6	9BXSX 7242VA	Q-07-019	G-05-018 and/or Q-18-014	C-U-06-015

MODEL SUMMARY (Page 5 of 10)

S1.	S2.	S3.		S4.	S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.
		CA Only	49-State											
	LT	X		II	Carb	4.59	0.194	ML	229	6	9BXSX7242VE ABXSX7242VE	Q-07-C19	G-05-018 and/or Q-1R-034	C-U-06-015
	LT	X		II	Carb	4.59	0.194	ML	381	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
X	LT	X		II	Carb	4.59	0.194	ML	533	6	9BXSX7242VE ABXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	YT	X		II	Carb	4.59	0.194	ML	229	6	9BXSX7242VE ABXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	YT	X		II	Carb	4.59	0.194	ML	381	6	9BXSX7242VE ABXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
X	YT	X		II	Carb	4.59	0.194	ML	533	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	LT	X		II	Carb	11.27	0.463	ML	1092	6	9BXSX7242VE ABXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	LT	X		II	Carb	11.27	0.463	ML	1345	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	LT	X		II	Carb	11.27	0.463	ML	1397	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	LT	X		II	Carb	11.27	0.463	ML	1549	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	YT	X		II	Carb	11.27	0.463	ML	1092	6	9BXSX7242VE ABXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	YT	X		II	Carb	11.27	0.463	ML	1245	6	9BXSX7242VE ABXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	YT	X		II	Carb	11.27	0.463	ML	1397	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	GT	X		II	Carb	11.27	0.463	ML	1092	6	9BXSX7242VE ABXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	GT	X		II	Carb	11.27	0.463	ML	1245	6	9BXSX7242VE ABXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	GT	X		II	Carb	11.27	0.463	ML	1397	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	GT	X		II	Carb	11.27	0.463	ML	1549	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	LT	X		II	Carb	15.11	0.519	ML	1092	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	LT	X		II	Carb	15.11	0.519	ML	1245	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	LT	X		II	Carb	15.11	0.519	ML	1397	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	LT	X		II	Carb	15.11	0.519	ML	1549	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	YT	X		II	Carb	15.11	0.519	ML	1092	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	YT	X		II	Carb	15.11	0.519	ML	1245	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	YT	X		II	Carb	15.11	0.519	ML	1397	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	YT	X		II	Carb	15.11	0.519	ML	1549	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	GT	X		II	Carb	15.11	0.519	ML	1092	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	GT	X		II	Carb	15.11	0.519	ML	1245	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	GT	X		II	Carb	15.11	0.519	ML	1397	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015
	GT	X		II	Carb	15.11	0.519	ML	1549	6	9BXSX7242VE ADXSX7242VE	Q-07-019	G-05-018 and/or Q-1R-034	C-U-06-015

U-4-006-0270

Attachment 6 of 10

MODEL SUMMARY (Page 6 of 10)

S1. Wrist Case (Check One)	S2. Engine or Equipment Model	S3. Serial Codes (check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (Filter CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (sq in)	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Catalyst or Other Venting Control Executive Order
		CA Only	49-State											
	LT	X		II	Carb	4.59	0.194	ML	229	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Carb	4.59	0.194	ML	361	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
X	LT	X		II	Carb	4.59	0.194	ML	533	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Carb	4.59	0.194	ML	229	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Carb	4.59	0.194	ML	361	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
X	YT	X		II	Carb	4.59	0.194	ML	533	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Carb	11.27	0.463	ML	1092	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Carb	11.27	0.463	ML	1245	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Carb	11.27	0.463	ML	1397	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Carb	11.27	0.463	ML	1549	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Carb	11.27	0.463	ML	1092	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Carb	11.27	0.463	ML	1245	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Carb	11.27	0.463	ML	1397	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Carb	11.27	0.463	ML	1549	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.31	0.524	ML	1092	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.31	0.519	ML	1245	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.31	0.519	ML	1397	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.31	0.519	ML	1549	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Carb	15.31	0.519	ML	1092	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Carb	15.31	0.519	ML	1245	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Carb	15.31	0.519	ML	1397	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Carb	15.31	0.519	ML	1549	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Carb	15.31	0.519	ML	1092	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Carb	15.31	0.519	ML	1245	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Carb	15.31	0.519	ML	1397	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Carb	15.31	0.519	ML	1549	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.31	0.519	ML	1092	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.31	0.519	ML	1245	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.31	0.519	ML	1397	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Carb	15.31	0.519	ML	1549	6	9KHXS 5972GD	Q-07-019	G-05-018 and/or Q-18-034	C-U-06-015

MODEL SUMMARY (Page 7 of 10)

S1.	Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
			CA Only	50-State											
		LT	X		II	Carb	4.59	0.194	ML	229	9KHXS 725GDD, AKHXS 725GDD	Q-07-017	Q-18-034	C-U-06-015	
		LT	X		II	Carb	4.59	0.194	ML	381	9KHXS 725GDD, AKHXS 725GDD	Q-07-019	Q-18-034	C-U-06-015	
X		LT	X		II	Carb	4.59	0.194	ML	333	9KHXS 725GDD, AKHXS 725GDD	Q-07-012	Q-18-034	C-U-06-015	
		YT	X		II	Carb	4.59	0.194	ML	229	9KHXS 725GDD, AKHXS 725GDD	Q-07-017	Q-18-034	C-U-06-015	
		YT	X		II	Carb	4.59	0.194	ML	381	9KHXS 725GDD, AKHXS 725GDD	Q-07-019	Q-18-034	C-U-06-015	
X		YT	X		II	Carb	4.59	0.194	ML	333	9KHXS 725GDD, AKHXS 725GDD	Q-07-012	Q-18-034	C-U-06-015	
		LT	X		II	Carb	11.27	0.463	ML	1092	9KHXS 725GDD, AKHXS 725GDD	Q-07-017	Q-18-034	C-U-06-015	
		LT	X		II	Carb	11.27	0.463	ML	1245	9KHXS 725GDD, AKHXS 725GDD	Q-07-019	Q-18-034	C-U-06-015	
		LT	X		II	Carb	11.27	0.463	ML	1397	9KHXS 725GDD, AKHXS 725GDD	Q-07-012	Q-18-034	C-U-06-015	
		LT	X		II	Carb	11.27	0.463	ML	1549	9KHXS 725GDD, AKHXS 725GDD	Q-07-019	Q-18-034	C-U-06-015	
		YT	X		II	Carb	11.27	0.463	ML	1092	9KHXS 725GDD, AKHXS 725GDD	Q-07-017	Q-18-034	C-U-06-015	
		YT	X		II	Carb	11.27	0.463	ML	1245	9KHXS 725GDD, AKHXS 725GDD	Q-07-019	Q-18-034	C-U-06-015	
		YT	X		II	Carb	11.27	0.463	ML	1397	9KHXS 725GDD, AKHXS 725GDD	Q-07-012	Q-18-034	C-U-06-015	
		YT	X		II	Carb	11.27	0.463	ML	1549	9KHXS 725GDD, AKHXS 725GDD	Q-07-019	Q-18-034	C-U-06-015	
		GT	X		II	Carb	11.27	0.463	ML	1092	9KHXS 725GDD, AKHXS 725GDD	Q-07-017	Q-18-034	C-U-06-015	
		GT	X		II	Carb	11.27	0.463	ML	1245	9KHXS 725GDD, AKHXS 725GDD	Q-07-019	Q-18-034	C-U-06-015	
		GT	X		II	Carb	11.27	0.463	ML	1397	9KHXS 725GDD, AKHXS 725GDD	Q-07-012	Q-18-034	C-U-06-015	
		GT	X		II	Carb	11.27	0.463	ML	1549	9KHXS 725GDD, AKHXS 725GDD	Q-07-019	Q-18-034	C-U-06-015	
		LT	X		II	Carb	15.11	0.519	ML	1092	9KHXS 725GDD, AKHXS 725GDD	Q-07-017	Q-18-034	C-U-06-015	
		LT	X		II	Carb	15.11	0.519	ML	1245	9KHXS 725GDD, AKHXS 725GDD	Q-07-019	Q-18-034	C-U-06-015	
		LT	X		II	Carb	15.11	0.519	ML	1397	9KHXS 725GDD, AKHXS 725GDD	Q-07-012	Q-18-034	C-U-06-015	
		LT	X		II	Carb	15.11	0.519	ML	1549	9KHXS 725GDD, AKHXS 725GDD	Q-07-019	Q-18-034	C-U-06-015	
		YT	X		II	Carb	15.11	0.519	ML	1092	9KHXS 725GDD, AKHXS 725GDD	Q-07-017	Q-18-034	C-U-06-015	
		YT	X		II	Carb	15.11	0.519	ML	1245	9KHXS 725GDD, AKHXS 725GDD	Q-07-019	Q-18-034	C-U-06-015	
		YT	X		II	Carb	15.11	0.519	ML	1397	9KHXS 725GDD, AKHXS 725GDD	Q-07-012	Q-18-034	C-U-06-015	
		YT	X		II	Carb	15.11	0.519	ML	1549	9KHXS 725GDD, AKHXS 725GDD	Q-07-019	Q-18-034	C-U-06-015	
		GT	X		II	Carb	15.11	0.519	ML	1092	9KHXS 725GDD, AKHXS 725GDD	Q-07-017	Q-18-034	C-U-06-015	
		GT	X		II	Carb	15.11	0.519	ML	1245	9KHXS 725GDD, AKHXS 725GDD	Q-07-019	Q-18-034	C-U-06-015	
		GT	X		II	Carb	15.11	0.519	ML	1397	9KHXS 725GDD, AKHXS 725GDD	Q-07-012	Q-18-034	C-U-06-015	
		GT	X		II	Carb	15.11	0.519	ML	1549	9KHXS 725GDD, AKHXS 725GDD	Q-07-019	Q-18-034	C-U-06-015	

4-4-006-0170

Attachment 8 of 10

MODEL SUMMARY (Page 8 of 10)

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Surface Area (m2)	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Electrify Order	S13. Fuel Line Electrify Order	S14. Carbon Catalytic Other Venting Control Electrify Order
		CA Only	SB-Start											
	LT	X		II	Carb	4.59	0.194	ML	229	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	LT	X		II	Carb	4.59	0.194	ML	381	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
X	LT	X		II	Carb	4.59	0.194	ML	533	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	YT	X		II	Carb	4.59	0.194	ML	229	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	YT	X		II	Carb	4.59	0.194	ML	381	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
X	YT	X		II	Carb	4.59	0.194	ML	533	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	LT	X		II	Carb	11.27	0.463	ML	1092	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	LT	X		II	Carb	11.27	0.463	ML	1245	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	LT	X		II	Carb	11.27	0.463	ML	1397	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	LT	X		II	Carb	11.27	0.463	ML	1549	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	YT	X		II	Carb	11.27	0.463	ML	1092	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	YT	X		II	Carb	11.27	0.463	ML	1245	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	YT	X		II	Carb	11.27	0.463	ML	1397	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	YT	X		II	Carb	11.27	0.463	ML	1519	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	YT	X		II	Carb	11.27	0.463	ML	1671	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	GT	X		II	Carb	15.11	0.519	ML	1092	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	GT	X		II	Carb	15.11	0.519	ML	1245	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	GT	X		II	Carb	15.11	0.519	ML	1397	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	GT	X		II	Carb	15.11	0.519	ML	1519	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	LT	X		II	Carb	15.11	0.519	ML	1092	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	LT	X		II	Carb	15.11	0.519	ML	1245	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	LT	X		II	Carb	15.11	0.519	ML	1397	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	LT	X		II	Carb	15.11	0.519	ML	1519	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	YT	X		II	Carb	15.11	0.519	ML	1092	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	YT	X		II	Carb	15.11	0.519	ML	1245	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	YT	X		II	Carb	15.11	0.519	ML	1397	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	YT	X		II	Carb	15.11	0.519	ML	1519	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	GT	X		II	Carb	15.11	0.519	ML	1092	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	GT	X		II	Carb	15.11	0.519	ML	1245	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	GT	X		II	Carb	15.11	0.519	ML	1397	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	GT	X		II	Carb	15.11	0.519	ML	1519	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015
	GT	X		II	Carb	15.11	0.519	ML	1671	6	9KHXS3972GB	Q-07-019	Q-05-018 and/or Q-18-014	C.L. 06-015

4-4-006-0290

Attachment 9 of 10

MODEL SUMMARY (Page 9 of 10)

S1.	S2.	S3.	S4.	S5.	S6.	S7.	S8.	S9.	S10.	S11.	S12.	S13.	S14.	
														Worst Case (Check One)
		CA Study	49 State	50 State										
	LT	X		II	Carb	4.59	0.194	ML	229	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	LT	X		II	Carb	4.59	0.194	ML	381	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
X	LT	X		II	Carb	4.59	0.194	ML	533	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	YT	X		II	Carb	4.98	0.194	ML	219	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	YT	X		II	Carb	4.59	0.194	ML	381	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
X	YT	X		II	Carb	4.59	0.194	ML	533	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	LT	X		II	Carb	11.27	0.463	ML	1092	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	LT	X		II	Carb	11.27	0.463	ML	1245	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	LT	X		II	Carb	11.27	0.463	ML	1397	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	LT	X		II	Carb	11.27	0.463	ML	1549	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	YT	X		II	Carb	11.27	0.463	ML	1092	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	YT	X		II	Carb	11.27	0.463	ML	1245	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	YT	X		II	Carb	11.27	0.463	ML	1397	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	YT	X		II	Carb	11.27	0.463	ML	1549	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	GT	X		II	Carb	15.11	0.519	ML	1092	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	GT	X		II	Carb	15.11	0.519	ML	1245	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	GT	X		II	Carb	15.11	0.519	ML	1397	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	GT	X		II	Carb	15.11	0.519	ML	1549	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	LT	X		II	Carb	15.11	0.519	ML	1092	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	LT	X		II	Carb	15.11	0.519	ML	1245	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	LT	X		II	Carb	15.11	0.519	ML	1397	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	LT	X		II	Carb	15.11	0.519	ML	1549	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	YT	X		II	Carb	15.11	0.519	ML	1092	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	YT	X		II	Carb	15.11	0.519	ML	1245	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	YT	X		II	Carb	15.11	0.519	ML	1397	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	YT	X		II	Carb	15.11	0.519	ML	1549	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	GT	X		II	Carb	15.11	0.519	ML	1092	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	GT	X		II	Carb	15.11	0.519	ML	1245	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	GT	X		II	Carb	15.11	0.519	ML	1397	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015
	GT	X		II	Carb	15.11	0.519	ML	1549	6	AKHX 7315GB	Q-07-019	Q-18-034	C.L-06-015

MODEL SUMMARY (Page 10 of 10)

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Service Area (lit)	S8. Fuel Line Type	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Catalyst or Other Venting Control Executive Order
		CA Only	49-State											
	LT	X		II	Cat	4.59	0.194	NL	229	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Cat	4.59	0.194	NL	381	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
X	LT	X		II	Cat	4.59	0.194	NL	531	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Cat	4.59	0.194	NL	229	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	YT	X		II	Cat	4.59	0.194	NL	381	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
X	YT	X		II	Cat	4.59	0.194	NL	533	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Cat	11.27	0.463	NL	1092	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Cat	11.27	0.463	NL	1245	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Cat	11.27	0.463	NL	1397	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	LT	X		II	Cat	11.27	0.463	NL	1549	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	VT	X		II	Cat	11.27	0.463	NL	1092	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	VT	X		II	Cat	11.27	0.463	NL	1245	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	VT	X		II	Cat	11.27	0.463	NL	1397	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	VT	X		II	Cat	11.27	0.463	NL	1549	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Cat	15.11	0.519	NL	1092	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Cat	15.11	0.519	NL	1245	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Cat	15.11	0.519	NL	1397	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	GT	X		II	Cat	15.11	0.519	NL	1549	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	UT	X		II	Cat	15.11	0.519	NL	1092	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	UT	X		II	Cat	15.11	0.519	NL	1245	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	UT	X		II	Cat	15.11	0.519	NL	1397	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015
	UT	X		II	Cat	15.11	0.519	NL	1549	6	ABSXS R102VS	Q-07-019	Q-05-018 and/or Q-18-034	C-U-06-015