

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

**IT IS ORDERED AND RESOLVED:** That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
BRIGGS & STRATTON CORPORATION	See Attachment	724, 810	Gasoline
KOHLER COMPANY	See Attachment	725, 747	Gasoline
KAWASAKI HEAVY INDUSTRIES, LTD.	See Attachment	603, 726 745, 852	Gasoline
S.A. = See Attachment TBC = To Be Certified			
EQUIPMENT DESCRIPTION			
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	EQUIPMENT APPLICATION
2014	COSGERLP	11.8, 15.1, 19.0, 18.8, 20.0, 20.7, 22.7, 29.3, 32.2	Walk-Behind Lawnmower, Riding Mower, Commercial Turf
EMISSION CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL	
Canister/Other		See Attachment	
A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. <b>Venting Control Type and Code:</b> Canister=C Sealed Tank=S Other=O 2. <b>Tank Barrier Type and Code:</b> Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B. <b>EVAPORATIVE FAMILY 2-Letter CODE</b> (Venting Control Codes =C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). <b>Note:</b> Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.			

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m<sup>2</sup>/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.


*not applicable		DESIGN BASED			
FUEL HOSE PERMEATION (grams ROG/m <sup>2</sup> /day)		FUEL TANK PERMEATION (grams ROG/m <sup>2</sup> /day)		CARBON CANISTER BUTANE WORKING CAPACITY (grams HC/liter)	
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER
15	G-05-018, C-U-05-009, C-U-05-013	1.5	Q-08-027A	1.4	Q-09-021, Q-09-023

**BE IT FURTHER RESOLVED:** That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this 30<sup>th</sup> day of August 2013.

  
 Erik White, Chief  
 Mobile Source Operations Division

Small Off-Road Evaporative Certification Database Form  
(Supplementary Information)

U-U-089-0033

MODEL SUMMARY

S1. Worst Case (Check One)	S2. Engine or Equipment Model	S3. Sales Codes (check all appropriate)			S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Vol. (Liters)	S7. Fuel Tank Internal Surface Area (m <sup>2</sup> )	S8. Fuel Line Type	S9. Nominal Fuel Line Length <sup>(1)</sup> (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Exhaust Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister or Other Venting Control Executive Order
		CA Only	49-State	50-State											
	SW32-14FS SW36A-14FS SW48V-14FS SW52V-15FS SWZ36A-14FS SWZ-14FS-16 SWZ48V-15FS SWZ-15FS-16 SWZ52V-18FS SWZ-18FS-16 SWZ-18FS	X			II	CARB	19.0	.51	CPE	748	6.35	DKAXS.6032CA EKAXS.6032CA	Q-08-027A	G-05-018 C-U-05-013	Q-09-021
	SWZT36-14FS SWZT48-15FS SWZT52-18FS	X			II	CARB	19.0	.51	CPE	799	6.35	DKAXS.6032CA EKAXS.6032CA	Q-08-027A	G-05-018 C-U-05-013	Q-09-021
	SVR36A-15FS	X			II	CARB	18.8	.48	CPE	824	6.35	DKAXS.6032CA EKAXS.6032CA	Q-08-027A	G-05-018 C-U-05-013	Q-09-021
	SFZ48-18FS	X			II	CARB	22.7	.83	CPE	1205	6.35	DKAXS.6032CA EKAXS.6032CA	Q-08-027A	G-05-018 C-U-05-013	Q-09-023
	SVR36A-19FX	X			II	CARB	18.8	.48	CPE	824	6.35	DKAXS.6032CB EKAXS.6032CB	Q-08-027A	G-05-018 C-U-05-013	Q-09-021
	SWZ-22FSE	X			II	CARB	19.0	.51	CPE	778	6.35	DKAXS.7262CA EKAXS.7262CA	Q-08-027A	G-05-018 C-U-05-013	Q-09-021
	STC48V-22FS	X			II	CARB	11.8 15.1	.51 .55	CPE	2480	6.35	DKAXS.7262CA EKAXS.7262CA	Q-08-027A	G-05-018 C-U-05-013	Q-09-023
	SFZ52-23FS SFZ61-24FS	X			II	CARB	22.7	.83	CPE	1362	6.35	DKAXS.7262CA EKAXS.7262CA	Q-08-027A	G-05-018 C-U-05-013	Q-09-023
	SVR48V-22FX	X			II	CARB	18.8	.48	CPE	854	6.35	DKAXS.7262CC EKAXS.7262CC	Q-08-027A	G-05-018 C-U-05-013	Q-09-021

SVR52V-23FX	X			II	CARB	29.3	.66	CPE	854	6.35	DKAXS.7262CC EKAXS.7262CC	Q-08-027A	G-05-018 C-U-05-013	Q-09-023
STC52V-22FX STC61V-23FX	X			II	CARB	11.8 15.1	.51 .55	CPE	2480	6.35	DKAXS.7262CC EKAXS.7262CC	Q-08-027A	G-05-018 C-U-05-013	Q-09-023
SCZ48V-22FX SCZ52V-23FX	X			II	CARB	20.7 20.0	.74 .72	CPE	2276	6.35	DKAXS.7262CC EKAXS.7262CC	Q-08-027A	G-05-018 C-U-05-013	Q-09-021 Qty = 2
STT61V-26DFI STT72V-26DFI	X			II	FI	32.2	.97	CPE	1143 305 57	6.35 7.94 12.70	DKAXS.7452IB EKAXS.7452IB	Q-08-027A	G-05-018 C-U-05-013	Q-09-023
SVR61V-25FX	X			II	CARB	29.3	.66	CPE	919	6.35	DKAXS.8522CA EKAXS.8522CA	Q-08-027A	G-05-018 C-U-05-013	Q-09-023
SFZ48-23BS SFZ48-24BS	X			II	CARB	22.7	.83	CPE	838	6.35	DBSXS.7242VA EBSXS.7242VA	Q-08-027A	G-05-018 C-U-05-013	Q-09-023
SFZ52-24BS SFZ52-25BS	X			II	CARB	22.7	.83	CPE	914	6.35	DBSXS.7242VN EBSXS.7242VN	Q-08-027A	G-05-018 C-U-05-013	Q-09-023
STC48V-24BS STC48V-25BS	X			II	CARB	11.8 15.1	.51 .55	CPE	3149	6.35	DBSXS.7242VN EBSXS.7242VN	Q-08-027A	G-05-018 C-U-05-013	Q-09-023
SCZ48V-25BS SCZ52V-25BS SCZ48V-26BS SCZ52V-26BS	X			II	CARB	20.7 20.0	.74 .72	CPE	3022	6.35	DBSXS.8102VS EBSXS.8102VS	Q-08-027A	G-05-018 C-U-05-013	Q-09-021 Qty = 2
SCZ48V-23CV SCZ52V-25CV	X			II	CARB	20.7 20.0	.74 .72	CPE	2178	6.35	DKHXS.7252GC EKHXS.7252GC DKHXS.7252GV	Q-08-027A	G-05-018 C-U-05-013	Q-09-021 Qty = 2
STC48V-23CV STC52V-25CV STC61V-25CV	X			II	CARB	11.8 15.1	.51 .55	CPE	2895	6.35	DKHXS.7252GC EKHXS.7252GC DKHXS.7252GV	Q-08-027A	G-05-018 C-U-05-013	Q-09-023
SVR52V-25CV-EFI SVR61V-26CV-EFI	X			II	FI	29.3	.66	CPE	1188	6.35	DKHXS.7472PC EKHXS.7472PC	Q-08-027A	G-05-018 C-U-05-013	Q-09-023
STC52V-25CV-EFI STC61V-26CV-EFI	X			II	FI	11.8 15.1	.51 .55	CPE	2052	6.35	DKHXS.7472PC EKHXS.7472PC	Q-08-027A	G-05-018 C-U-05-013	Q-09-023
SCZ48V-23CV-EFI SCZ52V-25CV-EFI	X			II	FI	20.7 20.0	.74 .72	CPE	2300	6.35	DKHXS.7472PC EKHXS.7472PC	Q-08-027A	G-05-018 C-U-05-013	Q-09-021 Qty = 2
STT52V-26CH-EFI STT61V-26CH-EFI STT72V-26CH-EFI	X			II	FI	32.2	.97	CPE	1618 51	6.35 7.94	DKHXS.7472PC EKHXS.7472PC	Q-08-027A	G-05-018 C-U-05-009 C-U-05-013	Q-09-023

(1) The nominal fuel line lengths can be grouped into increment of ± 3 inches (76 mm)