

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE <small>(CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)</small>
FUJI HEAVY INDUSTRIES, LTD.	EFJXS.2652GW (U-U-012-0451) FFJXS.2652GW (U-U-012-0479) EFJXS.2872GB (U-U-012-0452) FFJXS.2872GB (U-U-012-0480) EFJXS.4042GB (U-U-012-0453) FFJXS.4042GB (U-U-012-0481) EFJXS.7202GA (U-U-012-0456) FFJXS.7202GA (U-U-012-0487)	265, 287, 404, 653, 720	Gasoline
S.A. = See Attachment TBC = To Be Certified			
EQUIPMENT DESCRIPTION			
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	EQUIPMENT APPLICATION
2015	CM3	See Attachments	Compressor, Pump, Pressure Washer, Stump Beater, Generator, Non-Backpack Blower, Leaf Blower/Vacuum and Commercial Turf
EMISSION CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL	
Carbon Canister/Metal Tank		See Attachments	
<small>A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. Venting Control Type and Code:- Canister=C Sealed Tank=S Other=O 2. Tank Barrier Type and Code:- Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes =C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.</small>			

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754(a) or 2754(b), as applicable), and certification levels in grams per day (g/day) or grams per square meter per day (g/m²/day) or grams per liter (g/l) for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.


*not applicable		DESIGN BASED			
FUEL HOSE PERMEATION <small>(grams ROG/m²/day)</small>		FUEL TANK PERMEATION <small>(grams ROG/m²/day)</small>		CARBON CANISTER BUTANE WORKING CAPACITY <small>(grams HC/liter)</small>	
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER
15	G-05-018, C-U-05-003, Q-07-018	1.5	*	1.4	C-U-07-022, 25.2

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this 25th day of November 2014.


 Annette Hebert, Chief
 Emissions Compliance, Automotive Regulations and Science Division

ATTACHMENT Pg 1 of 3

Small Off-Road Evaporative Certification Database Form
(Supplementary Information)

U-U-012-0488

Model Year: 2015
Manufacturer: Fuji Heavy Industries Ltd.
Evaporative Family: CM3
CARB

Issued: October 8, 2014
Revised:
E.O. Number:

Page: 4

MODEL SUMMARY - Continued -

S1	S2.	S3.		S4	S5.	S6.		S7.	S8.	S9.	S10.	S11.	S12.	S12a.	S13.	S13a.	S14.	S14a.
		Sales Codes (Check all appropriate)				Fuel Tank Vol. (Liters)	Fuel Tank Internal Surface Area (m ²)											
Worst Case (Check One)	Engine or Equipment Model	50-State	49-State CA Only	Engine Class (I or II)	Fuel System (FI or CARB)			Total	Nominal									
	EX27-02		X	II	CARB	13.5	10.4	0.5090	Multi-layer	260 & 110	6.0	FFJXS.2652GW EFJXS.2652GW	-	Metal Tank (Exempted)	C-U-05-003 Q-07-018	C-U-05-003 Q-07-018	-	42036TA 030
X	EX27-03		X	II	CARB	16.1	12.9	0.5156	Multi-layer	260 & 110	6.0 & 7.6	FFJXS.2652GW EFJXS.2652GW	-	Metal Tank (Exempted)	C-U-05-003 Q-07-018	C-U-05-003 Q-07-018	-	42036TA 030
	EX27-04		X	II	CARB	11.0	8.0	0.4229	Multi-layer	260	6.35 6.0	FFJXS.2652GW EFJXS.2652GW	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	-	42036TA 030
	EX27-05		X	II	CARB	15.9	11.9	0.4385	Multi-layer	110	6.35 6.0	FFJXS.2652GW EFJXS.2652GW	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	-	42036TA 030
	EX27-06		X	II	CARB	15.7	15.4	0.4676	Multi-layer	260	6.0	FFJXS.2652GW EFJXS.2652GW	-	Metal Tank (Exempted)	C-U-05-003 Q-07-018	C-U-05-003 Q-07-018	-	42036TA 030
	EX27-11		X	II	CARB	11.0	8.0	0.4229	Multi-layer	260	6.35 6.0	FFJXS.2652GW EFJXS.2652GW	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	C-U-07 -022	C-U-07 -022
	EX27-12		X	II	CARB	15.9	11.9	0.4385	Multi-layer	110	6.35 6.0	FFJXS.2652GW EFJXS.2652GW	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	C-U-07 -022	C-U-07 -022
	EX27-13		X	II	CARB	27.5	22.0	0.7286	Multi-layer	260	6.35 6.0	FFJXS.2652GW EFJXS.2652GW	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	C-U-07 -022	C-U-07 -022
	EX27-14		X	II	CARB	21.5	17.5	0.4729	Multi-layer	260	6.35 6.0	FFJXS.2652GW EFJXS.2652GW	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	C-U-07 -022	C-U-07 -022

(1) The nominal fuel line length can be grouped into increment of ±3 inches (76 mm).

ATTACHMENT B 2 of 3

Small Off-Road Evaporative Certification Database Form
(Supplementary Information)

Model Year: 2015
Manufacturer: Fuji Heavy Industries Ltd.
Evaporative Family: CM3

Issued: October 8, 2014
Revised:
E.O. Number:

Page: 5

MODEL SUMMARY - Continued -

U-U-012-0488

S1 Worst Case (Check One)	S2 Engine or Equipment Model	S3 Sales Codes (Check all appropriate)		S4 Engine Class (I or II)	S5 Fuel System (FI or CARB)	S6 Fuel Tank Vol. (Liters)		S7 Fuel Tank Internal Surface Area (m ²)	S8 Fuel Line Type	S9 Nominal Fuel Line Length (mm) ⁽¹⁾	S10 Fuel Line Inside Diameter (mm)	S11 Exhaust Family	S12 Fuel Tank Executive Order	S12a Fuel Tank Part Number(s)	S13 Fuel Line Executive Order	S13a Fuel Line Part Number(s)	S14 Carbon Canister or Other Venting Control Executive Order	S14a Carbon Canister or Other Venting Control Part Number(s)
		49- State	50- State			Total	Nominal											
EX30-02			X	II	CARB	13.5	10.4	0.5090	Multi-layer	260&110	6.0	FFJXS.2872GB EFJXS.2872GB	-	Metal Tank (Exempted)	C-U-05-003 Q-07-018	C-U-05-003 Q-07-018	-	42036TA030
EX30-03			X	II	CARB	16.1	12.9	0.5156	Multi-layer	260&110	6.0&7.6	FFJXS.2872GB EFJXS.2872GB	-	Metal Tank (Exempted)	C-U-05-003 Q-07-018	C-U-05-003 Q-07-018	-	42036TA030
EX30-04			X	II	CARB	11.0	8.0	0.4229	Multi-layer	260	6.35 6.0	FFJXS.2872GB EFJXS.2872GB	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	-	42036TA030
EX30-05			X	II	CARB	15.9	11.9	0.4385	Multi-layer	110	6.35 6.0	FFJXS.2872GB EFJXS.2872GB	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	-	42036TA030
EX30-06			X	II	CARB	15.7	15.4	0.4676	Multi-layer	260	6.0	FFJXS.2872GB EFJXS.2872GB	-	Metal Tank (Exempted)	C-U-05-003 Q-07-018	C-U-05-003 Q-07-018	-	42036TA030
EX30-11			X	II	CARB	11.0	8.0	0.4229	Multi-layer	260	6.35 6.0	FFJXS.2872GB EFJXS.2872GB	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	C-U-07-022	C-U-07-022
EX30-12			X	II	CARB	15.9	11.9	0.4385	Multi-layer	110	6.35 6.0	FFJXS.2872GB EFJXS.2872GB	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	C-U-07-022	C-U-07-022
EX30-13			X	II	CARB	27.5	22.0	0.7286	Multi-layer	260	6.35 6.0	FFJXS.2872GB EFJXS.2872GB	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	C-U-07-022	C-U-07-022
EX30-14			X	II	CARB	21.5	17.5	0.4729	Multi-layer	260	6.35 6.0	FFJXS.2872GB EFJXS.2872GB	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	C-U-07-022	C-U-07-022

(1) The nominal fuel line length can be grouped into increment of ±3 inches (76 mm).

ATTACHMENT B3 of 3

Small Off-Road Evaporative Certification Database Form
(Supplementary Information)

MODEL SUMMARY - Continued -

U-U-012-0488



Model Year: 2015
Manufacturer: Fuji Heavy Industries Ltd.
Evaporative Family: CM3

Issued: October 8, 2014
Revised:
E.O. Number:

Page: 6

S1	S2	S3		S4	S5	S6		S7	S8	S9	S10	S11	S12	S12a	S13	S13a	S14	S14a
		Sales Codes (Check all appropriate)				Fuel Tank Vol. (Liters)	Fuel Tank Internal Surface Area (m ²)											
Worst Case (Check One)	Engine or Equipment Model	CA Only	50-State 49-State	Engine Class (I or II)	Fuel System (FI or CARB)	Total	Nominal	Fuel Tank Internal Surface Area (m ²)	Fuel Line Type	Nominal Fuel Line Length (mm) (1)	Fuel Line Inside Diameter (mm)	Exhaust Family	Fuel Tank Executive Order	Fuel Tank Part Number(s)	Fuel Line Executive Order	Fuel Line Part Number(s)	Carbon Canister or Other Venting Control Executive Order	Carbon Canister or Other Venting Control Part Number(s)
	EX35/40-02		X	II	CARB	15.9	11.9	0.4385	Multi-layer	560	6.35 6.0	FFJXS.4042GB EFJXS.4042GB	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	-	42036TA 030
	EX35/40-03		X	II	CARB	15.7	15.4	0.4676	Multi-layer	560	6.35 6.0	FFJXS.4042GB EFJXS.4042GB	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	-	42036TA 030
	EX35/40-04		X	II	CARB	11.0	8.0	0.4229	Multi-layer	560	6.35 6.0	FFJXS.4042GB EFJXS.4042GB	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	-	42036TA 030
	EX35/40-08		X	II	CARB	15.9	11.9	0.4385	Multi-layer	560	6.35 6.0	FFJXS.4042GB EFJXS.4042GB	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	C-U-07-022	C-U-07-022
	EX35/40-09		X	II	CARB	11.0	8.0	0.4229	Multi-layer	560	6.35 6.0	FFJXS.4042GB EFJXS.4042GB	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	C-U-07-022	C-U-07-022
	EX35/40-10		X	II	CARB	27.5	22.0	0.7286	Multi-layer	260	6.35 6.0	FFJXS.4042GB EFJXS.4042GB	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	C-U-07-022	C-U-07-022
	EH65/72-04		X	II	CARB	15.9	11.9	0.4385	Multi-layer	110 410 560	6.35 6.0	FFJXS.7202GA EFJXS.7202GA	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	C-U-07-022	C-U-07-022
	EH65/72-05		X	II	CARB	27.5	22.0	0.7286	Multi-layer	110 410 560	6.35 6.0	FFJXS.7202GA EFJXS.7202GA	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	C-U-07-022	C-U-07-022
	EH65/72-06		X	II	CARB	21.5	17.5	0.4729	Multi-layer	110 410 560	6.35 6.0	FFJXS.7202GA EFJXS.7202GA	-	Metal Tank (Exempted)	G-05-018 C-U-05-003 Q-07-018	G-05-018 C-U-05-003 Q-07-018	C-U-07-022	C-U-07-022

(1) The nominal fuel line length can be grouped into increment of ±3 inches (76 mm).