

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code Divisions 25.5 and 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: The following on-road motor vehicles with a manufacturer's GVWR over 10,000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

VEHICLE FAMILY INFORMATION:

Model Year: 2023

Vehicle Family Name: PPCR2VOCVC1R

Vehicle Type: Vocational

Vehicle Service Class: Medium HDV

Vehicle Subcategory: Medium HDV / Diesel / Regional

Gross Vehicle Weight Rating (GVWR) of Vehicles (pounds): 19,500 < GVWR ≤ 33,000

CO2 FAMILY EMISSION LIMITS:

CO₂ Standard (g/ton-mile): 234

Highest Projected Family Emission Limit (g/ton-mile): 578 Lowest Projected Family Emission Limit (g/ton-mile): 148

EMISSION CONTROL SYSTEMS:

Low rolling resistance tires (all) (LRRA), Low rolling resistance tires (drive) (LRRD), Low rolling resistance tires (steer) (LRRS), Tire pressure monitoring system (TPMS), Vehicle speed limiter (VSL), Expiring vehicle speed limiter (VSLE), Weight reduction (WR)

BE IT FURTHER RESOLVED: The manufacturer has demonstrated certification compliance with the Greenhouse Gas Emission Standards as specified in Title 17 CCR 95663 and the incorporated "California Greenhouse Gas Exhaust Emission Standards and Test Procedures for 2014 and Subsequent Model Heavy-Duty Vehicles" (HDV Test Procedures) adopted October 21, 2014 as last amended September 9, 2021.

BE IT FURTHER RESOLVED: For the listed air conditioning platform(s) in the attachment, the manufacturer has demonstrated certification compliance with the AC Leakage Standard specified in 17 CCR 95663(a)(1)(B)7 and Section 1037.115 of the incorporated "California Greenhouse Gas Exhaust Emission Standards and Test Procedures for 2014 and Subsequent Model Heavy-Duty Vehicles" (HDV Test Procedures) adopted October 21, 2014, as last amended September 9, 2021.

BE IT FURTHER RESOLVED: For the listed vehicle models, the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1978 (complete vehicles) (vehicle refueling emissions standards), and 13 CCR 2035 et seq. (emission control warranty).

BE IT FURTHER RESOLVED: The engine families that are approved for installation within the vehicle family are listed in the attachment.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed on this 9th day of December 2022.

Golin U. Kang Robin U. Lang, Chief

Emissions Certification and Compliance Division

Attachment 1 of 1:

Vehicle Family: <u>PPCR2VOCVC1R</u> Date: <u>12/18/2023</u> EO: <u>A-384-0162</u>

١	Vehicle	Make	and	Model	ls:
---	---------	------	-----	-------	-----

Vehicle Make	<u>Models</u>								
	Model 348	Model 579	Model	Model 367		Model 536			
			389						
Dotorbilt	Model 548	Model 520	Model	Model 535		Mad	Model 337		
Peterbilt			220			MOURI 33/			
	Model 330	Model 537	Model	Model 365		Model 325		Model 589	
			567						
Kanwarth	T380	T440	W990	T480	T370	T800	T270	T180	
Kenworth	T470	W900	T880	K270	T680	K370	T170	T280	L770

Engine Families in Vehicle Family:

PCEXH0540LDA PPCRH10.8C21 RPCRH10.8C21 PCEXH0408BCA PCEXH0408BDA PCEXH0540LDB PPCRH12.9C21 RPCRH12.9C21 PCEXH0540LCA PCEXH0540LDC RCEXH0540LCA RPCRH12.9C01 RCEXH0408BCA RCEXH0912XEC RCEXH0912XEB RCEXH0912XEA

RCEXH0540LDA RCEXH0540LDC RCEXH0540LDB

A/C Platform Summary:

A/C Platform ID	Refrigerant Type	Refrigerant	STD (HFC (g/year))	Leakage Rate (HFC
		Capacity (g)		<u>(g/year))</u>
STANDARD 0000370	R134a	1361	20.4	19.4
STANDARD 0000410	R134a	1616	24.2	20.0
STANDARD 0000500	R134a	1588	23.8	19.4
STANDARD 0000610	R134a	1474	22.1	12.8
STANDARD 0000800	R134a	1588	23.8	19.3
ROOF-MTD-CONDENSER0000800	R134a	1588	23.8	21.7
STANDARD 0000810	R134a	1474	22.1	12.9
STANDARD 0000900	R134a	1446	21.7	19.7
STANDARD 0000990	R134a	1474	22.1	12.9
STANDARD 0000380	R134a	907	13.6	13.1
STANDARD 0000480	R134a	907	13.6	13.1
STANDARD 0002201	R134a	953	14.3	13.4
STANDARD 0003251	R134a	1315	19.7	16.3
STANDARD 0003301	R134a	1315	19.7	16.3
STANDARD 0003371	R134a	1315	19.7	16.3
STANDARD 0003481	R134a	1315	19.7	16.3
STANDARD 0003651	R134a	1270	19.1	16.8
STANDARD 0003671	R134a	1270	19.1	16.8
STANDARD 0003891	R134a	1315	19.7	16.8
STANDARD 0005201	R134a	1315	19.7	19.7
STANDARD 0005671	R134a	1474	22.1	12.9
STANDARD 0005791	R134a	1474	22.1	12.8
STANDARD 0005351	R134a	907	13.6	13.1
STANDARD 0005361	R134a	907	13.6	13.1
STANDARD 0005371	R134a	907	13.6	13.1
STANDARD 0005481	R134a	907	13.6	13.1
STANDARD 0005201 DUAL DSD	R134a	1588	23.8	18.0
STANDARD 0005201 ROOFEVAP	R134a	1361	20.4	19.6
STANDARD 0005201 ROOFCOND	R134a	1442	21.6	20.3