

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code Divisions 25.5 and 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: The following on-road motor vehicles with a manufacturer's GVWR over 10,000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

VEHICLE FAMILY INFORMATION:

Model Year: 2023

Vehicle Family Name: PPCR2VOCVC6R

Vehicle Type: Vocational

Vehicle Service Class: Heavy HDV

Vehicle Subcategory: Heavy HDV / Diesel / Urban

Gross Vehicle Weight Rating (GVWR) of Vehicles (pounds): GVWR > 33,000

CO₂ FAMILY EMISSION LIMITS:

CO₂ Standard (g/ton-mile): 308

Highest Projected Family Emission Limit (g/ton-mile): 520 Lowest Projected Family Emission Limit (g/ton-mile): 204

EMISSION CONTROL SYSTEMS:

Low rolling resistance tires (all) (LRRA), Low rolling resistance tires (drive) (LRRD), Low rolling resistance tires (steer) (LRRS), Tire pressure monitoring system (TPMS), Vehicle speed limiter (VSL), Expiring vehicle speed limiter (VSLE), Weight reduction (WR)

BE IT FURTHER RESOLVED: The manufacturer has demonstrated certification compliance with the Greenhouse Gas Emission Standards as specified in Title 17 CCR 95663 and the incorporated "California Greenhouse Gas Exhaust Emission Standards and Test Procedures for 2014 and Subsequent Model Heavy-Duty Vehicles" (HDV Test Procedures) adopted October 21, 2014 as last amended September 9, 2021.

BE IT FURTHER RESOLVED: For the listed air conditioning platform(s) in the attachment, the manufacturer has demonstrated certification compliance with the AC Leakage Standard specified in 17 CCR 95663(a)(1)(B)7 and Section 1037.115 of the incorporated "California Greenhouse Gas Exhaust Emission Standards and Test Procedures for 2014 and Subsequent Model Heavy-Duty Vehicles" (HDV Test Procedures) adopted October 21, 2014, as last amended September 9, 2021.

BE IT FURTHER RESOLVED: For the listed vehicle, models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1978 (complete vehicles) (vehicle refueling emissions standards), and 13 CCR 2035 et seq. (emission control warranty).

BE IT FURTHER RESOLVED: The engine families that are approved for installation within the vehicle family are listed in the attachment.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed on this 14th day of December 2022.

Robin U. Lang, Chief

Emissions Certification and Compliance Division

Jolin U. Lang

Attachment 1 of 1:

Vehicle Family: <u>PPCR2VOCVC6R</u> Date: <u>12/19/2023</u> EO: <u>A-384-0170</u>

Vehicle Make and Models:

 Vehicle Make
 Models

 Model 348
 Model 579
 Model 389
 Model 367
 Model 535

 Peterbilt
 Model 548
 Model 520
 Model 220
 Model 536
 Model 337

Model 330 Model 537 Model 567 Model 365 **Model 325 Model 589**

T380 T370 T800 T470 T440 T480 T170 T180 T270 Kenworth C500 W900 W990 T880 T680 K370 T280 K270 L770

Engine Families in Vehicle Family:

PPCRH10.8C21 PCEXH0408BDA PCEXH0540LDC PCEXH0921XCB PPCRH12.9C21 PCEXH0540LDA PCEXH0729XDA PCEXH0921XCC PCEXH0408BCA PCEXH0540LDB PCEXH0921XCA RCEXH0540LDC RCEXH0408BCA RCEXH0912XEB RCEXH0540LDB RPCRH10.8C21

RPCRH12.9C21 RCEXH0540LCA RCEXH0912XEC RPCRH12.9C01 RCEXH0912XEA RCEXH0540LDA

A/C Platform Summary:

A/C Platform ID	Refrigerant Type	Refrigerant Capacity (g)	STD (HFC (g/year))	Leakage Rate (HFC
STANDARD 0000301	R134a	1361	14.3	(g/year)) 13.4
STANDARD 0000370	R134a	1361	20.4	19.4
STANDARD 0000410	R134a	953	24.2	20.0
STANDARD 0000500	R134a	1361	23.8	19.4
STANDARD 0000610	R134a	1616	22.1	12.8
STANDARD 0000800	R134a	1474	23.8	19.3
ROOF-MTD-CONDENSER0000800	R134a	1588	23.8	21.7
STANDARD 0000810	R134a	1588	22.1	12.9
STANDARD 0000900	R134a	1474	21.7	19.7
STANDARD 0000990	R134a	1446	22.1	12.9
STANDARD 0000380	R134a	1474	13.6	13.1
STANDARD 0000480	R134a	907	13.6	13.1
STANDARD 0002201	R134a	907	14.3	13.4
STANDARD 0003251	R134a	907	19.7	16.3
STANDARD 0003301	R134a	907	19.7	16.3
STANDARD 0003371	R134a	953	19.7	16.3
STANDARD 0003481	R134a	1315	19.7	16.3
STANDARD 0003651	R134a	1315	19.1	16.8
STANDARD 0003671	R134a	1315	19.1	16.8
STANDARD 0003891	R134a	1315	19.7	16.8
STANDARD 0005201	R134a	1270	19.7	19.7
STANDARD 0005671	R134a	1474	22.1	12.9
STANDARD 0005791	R134a	1474	22.1	12.8
STANDARD 0005351	R134a	907	13.6	13.1
STANDARD 0005361	R134a	907	13.6	13.1
STANDARD 0005371	R134a	907	13.6	13.1
STANDARD 0005481	R134a	907	13.6	13.1
STANDARD 0005201 DUAL DSD	R134a	1588	23.8	18.0
STANDARD 0005201 ROOFEVAP	R134a	1361	20.4	19.6
STANDARD 0005201 ROOFCOND	R134a	1442	21.6	20.3