

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code Divisions 25.5 and 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

**IT IS ORDERED AND RESOLVED:** The following on-road motor vehicles with a manufacturer's GVWR over 26,000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

**VEHICLE FAMILY INFORMATION:**

Model Year: 2024

Vehicle Family Name: RPCR2TRACCH3

Vehicle Type: Tractor

Vehicle Service Class: Heavy HDV

Vehicle Subcategory: Mid-Roof Sleeper Cab

Gross Vehicle Weight Rating (GVWR) of Vehicles (pounds): GVWR > 33,000

**CO<sub>2</sub> FAMILY EMISSION LIMITS:**

CO<sub>2</sub> Standard (g/ton-mile): 73.5

Highest Projected Family Emission Limit (g/ton-mile): 170.6

Lowest Projected Family Emission Limit (g/ton-mile): 45.7

**EMISSION CONTROL SYSTEMS:**

Automatic engine shutdown system (AES), Aero roof fairing (ARF), Aero side skirt/or fuel tank fairing (ATS), Low rolling resistance tires (all) (LRRR), Low rolling resistance tires (drive) (LRRD), Low rolling resistance tires (steer) (LRRS), Gap reducing fairing (TGR), Tire pressure monitoring system (TPMS), Vehicle speed limiter (VSL), Expiring vehicle speed limiter (VSLE), Weight reduction (WR), Expiring engine shutoff (IRTE), Engine shutoff - 5 min or less idling (IRT5)

**BE IT FURTHER RESOLVED:** The manufacturer has demonstrated certification compliance with the Greenhouse Gas Emission Standards as specified in Title 17 CCR 95663 and the incorporated "California Greenhouse Gas Exhaust Emission Standards and Test Procedures for 2014 and Subsequent Model Heavy-Duty Vehicles" (HDV Test Procedures) adopted October 21, 2014 as last amended September 9, 2021.

**BE IT FURTHER RESOLVED:** For the listed air conditioning platform(s) in the attachment, the manufacturer has demonstrated certification compliance with the AC Leakage Standard specified in 17 CCR 95663(a)(2)(B)3 and Section 1037.115 of the incorporated "California Greenhouse Gas Exhaust Emission Standards and Test Procedures for 2014 and Subsequent Model Heavy-Duty Vehicles (HDV Test Procedures) adopted October 21, 2014, as last amended September 9, 2021.

**BE IT FURTHER RESOLVED:** For the listed vehicle models, the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1978 (complete vehicles) (vehicle refueling emissions standards), and 13 CCR 2035 et seq. (emission control warranty).

**BE IT FURTHER RESOLVED:** The engine families that are approved for installation within the vehicle family are listed in the attachment.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed on this 8th day of November 2023.



Robin U. Lang, Chief  
Emissions Certification and Compliance Division

**Vehicle Make and Models:**

<b><u>Vehicle Make</u></b>	<b><u>Models</u></b>					
Peterbilt	Model 325	Model 367	Model 537	Model 348	Model 579	Model 589
	Model 536	Model 330	Model 520	Model 389	Model 220	
	Model 535	Model 365	Model 567	Model 337	Model 548	
Kenworth	T270		T470		T370	
	T680		T280		T800	
	T380		T440		T480	
	W990		T880			

**Engine Families in Vehicle Family:**

RPCRH10.8C21	RCEXH0408BCA	RCEXH0912XEB	RCEXH0540LDC
RPCRH12.9C21	RCEXH0540LCA	RCEXH0912XEC	RCEXH0540LDB
RPCRH12.9C01	RCEXH0912XEA	RCEXH0540LDA	

**A/C Platform Summary:**

<b><u>A/C Platform ID</u></b>	<b><u>Refrigerant Type</u></b>	<b><u>Refrigerant Capacity (g)</u></b>	<b><u>STD (HFC (g/year))</u></b>	<b><u>Leakage Rate (HFC (g/year))</u></b>
STANDARD 0000480	R134a	907	13.6	12.6
STANDARD 0000500	R134a	1588	23.8	19.3
STANDARD 0000610 SLEEPER	R134a	1758	26.4	13.2
NOIDLE 0000610 SLEEPER_NI	R134a	2353	35.3	21.2
STANDARD 0000810 SLEEPER	R134a	1758	26.4	13.4
NOIDLE 0000810 SLEEPER_NI	R134a	2353	35.3	21.4
STANDARD 0000900 SLEEPER	R134a	1814	27.2	23.9
STANDARD 0000990 SLEEPER	R134a	1758	26.4	13.4
NOIDLE 0000990 SLEEPER_NI	R134a	2353	35.3	21.4
STANDARD 0000380	R134a	907	13.6	12.6
STANDARD 0005201	R134a	1315	19.7	19.2
STANDARD 0005201 DUAL DSD	R134a	1588	23.8	17.4
STANDARD 0005201 ROOFEVAP	R134a	1361	20.4	18.7
STANDARD 0005201 ROOFCOND	R134a	1443	21.6	19.8
STANDARD 0005671 SLEEPER	R134a	1758	26.4	13.4
NOIDLE 0005671 SLEEPER_NI	R134a	2353	35.3	21.4
STANDARD 0005791 SLEEPER	R134a	1758	26.4	13.2
NOIDLE 0005791 SLEEPER_NI	R134a	2353	35.3	21.2
STANDARD 0005791 SLEEPER HYBRID	R134a	1758	26.4	9.9
STANDARD 0005891 SLEEPER	R134a	1758	26.4	13.2
STANDARD 0000770	R134a	1315	19.7	19.2
STANDARD 0000770 DUAL DSD	R134a	1588	23.8	17.4
STANDARD 0000770 ROOFEVAP	R134a	1361	20.4	18.7
STANDARD 0000770 ROOFCOND	R134a	1443	21.6	19.8
STANDARD 0000800 SLEEPER	R134a	1814	27.2	23.7