Pursuant to the authority vested in California Air Resources Board by Health and Safety Code Divisions 25.5 and 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: The following on-road motor vehicles with a manufacturer's GVWR over 10,000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

VEHICLE FAMILY INFORMATION:

Model Year: 2024

Vehicle Family Name: RDTN2VOCV04U

Vehicle Type: Vocational

Vehicle Service Class: Medium HDV

Vehicle Subcategory: Medium HDV / Diesel / Urban

Gross Vehicle Weight Rating (GVWR) of Vehicles (pounds): 19,500 < GVWR ≤ 33,000

CO₂ FAMILY EMISSION LIMITS:

CO₂ Standard (g/ton-mile): 271

Highest Projected Family Emission Limit (g/ton-mile): 442 Lowest Projected Family Emission Limit (g/ton-mile): 227

EMISSION CONTROL SYSTEMS:

Low rolling resistance tires (all) (LRRA), Low rolling resistance tires (steer) (LRRS), Low rolling resistance tires (drive) (LRRD), Weight reduction (WR)

BE IT FURTHER RESOLVED: The manufacturer has demonstrated certification compliance with the Greenhouse Gas Emission Standards as specified in Title 17 CCR 95663 and the incorporated "California Greenhouse Gas Exhaust Emission Standards and Test Procedures for 2014 and Subsequent Model Heavy-Duty Vehicles" (HDV Test Procedures) adopted October 21, 2014 as last amended September 9, 2021.

BE IT FURTHER RESOLVED: For the listed air conditioning platform(s) in the attachment, the manufacturer has demonstrated certification compliance with the AC Leakage Standard specified in 17 CCR 95663(a)(1)(B)7 and Section 1037.115 of the incorporated "California Greenhouse Gas Exhaust Emission Standards and Test Procedures for 2014 and Subsequent Model Heavy-Duty Vehicles" (HDV Test Procedures) adopted October 21, 2014, as last amended September 9, 2021.

BE IT FURTHER RESOLVED: For the listed vehicle models, the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1978 (complete vehicles) (vehicle refueling emissions standards), and 13 CCR 2035 et seq. (emission control warranty).

BE IT FURTHER RESOLVED: The engine families that are approved for installation within the vehicle family are listed in the attachment.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed on this 4th day of December 2023

Robin U. Lang, Chief

Emissions Certification and Compliance Division

Attachment 1 of 1:

Vehicle Family: <u>RDTN2VOCV04U</u> Date: <u>11/20/2023</u> EO: <u>A-395-0241</u>

Vehicle Make and Models:

Vehicle Make Models

FCCC (Incomplete Vehicle)

Chassis (MBC, MC, MT45, MT55, XBA, XBP, XBR, XBS, XCL, XCM, XCP, XCR, XCS),

S2, S2C, S2G, S2RV

Freightliner (Incomplete Vehicle) Cascadia (116, 126), M2 (106, 112), 108SD, 114SD, 122SD, EconicSD

Western Star (Incomplete Vehicle) 47X, 49X, 57X

Thomas Built Buses Saf-T-Liner (C2, EFX, HDX)

Engine Families in Vehicle Family:

PDDXH07.7MDC PCEXH0408BCA PCEXH0408BDA PCEXH0540LCA

PCEXH0540LDA

RDDXH07.7MDC RCEXH0408BCA RCEXH0540LCA RCEXH0540LDA

A/C Platform Summary:

A/C Platform ID	Refrigerant Type	Refrigerant	STD (HFC (g/year))	Leakage Rate (HFC
		Capacity (g)		(g/year))
P4 116, 126 Day	R-134a	1305	19.6	9.4
P4 116,126 48"60"72"SLP	R-134a	1816	27.2	11.3
P4 116,126 48"60"72" w Park	R-134a	2497	37.5	16.5
P4 114,126 48"60"72"w TriPac	R-134a	2723	40.8	34.1
W4 121 Day with RMC	R-134a	2043	30.6	13.0
M2 Day	R-134a	1305	19.6	10.4
M2 Crew	R-134a	1476	22.1	13.8
24U 132 Day	R-134a	1419	21.3	10.2
24 U 132 slp 70	R-134a	1861	27.9	11.8
24 U 132 slp w NITE	R-134a	2484	37.3	13.3
WST Day Cab	R-134a	1532	23.0	10.5
WST Day Cab with Roof	R-134a	2202	33.0	17.3
WST Sleeper	R-134a	1759	26.4	19.9
WST Sleeper RestStar	R-134a	2198	33.0	21.5
TBB 685-154	R-134a	5433	81.5	28.4
TBB 685-153	R-134a	3629	54.4	54.2
TBB 685-044	R-134a	4037	60.6	49.6
TBB B8160-21-091	R-134a	3401	51.0	40.6
TBB B8160-22-141	R-134a	4082	61.2	53.4
TBB B8160-21-141	R-134a	3401	51.0	43.8
TBB B824302000	R-134a	8618	129.3	37.3
TBB B8160-15-140	R-134a	4082	61.2	53.7
TBB B8160-17-120	R-134a	3629	54.4	44.0
FCCC AF3-068	R-134a	1360	20.4	16.2
FCCC AF3-015	R-134a	1360	20.4	19.9
FCCC 685-118 (L68-00001-083)	R-134a	1310	19.7	12.9
FCCC 685-118 (L68-00001-000)	R-134a	1310	19.7	12.7
FCCC AF3-1BE	R-134a	1588	23.8	18.6
FCCC 011-661	R-134a	1588	23.8	22.8
FCCC 011-500	R-134a	2154	32.3	25.2
FCC D22-78746-003	R-134a	1332	20.0	19.8
FCCC D22-78740-000	R-134a	3180	47.7	26.4