Dorph J.

(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER M-1-314 Relating to Certification of New Motorcycles

KAWASAKI HEAVY INDUSTRIES, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following engine and exhaust emission control systems produced by the manufacturer are certified as described below for four-stroke gasoline-powered motorcycles:

Model Year: 2001

| Engine Family | Displacement Cubic Centimeters | Class | Exhaust Emission Control Systems & Special Features |
|---------------|-----------------------------------|-------|--|
| 1KAXC.599AAC | 599 | Ш | Pulsed Secondary Air Injection Oxidation Catalytic Converters (2) |

Vehicle models and transmissions are listed on the attachment. Production motorcycles shall be in all material respects the same as those for which certification is granted.

The following are the exhaust emission standards and exhaust certification emission values for this engine family. The designated hydrocarbons standard shall be listed on the permanent tune-up label:

| Hydrocarbons S | Standards | Hydrocarbons | Carbor | n Monoxide | |
|---------------------|--------------|-----------------|------------|-----------------|--|
| (Corporate Average) | (Designated) | (Certification) | (Standard) | (Certification) | |
| Grams per | Grams per | Grams per | Grams per | Grams per | |
| Kilometer | Kilometer | Kilometer | Kilometer | Kilometer | |
| | | | | | |
| 1.0 | 1.0 | 0.6 | 12 | 2 | |

BE IT FURTHER RESOLVED: That the above-described certification is subject to the following terms, limitations and conditions:

The above designated hydrocarbons standard shall be the exhaust limit for this engine family during the model year and therefore cannot be redesignated by the manufacturer. It represents the hydrocarbons exhaust emission standard applicable to this engine family that shall be applied when determining compliance of any motorcycle within this engine family pursuant to Section 2101 of Title 13, California Code of Regulations. It will also be used to determine compliance with the above corporate average hydrocarbons standard as required per Section 1958(b), Title 13 of the California Code of Regulations.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 2001 and Subsequent Model Motor Vehicles," as required by Section 1976, Title 13 of the California Code of Regulations.

BE IT FURTHER RESOLVED: That these motorcycles are found exempt from compliance with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 20Th day of July 2000.

R. B. Summerfield, Chief

Mobile Source Operations Division

Page: 6

Issued: JUN 1 6 2000 Revised: E.O.#: M-1-314

Engine Family: 1KAXC.599AAC

Motorcycle Model Summary Form

| 65. Model Designation | 66. Worst Case | 67. Disp. (cc) | 68. Bore / Stroke (mm) | 69. Basic Ignition Timing (degrees) | 70 Power (kW) | 71 Rated Speed (RPM) | 72 Rated Torque (Nm) | 73. Rated Speed (RPM) |
|-----------------------------|----------------------|----------------------|------------------------------------|-------------------------------------|---------------------|-------------------------------|-------------------------------|--------------------------------|
| ZX600-J2 | | 599 | 66.0X43.8 | 12.5°/1300 rpm | 80.9 | 12000 | 65.6 | 10000 |
| | | | | | | | LIE | |

| 65. Model Designation | 74. EIM (kg) | 75. Loaded Vehicle Weight Range (kg) | 76 Road Load (nt) | 77 Total Vehicle Mass (kg) | 78 Full Weight with All Factory Options (kg) | 79. Trans. Type | 80 N/V |
|-----------------------------|--------------------|--|----------------------------|--|--|-----------------------|-----------|
| ZX600-J2 | 330 | 326~335 | 141.6 | 198 | 255 | M-6 | 50.16 |
| | | | | | | | |

| | Mot | torcycle Eng | in | e Family Infor | Issued: Jun 1 Revised: Emation Forn | O.#: M-1-314 |
|-----|--|---|------|---|-------------------------------------|--------------|
| 1. | Manufacturer: KAW | ASAKI HEAVY IND | USTI | RIES, LTD. | | |
| 2. | Certification Contact Jeffrey D. Shetler / Kawasaki Motors C 9950 Jeronimo Roa Tel: 949-770-0400 | orp., U.S.A. d, Irvine, CA 92618- | 2084 | | | |
| 3. | Model Year: 2001 | | | 10. Displacement: _ | 599 cm ³ | |
| 4. | Process Code: Nev | The second control of | | 11. Number of Cylind | ers: <u>4</u> | |
| | (new, correction | n, revision, r/c, f/f. etc. |) | 12. Cylinder Arranger | nent: <u>Inline-4</u> | |
| 5. | Engine Family: 1K 50s Engine Cod | | | 13. Cylinder Head Co | nfiguration: <u>DOHC</u> | |
| | 49s Engine Cod Calif. Engine Co | e: ode: <u>ZX600J-AC1</u> | | 14. Type of Cooling: | | |
| 6. | Emission Control S | ystem: PAIR, O | C(2) | 15. Combustion Cycle | : _4_ | |
| 7. | Calif. Designated S | tandard: 1.0 gm/km | | 16. Method of Aspirat | ion: Natural | |
| 8. | Projected Annual S | ales: | | 17. Fuel System: <u>Ca</u> | rburetor_ | |
| 9. | | spondence or reference | the | 18. Number of Catalyt | ic Converters: 2 | **** |
| 19. | Adjustable Parameter | s: | | | | |
| | Parameter(s) | Adjustable Range (or NA) | Ta | amper Resistance Method (or NA) | Method Approved | i |
| car | adjuster on buretor r/Fuel Ratio) | NA | | tamper proof cap is placed ver the adjusting screw. | Carry over | |
| 20 | AECDs In the Emissi | on Control Systems: | | | CH. Carl | |
| | naust System | on control bystems. | | Evaporative System | | |
| | CDs In System: | | | AECDs In System: | | |
| | | EM, PAIR and C | OC_ | | Sealed loop with canister | |
| _ | 1.334 | | | | | |

Issued: JUN 1 6 2000

Revised:

Engine Family: 1KAXC.599AAC

E.O.#: M-1-314

Motorcycle Test Information Form

0.5

| 27. | Are you carrying over test results from a previously certified family? | X | Yes N | No |
|-----|--|---|-------|----|
|-----|--|---|-------|----|

a) If yes, indicate family name: WKAXC.599AAC

b) Is the family being certified identical to the family from which the data is being carried over? Yes

28. Model Designation of Test Vehicle: ZX600-G1

29. Test Information Number: 98-1

30. Vehicle ID: JKAZX4G11WA000014

31. Service Accumulation Duration: 15000 (km

32. Maximum Rated Power: 78.7 kW @ 12000 RPM

33. Displacement: 599 cc

34. Certification Fuel: Indolene: 91-95 RON

35. Test Data Set: Test 1

- 36. Road Load: 141.6 nt at 65 kph
- 37. Inertia Mass: 330 kg
- 38. N/V: 50.16

39. EVAP. Bench Test Method Approved:

Date: <u>2/23/1983</u>

Reference: 84ARB-03

40. Unscheduled Maintenance: ___ Yes X No

41. If yes, Vehicle Log provided:

42. Exhaust Emission Deterioration Factors:

| | | Emissi | on Values |
|----------------|--------------------|-------------|--------------------|
| Test Number | System Kilometers | HC | CO |
| 1 | 3512 | 0.51 | 1.3 |
| 2 | 6012 | 0.47 | 1.9 |
| 3 | 6101 | 0.42 | 1.0 |
| 4 | 12012 | 0.45 | 1.1 |
| 5 | 12101 | 0.45 | 0.9 |
| 6 | 15012 | 0.39 | 1.7 |
| 7 *1 | 3500 | 0.63 | 1.5 |
| Interpolated V | alues at 15000 km: | HC = 0.5068 | CO = <u>1.4945</u> |
| Extrapolated V | alues at 30000 km: | HC = 0.3869 | CO = 1.4312 |

| Regular DF | X |
|-------------------|-----|
| Modified DF | |
| f different vehic | cle |
| specify vehicle | D |

This official emission test was performed by the letter 97ARB-20 of May 22, 1997 from Mr. Scott Patten, KMC confirming EPA's approval of Kawasaki's abbreviated certification program.

43. Emission Test Results:

| Official Test Results | | Test 1 | Test 2 | Test 3 | Test 4 |
|--------------------------|-----------------|--------|--------|--------|--------|
| g/km | СО | 1.5 | 10.75 | | |
| g/km | CO ₂ | 119.0 | | / | |
| g/km | НС | 0.63 | | | 189 |
| g/test | Evap. | 1.321 | | | |

| | Deterioration Factors |
|----|--------------------------|
| X) | 1.000 |
| | |
| X) | 1.000 |
| +) | 0.146 |

44 Certification Levels:

| g/km | CO | (2) | | |
|--------|-------|-------|--|--|
| g/km | HC | (0.6) | | |
| g/test | Evap. | 1.467 | | |

PHOODS 7/20/E

Application Processed by: Joseph Jegode Date: 7/20/2000 Reviewed by: _____ Date:____

^{*1.} Official test of exhaust emission level for ZX600G.

This official emission test was performed by the letter 97ARB-20 of Management of the second second