

KAWASAKI HEAVY INDUSTRIES, LTD.

EXECUTIVE ORDER M-1-321 New On-Road Motorcycles

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 2001 model-year engine and emission control systems (ECS) produced by the manufacturer are certified as described below for four-stroke gasoline-powered motorcycles:

Vehicle Models (Equivalent Inertia Mass): ZR1200-A1 (380 kg), ZR1200-B1 (380 kg)

Production motorcycles shall be in all material respects the same as those for which certification is granted.

The exhaust emission standards and certification values in grams per kilometer for hydrocarbons (HC) and carbon monoxide (CO), and the HC evaporative (Evap) standard and certification value in grams per test for this engine/evaporative family are as follows. The designated HC standard shall be listed on the permanent tune-up label:

	HC	CO	Evap HC
Standard: (Effective Standard)	1.4	12	2.0 (1.8)
Designated Standard:	1.6	n/a	n/a
<u>Certification</u> :	1.4	8	1.1

BE IT FURTHER RESOLVED: That the designated HC standard shall be the exhaust limit for this engine family and cannot be changed during the model-year. It represents the HC exhaust emission standard applicable to this engine family for determining compliance with Title 13, California Code of Regulations, Sections 1958(b) and 2101.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That because the listed motorcycles are certified to 0.2 grams per test or more below the applicable evaporative emission standard, the vehicles are exempt from complying with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 141 day of February 2001.

R. B. Summerfield, Chief

Mobile Source Operations Division

mme

Page: 1
Issued: DEC 0 6 2000

Revised:

E.O.#: M-1-32/

Motorcycle Engine Family Information Form

Jeffrey D. Sheth Kawasaki Moto		3-2084 949-460-56			
Model Year: 2	001	10.	Displacement:	1165cm³	
Process Code: _ (new, corre	New ection, revision, r/c, f/f. etc	c.)	Number of Cylind	ers: <u>4</u>	
Engine Family:	1KAXC1.17AAB	12.	Cylinder Arrangen	nent: <u>Inline-4</u>	
50s Engine (49s Engine (Calif Engin	Code:	13.		onfiguration: <u>DOHC</u>	
Calif. Engine Code: ZRT20A-AC1 Emission Control System: PAIR, OC			Type of Cooling: <u>Liquid</u> Combustion Cycle: <u>4</u>		
	d Standard: 1.6 gm/km		Method of Aspirati		
Projected Annua CONF New Technology If yes, cite the consubmittal documents	Yes X No	17. 18. e the	Fuel System: <u>Car</u> Number of Catalyti		
Adjustable Parame	eters:				
Parameter(s)	Adjustable Range (or NA)	Tamper	Resistance Method (or NA)	Method Approved	
			proof cap is placed djusting screw	Carry over	
	ssion Control Systems:				
ust System		Evap	orative System		
Ds In System:	PAIR and OC	AEC		Sealed loop with Canister	

Page: 4

Issued: DEC 0 6 2000

Revised:

E.O.#: M-1-321

Engine Family: 1KAXC1.17AAB

Motorcycle Test Information Form

0.57

21.	ALC YO	d carrying over test results from a previously certified family? Yes X No	
	a)	If yes, indicate family name:	
	b)	Is the family being certified identical to the family from which the data is being carried over?	

- 28. Model Designation of Test Vehicle: ZR1200-B1
- 29. Test Information Number: 01-1
- 30. Vehicle ID: <u>JKAZR9B111A000005</u>
- 31. Service Accumulation Duration: 15000 (km)
- 32. Maximum Rated Power: 91 kW @ 8500 RPM
- 33. Displacement: 1165 cc
- 34. Certification Fuel: <u>Indolene: 91-95 RON</u>
- 35. Test Data Set: Test 1

- 36. Road Load: 151.7 nt at 65 kph
- 37. Inertia Mass: 380 kg
- 38. N/V: 36.45
- EVAP. Bench Test Method Approved Date: <u>2/23/1983</u>

Reference: 84ARB-03

- 40. Unscheduled Maintenance: ___ Yes X No
- 41. If yes, Vehicle Log provided:

42. Exhaust Emission Deterioration Factors:

- 11		Emissi	ion Values
Test Number	System Kilometers	HC	CO
1	3512	0.80	6.8
2	6014	1.03	7.3
3	6104	0.82	7.6
4	12012	1.12	7.0
5	12102	0.86	7.4
6	15012	1.07	7.6
7		1.07	7.0

Interpolated Values at	15000	km:	HC =	1.0586	CO =	7.4519	_
Extrapolated Values at	30000	km:		1.3372			-

Regular DF	X
Modified DF	
If different vehic	le
specify vehicle II)

43. Emission Test Results:

Official Test Results		Test 1	Test 2	Test 3	Test 4
g/km	СО	7.6		REELE TO	/
g/km	CO ₂	141.2			
g/km	HC	1.07			
g/test	Evap.	0.991			

	Deterioration Factors
(X)	1.059
(X)	1.263
(+)	0.095

44. Certification Levels:

g/km	CO	8	
g/km	HC	(1.4)	
g/test	Evap.	(1.086)	

Application Processes by: Joseph Jegede Date: 2/13/01

Application Reviewed by: the Late: 2/3/01