Joseph &



AMERICAN MOTORCYCLE CORPORATION

EXECUTIVE ORDER M-46-2 New On-Road Motorcycles

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 2001 model-year engine and emission control systems (ECS) produced by the manufacturer are certified as described below for four-stroke gasoline-powered motorcycles:

1AMCC01.6AMC 1AMCE0066AMC

1573

III

EM

<u>Vehicle Models (Equivalent Inertia Mass)</u>: Pavement Pounder, Fat Jack, AMC S Series (360 kg each model)

Production motorcycles shall be in all material respects the same as those for which certification is granted.

The exhaust emission standards and certification values in grams per kilometer for hydrocarbons (HC) and carbon monoxide (CO), and the HC evaporative (Evap) standard and certification value in grams per test for this engine/evaporative family are as follows:

 Standard:
 (Effective Standard)
 HC
 CO
 Evap HC

 1.4
 12
 2.0 (1.8)

 1.3
 1.3

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That because the listed motorcycles are certified to 0.2 grams per test or more below the applicable evaporative emission standard, the vehicles are exempt from complying with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 23sh day of March 2001.

R. B. Summerfield, Chief Mobile Source Operations Division

Rephal Susserity

Section: 7: Page: 1

Issued:

Motorcycle Engine Family Information Form Revised: E-0.#: M-46-2

Kathleen H. Wo Harrison / Wolf 1275 N. Indian I Claremont, CA	Fax: (9	(909) 626-1395 909) 626-2906			
Claremont, CA 91711 3. Model Year: 2001 4. Process Code: new (new, correction, revision, r/c, f/f. etc.) 5. Engine Family: 1AMCC01.6AMC 50s Engine Code: 49s Engine Code: Calif. Designated Standard: 7. Calif. Designated Standard: 8. Projected Annual Sales: CONFIDENTIAL 9. New Technology Yes X No If yes, cite the correspondence or reference the submittal document: 19. Adjustable Parameters:		10. Displacement: 1573 cc 11. Number of Cylinders: 2 12. Cylinder Arrangement: 45° V-Twin 13. Cylinder Head Configuration: OHV 14. Type of Cooling: air 15. Combustion Cycle: 4 stroke 16. Method of Aspiration: normal 17. Fuel System: carbureted 18. Number of Catalytic Converters: N/A			
Parameter(s)	Adjustable Range (or NA)	Tamper Resistance Method (or NA)	Method Approved		
20. AECDs In the Em Exhaust System AECDs In System:	ission Control Systems:	Evaporative System AECDs In System:			

Section: 7: Page: 4

Issued: Revised:

Engine Family: 1AMCC01.6AMC

E.O.#: M-46-2

Motorcycle Test Information Form

0.005

- 27. Are you carrying over test results from a previously certified family? carry-across
 - a) If yes, indicate family name: XSRCC01.6SCR
 - b) Is the family being certified identical to the family from which the data is being carried over? yes
- 28. Model Designation of Test Vehicle:

Pavement Pounder

- 29. Test Information Number: 1
- 30. Vehicle ID: 48DWS22A5VA000001
- 31. Service Accumulation Duration: 15,000 km
- 32. Maximum Rated Power: 9.3 @ 5,500 RPM
- 33. Displacement: 1573 cc
- 34. Certification Fuel: Indolene
- 35. Test Data Set: 001

- 36. Road Load: 145.6
- 37. Inertia Mass: 350 kg
- 38. N/V: 26.4
- EVAP. Bench Test Method Approved:

Reference:		
Reference		

- 40. Unscheduled Maintenance: ____ Yes X No
- 41. If yes, Vehicle Log provided: _____

42. Exhaust Emission Deterioration Factors:

		Emission Values	
Test Number	System Kilometers	HC	СО
1	3513	1.116	8.254
2	8037	1.102	9.016
3	8055	1.035	8.843
4	14870	1.023	4.674
5			2 11 11
6			
7			
Interpolated Va	alues at 15000 km:	HC = 1.018	CO = 5.451
Extrapolated Values at 30000 km:		HC = 0.898	CO = 0.173

Regular DF	X
Modified DF	
If different vehice	ele
specify vehicle I	D

43. Emission Test Results:

Official Test Results		Test 1	Test 2	Test 3	Test 4
g/km	со	4.674			
g/km	CO ²	105.782			
g/km	HC	1.023			
g/test	Evap.	0.758			

	Deterioration Factors
(X)	1.000
(X)	1.000
713	0.5

44. Certification Levels:

g/km	CO	(4.674)	
g/km	HC	1.023	
g/test	Evap.	1.258	

Application Processed by: Joseph Jegede Date: 3/22/01 Reviewed by ______. Had Date 3/22/01