Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following engine and emission control systems produced by the manufacturer are certified as described below for four-stroke gasoline-powered motorcycles. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	EVAPORATIVE FAMILY	DISPLACEMENT (cc)	CLASS		
2001	1SMCC01.6SMC	1SMCE0066SMC	1606	III		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS		VEHICLE MODELS (equivalent inertia mass in kilograms, kg)				
Engine Modification		Soft Tail FX (360 kg)				

The following are the exhaust hydrocarbon and carbon monoxide emission standards, or designated hydrocarbon standard as applicable, and certification levels in grams per kilometer (g/km) and the evaporative standard and certification level in grams per test (g/test) for this engine/evaporative family. The designated hydrocarbon standard, as applicable, shall be listed on the permanent tune-up label.

HYDROCARBON (g/km)			CARBON MONOXIDE (g/km)		EVAPORATIVE (g/test)		
AVERAGE STANDARD	DESIGNATED STANDARD	(DIRECT) STANDARD	CERTIFICATION	STANDARD	CERTIFICATION	STANDARD	CERTIFICATION
•	*	1.4	0.8	12	9	2.0	1.4

BE IT FURTHER RESOLVED: That certification to the designated hydrocarbon standard listed above, as applicable, is subject to the following terms, limitations and conditions:

The designated hydrocarbon standard shall be the exhaust emission limit for this engine family and cannot be changed during the model year. It serves as the hydrocarbon exhaust emission standard applicable to this engine family for determining compliance with Title 13, California Code of Regulations, Sections 1958(b) and 2101.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Sections 2035 et seq.).

BE IT FURTHER RESOLVED: That because the listed motorcycles are certified to 0.2 grams per test or more below the applicable evaporative emission standard, the vehicles are exempt from complying with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Vehicles in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

R. B. Summerfield, Chief

Mobile Source Operations Division

2001 / Ron Simms Bay Area Custom Cycles

Section: 7: Page: 1

Issued: Revised:

Motorcycle Engine Family Information Form

Kathleen Wolf Harrison / Wolf 1275 N. Indian Claremont, CA	f fax: (9 Hill Blvd.	09) 626-1395 09) 626-2906				
Model Year: 2001		10. Displacement: 1606	ce			
Process Code: new (new, correction, revision, r/c, f/f. etc.) Engine Family: 18MCC01.6SMC 50s Engine Code: 49s Engine Code: Calif. Engine Code: 24319 × Emission Control System: EM Calif. Designated Standard: Projected Annual Sales: CONFIDENTIAL New Technology Yes X No If yes, cite the correspondence or reference the submittal document:		11. Number of Cylinders: 2 12. Cylinder Arrangement: 45° V-twin 13. Cylinder Head Configuration: OHV 14. Type of Cooling: air 15. Combustion Cycle: 16. Method of Aspiration: normal 17. Fuel System: carbureted 18. Number of Catalytic Converters: N/A				
Projected Annual CONFI New Technology _ If yes, cite the con	DENTIAL Yes X No respondence or reference	18. Number of Catalytic				
Projected Annual CONFI New Technology If yes, cite the cor submittal docume	DENTIAL Yes X No respondence or reference ont:	18. Number of Catalytic				
Projected Annual CONFI New Technology _ If yes, cite the con	DENTIAL Yes X No respondence or reference ont:	18. Number of Catalytic				
Projected Annual CONFI New Technology If yes, cite the cor submittal docume Adjustable Parame	Yes X No respondence or reference ent: Adjustable Range	18. Number of Catalytic the Tamper Resistance Method	Converters: N/A			
Projected Annual CONFI New Technology If yes, cite the corsubmittal docume Adjustable Parame Parameter(s)	Yes X No respondence or reference ent: Adjustable Range	18. Number of Catalytic the Tamper Resistance Method	Converters: N/A			

Section: 7: Page: 4

Issued: Revised:

Engine Family: 1SMCC01.6SMC

Motorcycle Test Information Form

Model Designatio	n of Test Ve	hicle: Soft	Γail	36. Road L	oad: 147.7				
Test Information				37. Inertia					
1 ost intormation	rumoer.			37. merua	Mass: 360				
Vehicle ID: 14724	19			38. N/V: 46.9					
Service Accumulation Duration: 8,000 (km) Maximum Rated Power: 93 kW @ 5500 RPM				39. EVAP. Bench Test Method Approved: Date:					
Displacement: 160)6 cc						Sisan		
Certification Fuel: Indolene				40. Unschei	duled Mainte	nance: _	Yes	No	
Certification Fuel:	Indolene			Al Ifma S	Zabiala I a				
Test Data Set: 001				41. If yes, \	ehicle Log p	rovided:		-	
rest Data Set. 001									
Exhaust Emission	Deterioration	n Factors:							
			I	Emission Valu	ies				
Test Number	System Ki	lometers	HC		СО				
1	351	0	1.408		11.370				
2	492	9	1.374		9.460	Ch	eck one:		
3	648	5	1.111		6.516	Re	gular DF	1 2	
4	788	8	0.791		8.940	Mo	dified DF	T	
5						If	different veh	icle	
6						spe	cify vehicle	ID	
7									
Interpolated Val	ues at 15,00	0 km:	HC = -0.1	675 CO =	2.5023				
Extrapolated Val	lues at 30,00	00 km:	HC = -2.3	272 CO =	-8.0966				
						_			
Mission Test Resu Official Test	ilts:	Test 1	Test 2	Test 3	Test 4	1	Deteriora	tion	
Results		100.1	10012	rest 5	1031 4		Factor		
g/km	СО	8.940				(X)	1.000		
g/km	CO ²	108.188							
g/km	НС	0.791				(X)	1.000		
	Evap.	0.867				(+)	0.5		
g/test	c.								
	3.								
g/test Certification Level: g/km	CO	(8.940)		Company of the Compan					
Certification Level		(8.940)	-1- 1						