State of California AIR RESOURCES BOARD

EXECUTIVE ORDER M-6-84 Relating to Certification of New Motorcycles

BAYERISCHE MOTOREN WERKE AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following engine and exhaust emission control systems produced by the manufacturer are certified as described below for four-stroke gasoline-powered motorcycles:

Model Year: 2001

Engine Family	Displacement Cubic Centimeters	Class	Exhaust Emission Control Systems & Special Features
1BMXC01.2K12	1171	111	Multiport Fuel Injection Dual Three Way Catalytic Converters Heated Oxygen Sensor

Vehicle models and transmissions are listed on the attachment. Production motorcycles shall be in all material respects the same as those for which certification is granted.

The following are the exhaust emission standards and exhaust emission certification values for this engine family. The designated hydrocarbons standard shall be listed on the permanent tune-up label:

Hydrocarbons S	Standards	Hydrocarbons	Carbon Monoxide		
(Corporate Average)	(Designated)	(Certification)	(Standard)	(Certification)	
Grams per Kilometer					
1.4	0.9	0.7	12	7	

BE IT FURTHER RESOLVED: That the above-described certification is subject to the following terms, limitations and conditions:

The above designated hydrocarbons standard shall be the exhaust limit for this engine family during the model year and therefore cannot be redesignated by the manufacturer. It represents the hydrocarbons exhaust emission standard applicable to this engine family that shall be applied when determining compliance of any motorcycle within this engine family pursuant to Section 2101 of Title 13, California Code of Regulations. It will also be used to determine compliance with the above corporate average hydrocarbons standard as required per Section 1958(b), Title 13 of the California Code of Regulations.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 2001 and Subsequent Model Motor Vehicles," as required by Section 1976, Title 13 of the California Code of Regulations.

BE IT FURTHER RESOLVED: That these motorcycles are found exempt from compliance with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this _______ day of June 2000.

R. B. Summerfield, Chief

Mobile Source Operations Division

Section: 7: Page: 6

E0#M-6-84

Issued: 5/17/2000

Revised:

Attachment

Engine Family: 1BMXC01.2K12

Motorcycle Model Summary Form

65. Model Designation	66. Wors t Case	67. Disp. (cc)	68. Bore / Stroke (mm)	69. Basic Ignition Timing (degrees)	70 Power (kW)	71 Rated Speed (RPM)	72 Rated Torque (Nm)	73. Rated Speed (RPM)
K1200RS	X	1171	70,5/75	6° static	96	8750	117	6750

65. Model Designation	74. EIM (kg)	75. Loaded Vehicle Weight Range (kg)	76 Road Load (nt)	77 Total Vehicle Mass (kg)	78 Full Weight with All Factory Options (kg)	79. Trans. Type	80 N/V
K1200RS	360	356 - 365	147.4	500	285	M-6	36,0

Section: 7: Page: 4 M-6-84

Issued: 5/17/2000

Revised:

Engine Family: 1BMXC01.2K12

Motorcycle Test Information Form

- 27. Are you carrying over test results from a previously certified family? X Yes No
 - a) If yes, indicate family name: YBMXC01.2K12
 - b) Is the family being certified identical to the family from which the data is being carried over? Yes
- 28. Model Designation of Test Vehicle: K1200RS
- 29. Test Information Number: K12
- 30. Vehicle ID: V 401532
- 31. Service Accumulation Duration: 15063 (km)
- 32. Maximum Rated Power: 96 kW @ 8750 RPM
- 33. Displacement: 1171 cc
- 34. Certification Fuel: 95 RON
- 35. Test Data Set: 1

- 36. Road Load: 147,4 N
- 37. Inertia Mass: 360 kg
- 38. N/V: 36,0
- 39. EVAP. Bench Test Method Approved: Date: 1997

Reference: V 401530

CO = 7,9414

- 40. Unscheduled Maintenance: ____ Yes X No
- 41. If yes, Vehicle Log provided:

42. Exhaust Emission Deterioration Factors:

Extrapolated Values at 30 000 km:

		Emission Values			
Test Number	System Kilometers	HC	СО		
1	3548	0,919	7,402		
2	10043	1,185	9,901		
3	10072	0,901	7.239		
4	15063	0,737	7,243		
5					
6		A. Tai Dalla II			
7					
Interpolated V	'alues at <u>15 000</u> km:	HC = 0.8647	CO = 7,9450		

Modified DF	
If different vel	hicle
specify vehicle	e ID

Check one

43. Emission Test Results:

Official Test Results		Test 1	Test 2	Test 3	Test 4
g/km	СО	7,243			
g/km	CO ²	162,9	V 1		
g/km	HC	0,737			
g/test	Evap.	0,670			11.6

HC = 0.6650

Deterioration
Factors
1,000
1,000
0,163

(X)

(X) (+)

44. Certification Levels:

g/km	CO (7,24)	
g/km	HC 0,737	
g/test	Evap. 0,833	

Processed by Stack Date: 1/27/200 Reviewed 67 Julian Date: 6/27/2000

Section: 7: Page: 1 // 50 #M-L-84 Issued: 5/17/2000

Revised: Engine Family:

Motorcycle Engine Family Information Form 13MXC01.4k12

1.	Manufacturer:	<u>BMW</u>	Bayerische	2 MOT	toren Werke	AG			
2.	Certification Co Mr.Gordon B. R BMW of North Montvale, N.J. (Phone No. 201- Fax No. 201-	Keil America 07645 573 219	5	and fax:		0.18			
3.	Model Year: 20	01		10.	10. Displacement: 1171 cc				
 4. Process Code: new (new, correction, revision, r/c, f/f. etc.) 5. Engine Family: 1BMXC01.2K12 50s Engine Code: X 49s Engine Code: Calif. Engine Code: 6. Emission Control System: MFI, TWC, HO2S 7. Calif. Designated Standard: 0.9 g/km HC 8. Projected Annual Sales: total California 9. New Technology Yes X No If yes, cite the correspondence or reference the submittal document: 				18.	 Cylinder Arrangement: inline Cylinder Head Configuration: OHC Type of Cooling: Water Combustion Cycle: 4 stroke 				
19.	Adjustable Parar	neters:				N. J. Santa.			
	Parameter(s)		Adjustable Range (or NA)	Tamper	Resistance Method (or NA)	Method Approved			
Ign	ition timing		N.A.		N.A.				
Idle	e speed	900	± 50 RPM		N.A.				
Ex	AECDs In the E haust System CCDs In System:	ECM Fuel pr Coolar Air ten Throttl	Control Systems: essure regulator at temperature sensor aperature sensor e position sensor		porative System CDs In System:	Purge valve			
Oxygen sensor									