Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the engine and emission control systems produced by the manufacturer are certified as described below for four-stroke gasoline-powered motorcycles. Production vehicles shall be in all material respects the same as those for which certification is granted. The manufacturer shall ensure that character "C" or "3" is not used in the eighth (8") position of the vehicle identification number (VIN) of all vehicles in the engine family listed below. Violation of this VIN provision may result in incorrect registration of the vehicles registration of the vehicles.

registration of the	10 10	11,0,00		TOTAL ACCUSENT (cc)	CLASS			
MODEL YEAR	ENGINE FAMILY		EVAPORATIVE FAMILY	ENGINE DISPLACEMENT (cc)	111			
2007	7H	DXC1.58AEC	7HDXE0066ACB					
SPECIAL FEATURES			VEHICLE MODELS (equivalent inertia mass in kilograms, kg) pplicable					
EMISSION CONTROL SYSTEMS		[Equivalent me.						
SFI, O2S		1688 cc: FLP (FL Touring-Police) (480 kg) 1584 cc: FLHR (Road King), FLHRS (Road King Custom), FLHRC (Road King Classic), FLHT (Electra Glide FLHR (Road King), FLHTC (Electra Glide Classic), FLHTCU (Electra Glide Ultra), FLHX (Street Glide), Standard), FLHTCU Shrine (Electra Glide Ultra—Shrine), FLHR-Shrine (Road King-Shrine) FLSTC (Heritage Classic), FLSTF (Fat Boy) (440 kg, all models) FLSTN (Softail Deluxe), FLSTSC (Springer Classic), FXST (Softail Standard), FXSTB (Night Train), FXSTC (Softail Classic-Shrine), FLSTF-Shrine (Fat Boy-Shrine)						
		(430 kg, all models) FXD (Super Glide), FXDB (Street Bob), FXDC (Super Glide Custom), FXDL (Dyna Lowrider), FXDWG (Dyna Wideglide) (410 kg, all models) (410 kg, all models) (410 kg, all models) WUTWC/WUOC=warm-up TWC/OC O2S=oxygen sensor						
ABBREVIATIONS HO2S=heated O2 TBI=throttle body	EM= S EGR uel inje	engine modification t=exhaust gas recircu ction DFI=direct fue	linjection TC/SC=turbo/super char	PAIR=pulsed AIR MFI=multi port fuel Injection ger CAC=charge air cooler 2 (prefix)=parallel	(2) (suffix)=in series			

The following are the exhaust hydrocarbon plus exides of nitrogen (HC+NOx) and carbon monoxide (CO) standards, or designated HC+NOx standard as applicable, and certification levels in grams per kilometer (g/km), and evaporative standard and certification level in grams per test (g/test) for this engine/evaporative family. The designated HC+NOx standard, as applicable, shall be listed on the permanent tune-up label.

family. The designated no river stands are				
Tanking.	EARLY COMPL	JANCE CREDIT MUL	_TIPLIER	
			EVAPOR/	ATIVE (g/test)
(LO ALON Callery)	CO (g/km)			
HC+NOx (g/km) CORPORATE DESCRIPTION CERTIFICATION		CERTIFICATION	STANDARD	CERTIFICATION
DESIGNATED	STANDARD	LEVEL.	011111111111111111111111111111111111111	
AVERAGE STANDARD STANDARD		E	2.0	1.4
STANDARD * 1.1	12			
1.4				linoblo

BE IT FURTHER RESOLVED: That certification to the designated HC+NOx standard listed above, as applicable, is subject to the following terms, limitations and conditions:

The designated HC+NOx standard shall be the exhaust emission limit for this engine family and cannot be changed during the model year. It serves as the HC+NOx exhaust standard applicable to this engine family for determining compliance with Title 13, California Code of Regulations, Sections 1958(b) and 2101.

BE IT FURTHER RESOLVED: That for certification to the HC+NOx standard, or designated standard as applicable, listed above, the listed vehicle models are granted an early-compliance credit multiplier as indicated above pursuant to Title 13, California Code of Regulations, Section 1958(g).

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all materials required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Sections 2035 et seq.).

BE IT FURTHER RESOLVED: That because the listed motorcycles are certified to 0.2 grams per test or more below the applicable evaporative standard, the vehicles are exempt from complying with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Vehicles in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this 28 day of July 2006.

innette Hebert, Chief Mobile Source Operations Division