

KEM EQUIPMENT, INC./ KODIAK MARINE

EXECUTIVE ORDER U-L-013-0149
New Off-Road Large Spark-Ignition
Engines Above 19 Kilowatts

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following new large spark-ignition engines and emission control systems produced by the manufacturer are certified for use in off-road equipment as described below. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	FUEL TYPE Gasoline (GAS), Liquefied Petroleum Gas (LPG), Gasoline (GAS), Liquefied Petroleum Gas (LPG) Dual-Fuel		
2024	RKEMB03.0ULE			
DURABILITY HOURS	EMISSION CONTROL SYSTEMS & SPECIAL FEATURES	EQUIPMENT APPLICATION		
5000	Three-Way Catalytic Converter (TWC), Heated Oxygen Sensors (HO2S) (2), Sequential Multi-Port Fuel Injection (SFI) (GAS), Gaseous Fuel Mixer (MIX) (LPG)	Generator, Sweeper and Other		

Engines certified by this Executive Order are further described in Attachment.

The following are the hydrocarbon plus oxides of nitrogen (HC+NOx) and carbon monoxide (CO) exhaust certification emission standards (Title 13, California Code of Regulations, (13 CCR) Section 2433(b)(1)) and certification emission levels for this engine family in grams per kilowatt-hour (g/kW-hr). Engines within this engine family shall have closed crankcases in conformance with 13 CCR Section 2433(b)(3).

	HC+NOx (g/kW-hr)	CO (g/kW-hr)
EXHAUST STANDARD	0.8	20.6
CERTIFICATION LEVEL	0.4	0.8

The following is the evaporative hydrocarbon emission standard (13 CCR Section 2433(b)(4)) and certification emission level for this engine family in grams per gallon of fuel tank capacity (g/gallon).

EVAPORATIVE CERTIFICATION METHOD	HC CERTIFICATION LEVEL (g/gallon)	HC CERTIFICATION STANDARD (g/gallon)		
Design Based	*	0.2		

^{*}not applicable

BE IT FURTHER RESOLVED: That for the listed engines for the aforementioned model-year, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2433(c) (certification and test procedures), 13 CCR Section 2434 (emission control labels), and 13 CCR Sections 2435 and 2436 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed on this <u>5th</u> day of January 2024.

Robin U. Lang, Chief

Emissions Certification and Compliance Division

Robin U. Lang

Date: 12/3/2023

Engine Family: RKEMB03.0ULE

Model Summary

(Use an asterisk (*) to identify worst-case engine model used for certification testing.)

For CARB Use Only Executive Order: U-L-013-0149 Attachment _1_of_1_

S13. Engine Model		S15. Sales Codes (Check all appropriate)							
	S14. Engine Code	CA Only	49-State	50-State	S16. Engine Displacement (Liters)	S17. Rated Power (kW)	S18. Rated Speed (RPM)	S19. Peak Torque (FT-LB)	S20. Peak Torque Speed (RPM)
GM3.0L	GAS			X	3.0	61.0	3000	200	1800
GM3.0L*	DF			х	3.0	63.7	3000	209	2400
GM3.0L	LPG			X	3.0	63.7	3000	209	2400
430-DF-BLUE	DF			x	3.0	63.7	3000	209	2400
430-DF-BROD	DF			х	3.0	58	2450	209	2400
430-DF-CULLUM	DF			x	3.0	58.9	2500	209	2400
430-DF-CULLUM-J	DF			X	3.0	63.7	3000	209	2400
430-DF-CUST-1	DF			x	3.0	58.9	2500	209	2400
430-DF-CUST-1-J	DF			x	3.0	63.7	3000	209	2400
430-DF-HOIST	DF			X	3.0	63.7	3000	209	2400
430-DF-MCG	DF			X	3.0	58.9	2500	209	2400
430-DF-MCG-1	DF			X	3.0	58.9	2500	209	2400
430-DF-MCG-1 430-LP-CULLUM	LPG			X	3.0	58.9	2500	209	2400
				F 5					
430-LP-CULLUM-J	LPG			X	3.0	63.7	3000	209	2400
430-LP-CUST-1	LPG			X	3.0	58.9	2500	209	2400
430-LP-CUST-1-J	LPG			X	3.0	63.7	3000	209	2400
430-LP-HR-1	LPG			Х	3.0	49.5	2100	204	2100
430-LP-LANDOLL	LPG			Х	3.0	60.9	2600	209	2400
430-LP-LIF-1	LPG			Х	3.0	47.1	2000	203	2000
430-LP-LIFTS	LPG			Х	3.0	47.1	2000	203	2000
430-LP-RICO	LPG			Х	3.0	47.1	2200	205	2200
			1						
			+						1