

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-23
Relating to Certification of New Motor Vehicle Engines

DAIMLER-BENZ AG

Pursuant to the authority vested in the Air Resources Board by Sections 43100 and 43102 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That Daimler-Benz AG 1977 model-year diesel-powered engines in heavy-duty motor vehicles are certified for the engine family described below:

<u>Engine Family</u>	<u>Engine Size (CID)</u>	<u>Engine Model</u>	<u>Type</u>
OM 407h	696.5	OM 407h	L-6, Horizontal, Natural Aspiration

Section 43200, Part 5, Division 26 of the California Health and Safety Code requires that the manufacturer affix a decal to the side window to the rear of the driver or, if there is no such window on the driver's side, to the windshield of the motor vehicle.

The decal shall display the applicable model year heavy-duty engine exhaust emission standards and the following recommended values:

<u>Engine Family</u>	<u>HC + NOx gm/bhp-hr</u>	<u>CO gm/bhp-hr</u>	<u>HC gm/bhp-hr</u>	<u>NOx gm/bhp-hr</u>
OM 407h	Not Applicable	3.0	0.6	6.7

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 18 day of March, 1977.


G. C. Hass, Chief
Vehicle Emissions Control Division

1977 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

Manufacturer Daimler-Benz AG Executive Order No. A-3-23 Page 1Engine Family OM407h Engine (CID) 696.5Emission Control Systems None Type NA

Engine Model	Fuel Pump Mfgr. Part Number	Injector Mfg. Part Number	Maximum Rated HP and RPM	Fuel Rate at Maximum HP	Basic Initial Timing
OM 407h	Bosch PES 6 P 100 A820 LS 35TZ	Bosch DLLA 144 S 747	205 HP@ 2200 RPM	102-112* (73.9-81.1)**	15° -1° BTDC

Comments * mm³/Stroke ** LB/HR

Date of Issue

Abbreviation
Type

NA - Natural Aspiration

TC - Turbocharged

TCA- Turbocharged and Aftercooled