State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-119 Relating to Certification of New Motor Vehicle Engines

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That Ford Motor Company 1978 model-year gasoline-powered engines in heavy-duty motor vehicles with manufacturers gross vehicle weight rating greater than 8500 pounds are certified for the engine family, codes and models described below:

| Family | Engine Size (CID) | Exhaust Emission Control System | |
|--------|----------------------|------------------------------------|--|
| 300 | 300 | Engine Modification | |

Models and Engine Codes as listed in attachment.

Section 43200, Part 5, Division 26 of the California Health and Safety Code requires that the manufacturer affix a decal to the side window to the rear of the driver or, if there is no such window on the driver's side, to the windshield of the motor vehicle.

The decal shall display the applicable model year heavy-duty engine exhaust emission standards and the following recommended values:

| Engine | HC + NOx | CO | HC | NOx |
|--------|----------------|-----------|-----------|-----------|
| Family | gm/bhp-hr | gm/bhp-hr | gm/bhp-hr | gm/bhp-hr |
| 300 | Not Applicable | 9 | 0.6 | 6.0 |

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this day of August, 1977.

G. C. Hass, Chief

Vehicle Emissions Control Division

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| Manufacturer_F | ORD MOTOR COMPANY | _Executive Order No | A-10-119 | _Page1 |
|----------------|-------------------|---------------------|----------|--------|
| Engine Family_ | 300 | _Engine (CID) | 300 | |

ABBREVIATIONS

<u>Distributor</u>
C-Centrifugal Advance
V-Vacuum Advance
VR-Vacuum Retard
HEI-High Energy Ignition
EI-Electronic Ignition
Fuel System
EFI, FI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AI-Air Injection
CAI-Catalyst Air Injection
CAB-Chamber Air Bleed
DD-Dual Displacement
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EFE-Early Fuel Evaporation
ESAC-Electronic Spark Advance
Control
FI-Fuel Injection

Engine Model

300 LD 300 HD

| | | - | | | |
|---------------------------------|---|---|-------------------------------|--|--|
| | | | | TY GASOLINE ENGINES | |
| Manufacturer Ford Motor Company | | | xecutive Order | No. A-10-119 Page 1 | |
| Engine Family 3 | 00 | Ε | ngine (CID) <u>30</u> | Calibration 7-77J-R10 | |
| Emission Control | System IMCO | (Engine Modif | ication) | | |
| Engine Models | Distributor Type: C,V,VR Mfgr. Part No. | Fuel System Type: 1-1V Mfgr. Part No. | EGR System Part No. Service* | Tune-Up Specifications (1) Basic Timing (2) Idle Mixture (3) Idle Speed | |
| 300 LD | Ford D7TE- 12127-UA | Carter D8TE 9510-AAA | | (1) 10° BTDC @ 600 RPM in neutral; vacuum lines disconnected and plugged. (2) Preset at factory; do not adjust; see 1978 Ford Service Manual. (3) 600 RPM in neutral 450 RPM w/TSP off (Air Conditioner off) | |
| Comments | | | | | |
| | | | | | |
| Date of Issue | | | | | |
| | | | | | |

Abbreviation
Distributor
C-Centrifugal Advance
V-Vacuum Advance
VR-Vacuum Retard
EI-Electronic Ignition

Exhaust Emission Control System AI-Air Injection EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst

*Service I-Inspect, repair, replace as needed R-Replace

| 1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY GASOLINE ENGINES | | | | | |
|--|---|---|--|--|--|
| Manufacturer Ford Motor Company | | | xecutive Orden | No. A-10-119 Page 2 | |
| Engine Family 300 | | | Engine (CID) 300 Calibration 7-77M-R10 | | |
| Emission Contro | 1 System <u>IMCO</u> | (Engine Modi | fication) | | |
| Engine Models | Distributor Type: C,V,VR Mfgr. Part No. | Fuel System Type: 1-1V Mfgr. Part No. | EGR System Part No. Service* | Tune-Up Specifications (1) Basic Timing (2) Idle Mixture (3) Idle Speed | |
| 300 LD, 300 HD | Ford D7TE- 12127-UA | Carter D8TE- 9510-CDA D8TE 9510-UA 9510- | | (1) 10° BTDC @ 600 RPM in neutral; vacuum lines disconnected and plugged. (2) Preset at factory; do not adjust; See 1978 Ford Service Manual. (3) 600 RPM in neutral. 450 RPM w/TSP off. | |

Comments

Date of Issue

Abbreviation
Distributor
C-Centrifugal Advance
V-Vacuum Advance
VR-Vacuum Retard
El-Electronic Ignition

Exhaust Emission Control System AI-Air Injection EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst

*Service I-Inspect, repair, replace as needed R-Replace

| 1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY GASOLINE ENGINES Manufacturer Ford Motor Company Executive Order No. A-10-119 Page 3 | | | | | |
|---|---|---|--|---|--|
| | | | | | |
| · | | | Engine (CID) 300 Calibration 7-78J-R10 | | |
| Emission Contro | l System IMCO | (Engine Modi | fication) | | |
| Engine Models | Distributor Type: C,V,VR Mfgr. Part No. | Fuel System Type: 1-1V Mfgr. Part No. | EGR System Part No. Service* | Tune-Up Specifications (1) Basic Timing (2) Idle Mixture (3) Idle Speed | |
| 300 LD | Ford D7TE- 12127-UA | Carter D8TE- 9510-AAA | | (1) 10° BTDC @ 700 RPM in neutral; vacuum lines disconnected and plugged. (2) Preset at factory; do not adjust; see 1978 Ford Service Manual. (3) 600 RPM in drive 450 RPM in neutral w/TSP off (Air Conditioner off) | |
| Comments | | | | | |
| Date of Issue | | | | | |

Abbreviation
Distributor
C-Centrifugal Advance
V-Vacuum Advance
VR-Vacuum Retard
El-Electronic Ignition

Exhaust Emission Control System AI-Air Injection EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst

*Service
I-Inspect, repair, replace
as needed
R-Replace