(Page 1 of 2) < 0.00 -

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-9-49 Relating to Certification of New Motor Vehicle Engines

## CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That Chrysler Corporation 1978 model-year gasoline-powered engines in heavy-duty motor vehicles with manufacturer's gross vehicle weight rating greater than 8500 pounds are certified for the engine families, codes and models described below:

<u>Families</u>	Engine Size (CID)	Engine Model	Exhaust Emission Control System
LA-1	360	360-1 360-3	Engine modifications, exhaust gas recirculation, air injection
RBM	440	440-1 440-3	Engine modifications, exhaust gas recirculation

Models and Engine Codes as listed in attachment.

Section 43200, Part 5, Division 26 of the California Health and Safety Code requires that the manufacturer affix a decal to the side window to the rear of the driver or, if there is no such window on the driver's side, to the windshield of the motor vehicle.

The decal shall display the applicable model year heavy-duty engine exhaust emission standards and the following recommended values:

Engine	HC + NOx	CO	HC	NUX
<u>Family</u>	gm/bhp-hr	gm/bhp-hr	gm/bhp-hr	gm/bhp-hr
LA-1		17	0.4	5.8
RBM		11	0.5	7.3

8/29/2007

a. 1

CHRYSLER CORPORATION

EXECUTIVE ORDER A-9-49 (Page 2 of 2)

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 2 day of August, 1977.

G. C. Man

G. C. Hass, Chief Vehicle Emissions Control Division

والمراجع والمراجع والمراجع والمراجع والمتراجع والمراجع والمراجع والمراجع والمراجع والمراجع والمراجع والمراجع

				No. <u>9-49</u> Page <u>1</u> 360 Calibration
Emission Contro		AI, EM, EGR		
Engine Models (Codes)	Distributor Type Mfgr. Part No.	Fuel System Type Mfgr. Part No.	EGR System Part No. Service*	Tune-Up Specifications (1) Basic Timing (2) Idle Mixture (3) Idle Speed
360-1 (C-360-1,B)	Chrysler 4091661	Holley 4095421 (Automatic)	3870610 3870611	(1) TDC W/V disconnected a distributor.
360-3 (C-360-3, A,B,C)	Chrysler 3656672	Holley 4095422 (manual & automatic)	I at 12,000 mile interval.	(2) 1.0% CO @ tailpipe W/A disconnected and plugg diverter valve outlet hose.
				(3) 700 RPM neutral.
Comments				
Date of Issue O8	30877			
Abbreviation Distributor C-Centrifugal Ad Y-Vacuum Advance	vanc <b>e</b> AI-A	ust Emission Air Injection -Exhaust Gas R	Control System	* <u>Service</u> I-Inspect, repair, repla as needed

È

Manufacturer	Chrysler Corp	oration E	xecutive Order	No. 9-49 Page 2
Engine Family	RBM	E	ingine (CID)	440 Calibration
Emission Contro	N System EM,	EGR	·	
Engine Models (Codes)	Distributor Type Mfgr. Part No.	Fuel System Type Mfgr. Part No.	EGR System Part No. Service*	Tune-Up Specifications (1) Basic Timing (2) Idle Mixture (3) Idle Speed
440-1 (C440-1) 440-3 (C440-3)	Chrysler 3874887	Carter 4095407 4095441 (Manual & automatic)	3698886 I @ 12,000 mile interval	<ol> <li>8° BTDC disconnected an plugged @ distributor.</li> <li>0.5% CO @ tailpipe.</li> <li>700 RPM in neutral.</li> </ol>
Comments Date of Issue 08	0877	<b>_</b>	- <b>L</b>	
Abbreviation				
Distributor C-Centrifugal Ad V-Vacuum Advance VR-Vacuum Retard EI-Electronic Ig	vanc <b>e</b> AI-A EGR- EM-E	ust Emission ir Injection Exhaust Gas R ngine Modific xidation Cata	ation	* <u>Service</u> I-Inspect, repair, replac as needed R-Replace