State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-132-2 Relating to Certification of New Motor Vehicle Engines

MASCHINENFABRIK AUGSBURG-NURNBERG AG

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Maschinenfabrik Augsburg-Nürnberg AG 1981 model-year diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating greater than 8500 pounds:

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)		
BMA11.4FPA1 (D2566MLUM)	696.46 (11.4)	(Aftercooled) (Smoke Puff Limiter) (Turbocharged)		

Engine Models and Codes as listed on attachments.

Section 43200, Part 5, Division 26 of the California Health and Safety Code requires that the engine manufacturer furnish a decal with each engine sold or delivered to a vehicle manufacturer. The decal shall display the applicable model year heavy-duty engine exhaust emission standards and the following certification emission values:

Engine Family	Hydrocarbons gm/bhp-hr	Carbon Monoxide gm/bhp-hr	Hydrocarbons + Nitrogen Oxides gm/bhp-hr
BMA11.4FPA1 (D2566MLUM)	0.6	2	5.0

BE IT FURTHER RESOLVED: That Maschinenfabrik Augsburg-Nürnberg AG has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 10th day of July, 1981.

K. D. Drachand, Chief Mobile Source Control Division

1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Augsburg-Nurnberg	Executive Order No. <u>A-132-2</u>	Page 1
Engine Family BMA11.4FPA1 (D2566 MLUM)	Evaporative Family	·
,	Engine CID (Liters) <u>696.46 (11.4</u>	<u>+)</u>
ABBREVIATIONS		
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System	Special Features CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection-
Fuel System		Prechamber

MFI-Mechanical

TC-Turbocharged

Fuel Injection

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Maschinenfabrik

Model

D 2566 MLUM/CA

DRIVE SYSTEM:

1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

Manufacturer Maschinenfabrik Augsburg-Nürnberg AG Page 1 Engine Family BMA11.4FPA1 (D 2566 MLUM) CID(Liter)-Type 696.46 (11.4) L-6 ECS (Special Features) (Aftercooled, Smoke Puff Limiter, Turbocharged)							
Engine Model	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP and RPM	Fuel Rate at Maximum ^{HP} mm ³ /stroke	Label Ident.		
2566 MLUM/CA	Robert Bosch PES 6 P 110 A 720 LS 360	Robert Bosch DLLA 30 S 887	300 @ 2200	162	51.97871- 0090		
				·			
				·			

Date of Issue -